


June 1959 — 35 cents

# <sup>ICD</sup> MODEL AIRPLANE NEWS

## WILLARD'S GASSER RC

•  
Home-Built Airplanes —  
a round-up in pictures.  
1958 Wakefield Winner



# IT'S HERE ...NOW!

**FORMULA**  
This fuel is a scientific  
blend of these high  
quality ingredients ...

**CASTOR OIL**  
first pressing, filtered  
**METHANOL**  
**NITROMETHANE**  
**PROPYLENE OXIDE**  
**SYNTHETIC LUBRICANTS**

You will find this fuel  
especially suited to the  
following motors:

**FOX 09, 13 and 19**  
**FOX COMBAT SPECIAL**  
**McCOY 29 and 35**  
**TORPEDO 19, 29 and 35**

the **ULTRA** of TODAY'S model fuels ...  
superlative quality ... performance

the **NEW**

# MISSILE MIST

custom blended  
for high compression  
model motors  
gives you

**MORE POWER - QUICK STARTING**

**COOL BURNING - LESS SENSITIVITY**  
to mixtures and weather conditions -  
**GREATER ECONOMY**

**PRICES**  
Pints  
**95¢**  
Quarts  
**\$1.69**  
Gallons  
**\$5.50**



MISSILE MIST, the new liquid propellant, contains perfectly matched components. This was achieved by first testing, in comparative flight operations, nearly all model airplane fuels on the market as well as the favorite mixes of many well-known modelers. MISSILE MIST fills all the needs of the most demanding experts and is designed to give the finest performance with all medium and high compression motors ... a truly premium fuel at a non-premium price.

You will find MISSILE MIST superior in the world of model airplane fuels. Every can of MISSILE MIST is guaranteed to give you complete satisfaction.

**TRY IT! Ask for it by name — the New Champion MISSILE MIST liquid propellant — at your Hobby Shop.**

**SATISFACTION  
GUARANTEED**



**CHAMPION PRODUCTS**

FORT SMITH, ARKANSAS

S -

per-  
first  
odel  
ixes  
s *all*  
igned  
high  
non-

d of  
T is

pion  
hop.







Way Out in Front in Performance and Value

# COMET'S

Ready-to-Fly  
All-Plastic

## Gas Models

and

## Ready-to-Run Racing Car



### Snark

### SM-62

TRUE-TO-SCALE

### Intercontinental GUIDED MISSILE

Ready-to-Fly, True-to-Scale, U-Control GAS MODEL. High-Impact Plastic. Complete with LAUNCHER, Control Handle and Lines and .049B "OK" Cub Engine with Auto-Recoil Starter.

A scale version of the Air Force's dramatic Intercontinental missile, modified for thrilling control flights! Big—18½" long; beautiful—in rich red and yellow plastic; complete—with mobile 6-wheel launcher, powerful engine, control handle and lines, in striking 4-color box.



PLM-47  
**\$14.95**

Length 18½"  
Span 13½"  
Weight 7½ oz.

Complete with  
Gas Engines



### Regulus SSM

### GUIDED MISSILE

Ready-to-Fly, U-Control GAS MODEL. High-Impact Plastic. Complete with .049A "OK" Cub Engine and Twist-Cord Starter, Control Handle and Lines

This model has only one rival in value—Comet's own Tri-Pacer! Smart, sleek; blue-and-white color scheme; 14½" long; cushion-rubber tires, tricycle landing gear, colorful decals. Complete with engine, starter, control handle and lines in a full-color chest.



Length 14½"  
Span 14"  
Weight 6 oz.

High  
Impact  
Plastic

AVAILABLE  
JUNE 1st

PLM-31  
**\$7.95**

### BELOND AP Special Engine Powered RACING CAR

TRUE-TO-SCALE

Ready-to-Run, High-Impact Plastic. Complete with .074 "OK" Cub Engine with pull starter, Bridle and Tetherlines.

Replica of the racing car that won the 1957 and 1958 Indianapolis Speedway classics, beautifully molded in dazzling yellow plastic! Genuine rubber tires, decals, driver, bridle and tetherlines—ready-to-run! Telescope 3-color box.

Length 11"

PLR-3200  
**\$11.95**



COMET MODEL HOBBYCRAFT, INC. 501 West 35th Street Chicago 16, Illinois

A Comet Exclusive

HILLER X-18 KIT PL-805  
PROPELLOPLANE



ALL-PLASTIC  
True-to-Scale

**98c**  
Each



KIT PL-806

A Comet FIRST

COUGAR CO<sub>2</sub> Powered  
RACING CAR

Send for these 2 BIG COMET BOOKS:

The New Comet Catalog—18c; shows hundreds of models in color. 20-Page Book—"What Makes An Airplane Fly"—lots of pictures and diagrams—in 2 colors—35c.

# NEW ACCESSORY KITS

## FROM PERFECT

FEATURING  
THESE  
EXCLUSIVE  
PERFECT  
ITEMS

- Plunger type pump with swivel spout
- Ready to use battery set
- Wrench that fits all kits
- Flight tested connectors
- Control handle with line-wrap feature
- Pre-stretched, Dacron Control Line
- Manual on complete flying instructions

ONLY PERFECT KITS CONTAIN THESE FEATURES  
GET YOURS TODAY



### # 29 DELUXE ACCESSORY KIT

CONTAINS:

- ★ Control Handle
- ★ Fuel Pump
- ★ Glo-Klip Battery Set
- ★ Modeler's Wrench
- ★ 1/2A Control Line (Dacron)
- ★ Line Connectors
- ★ Instruction Manual

RETAIL  
VALUE  
\$2.18

Only  
**\$1.98**  
Complete

RETAIL  
VALUE  
\$1.64

Only  
**\$1.49**  
Complete

### # 28 ACCESSORY KIT

CONTAINS:

- ★ Fuel Pump
- ★ Glo-Klip Battery Set
- ★ Modeler's Wrench
- ★ Line Connectors



# PERFECT PARTS CO.

For Perfect  
Performance  
Use Only  
Guaranteed

PERFECT Products



P. G. F. CHINN

## Foreign Notes

### WEST GERMANY

About 30 model manufacturers were represented at the Nuremberg International Toy Fair held during the last week of February. Among the radio-control exhibits, OMU showed the complete Stegmaier system they are manufacturing, an interesting compound servo giving rudder and throttle control on single channel, and a stick box for single channel. Johannes Graupner exhibited revised versions of the Hobby .06 and Rasant .15 diesels and the new Schlosser .03 was much admired for its high quality construction.

New German model products continue to appear frequently, despite the big increase in imported items now being offered in the Federal Republic. These latter include the full Cox and Herkimer engine ranges from the U.S.A., Super-Tigre from Italy, DMI from Denmark, Allen-Mercury from Britain, OS from Japan. The Hungarian Alag and Aquila engines are also imported, including the little V.T. .015 cu. in. diesel, although this does not sell too well in competition with Cox's Pee-Wee.

Present trends in German kits are towards the wider use of vacuum-molded plastic parts and accessories. Star Models turns out complete boat hulls and is experimenting with aircraft parts; Graupner uses molded wing-tips, etc.; Becker makes molded hull boat kits and is also expected to enter the model aircraft field.

On the new Schlosser .03 diesel, Karl-Heinz Denzin gives some idea of its performance by reporting a 60-degree climb on his new 36-in., 9-oz., free-flight built for this engine, turning a 6/4 nylon prop.

### AUSTRIA

Former world model glider champion and Chicago Aeronauts member, Ossi Czepa, tells us that he has gone over to asymmetric Nordic A2 designs. As reported last year in these columns, asymmetric configurations have been used, highly successfully, by the Swiss expert Thomann. Ossi says that his new model is the best A2 he has yet designed. He also mentions that the special towline reel he uses is to be offered in a plastic version by Star Models of Germany.

### FRANCE

The appearance of a new French built engine is something of an event. Very few new motors have been marketed in France over the past few years. The announcement of a new motor from Micron—one of the oldest established model engine manufacturing concerns—is bound, therefore, to arouse wide interest. The new model is the 'Super-Sport' 29, a shaft-valve, plain-bearing, glow-plug engine. Designed primarily for stunt and team racing, claimed output is .55 bhp at 14,500 rpm. One French magazine shows the Super-Sport as delivering approximately 35 percent more power than the Fox 29—which, however, leads us to think that it must have been compared with an uncommonly dud Fox.

General design of this new Micron is conventional. Crankcase and cylinder are a monobloc casting with detachable head, front bearing and rear plate. Counterbalanced shaft has the usual rectangular intake port. Lapped piston has the skirt relieved below wristpin centers. Bore and stroke are 19 x 17 mm. (.748 x .669 in.), giving a dis- (Continued on page 36)

# Guillow's

TOP QUALITY • TOP VALUE

## GAS MODEL AIRPLANES

- ★ RADIO CONTROL
- ★ FREE FLIGHT
- ★ U-CONTROL

STUNT • COMBAT • TRAINERS

## Brand New! 20" WING SPAN CONTROL LINE MODEL The SKY KING



\$1.79  
less motor  
and propeller

### Features:

- Airfoiled balsa wing
- Complete hardware package
- Flying lines and control handle
- Sturdy motor mount system and new angle poised landing gear arrangement


Completely pre-fab kit designed primarily for the .020 engine — also easily adapted for .049 motors. Designed and guaranteed to "stay out on the lines" even in high winds. No equal for flight performance and durability in its class.

### RUDDER ONLY — INTERMEDIATE MULTI-CHANNEL




EXPLORER 56" wing span R/C model.  
Wing area 560 sq. in., Engine .15 to .25.  
\$14.95


### MOVABLE FLAPS




BARNSTORMER MARK 2 U-control stunt model. 47" wing span, wing area 470 sq. in., Engine .19 to .36. \$7.95




BABY BARNSTORMER 1/2 A U-control stunt. Wing span 23 1/2". Wing area 118 sq. in., Engine .035 to .049. \$3.25




PROFILE TRAINER 1 Ideal control line model for small engines from .049 to .099. 24" wing span. \$3.25



PROFILE TRAINER 2 30" wing span U-control model for engines from .14 to .19. Rugged — dependable. \$4.50



PROFILE TRAINER 3 Giant 36" wing span U-control trainer for engines from .19 to .36. Best value. \$5.95



RAT RACER U-control model for Rat Race event. 24" span — for engines .25 to .40. Indestructible! \$4.50



KIWI 1/2 A 35" wing span free flight model. \$2.95  
KIWI A 48" wing span free flight model. \$4.95



TRIXY 45" span, swept wing U-control model stunt, combat or sport flying — for .19 to .36 engines \$5.95

*New low price!*

If not available at your Hobby Dealer send direct to factory adding 25c packaging and postage in U.S.A., 40c outside U.S.A.

PAUL K. GUILLOW, INC., Wakefield, Mass.



# MAN

30th Year of Publication

## MODEL AIRPLANE NEWS

JAY P. CLEVELAND, President and Publisher  
June 1959 Vol. LX, No. 6

### CONTENTS

#### CONSTRUCTION

The Gasser .....	12
1958 Wakefield Winner .....	16
Super Sky Lancer .....	20

#### ARTICLES

They Build Their Own .....	9
I Collect Old Engines .....	18
Why Not a Sailplane .....	22

#### FEATURES

Foreign Notes .....	2
MAN at Work .....	4
Early Birds .....	14
Radio Control News .....	25
Helicat—Pt. 1 .....	26
Bulletin Board .....	30
Home Builts—Skyhopper .....	34

WILLIAM WINTER, Editor

WITTICH HOLLOWAY, Art Director

Contributing Editors: Peter Chinn (England),

Don Grout, Ed Lorenz, Ted Martin,

Bruce Wennerstrom, Harry Williamson

Executive and Editorial Office:

551 Fifth Avenue, New York 17, N. Y.

Advertising Manager, N. E. Slane, 551 5th Ave.

New York 17; West Coast Adv. Mgr., Justin

Hannon, 4708 Crenshaw Blvd.

Los Angeles 43, Calif.

Published Monthly by Air Age, Inc. Editorial and Business Offices: 551 Fifth Ave., New York 17, N.Y. Jay P. Cleveland, President; Y. P. Johnson, Vice Pres.; Louis V. DeFrancesco, Treas.; G. E. DeFrancesco, Sec. Second Class Postage paid at Columbia, Missouri. Additional Second Class Entry at New York, N.Y.

Copyright 1959 by Air Age, Inc.  
Printed in U. S. A.

by  
William  
Winter



► After three months of dreary, small-time arguments about rules, MAN at Work salutes the modeler who quipped, "If all you guys had to build nine new models a year, you'd do less talking and more building." Amen. Perhaps you, too, feel as if it just rained the whole three-day weekend! After listening to soap box orators shouting what do we add, a pound of lead or a head of cabbage, along comes Ed Rieber, Anaheim, Calif., with a .19 in his .35 Upstart, cops Class A at the San Valeers Contest (of all places), and sets high time for the day with a very good 35-minute total.

• • •

► Could there be a hush-hush reason for the lengthy delay in releasing the Hatschek-drafted statement on the builder of-the-model rule? This statement was written for obviously good reasons before the new rules were released. The Contest Board Members voted overwhelmingly for its release—only one dissension. Despite sworn statements, eye-witness accounts and letters about dirty work at the cross roads, MAN at Work still finds it possible to justify a recent remark in this column, that something would go out of life if any of this stuff was proved.

That many of our RC buddies fly crates built by hired hands, doesn't shake us. For most of these guys can build as well, if not better, themselves. Of course, it is wrong. And it is about time we admit it. It is the father-helps-son teams that worry us. Not the kids so much. Just some of the old men. If we could only get across the fact that

a kid has more fun in the long run if allowed to stand on his own two feet. This is hard to realize, we know, having had six builders of our own, one of whom recently pressed out the windows of a diecut fuselage and threw away the sides.

Hundreds of Dads, tickled pink when junior first swipes Pa's glue tube, right-away quick look for plans of some ancient clunker published 20-25 years ago. It may have been nailed together or flew like a lead sinker but Junior is going to do it the hard way or he'll get a kick in the pants. This is fun? Reminds us of the Dad at a Detroit Nats whose son wound in a free flight and then flung his hat on the ground. In those days, practically everything wound in and you could double your vocabulary on any windy day by listening to scientific (Continued on page 61)



NEXT MONTH'S COVER Little Toot

#### SUBSCRIPTION PRICES

U.S. & POSSESSIONS: 1 year \$4.00; 2 years \$6.50; 3 years \$9.00  
CANADA: 1 year \$4.50; ALL OTHER COUNTRIES: 1 year \$5.50

Payment from all countries except Canada must be in U.S. Funds.

CHANGE OF ADDRESS—Send to MODEL AIRPLANE NEWS, SUBSCRIPTION DEPT., 551 FIFTH AVENUE, NEW YORK 17, N.Y. at least one month before the date of the issue with which it is to take effect. Send old address with the new, enclosing if possible your address label or copy. The Post Office will not forward copies unless you provide extra postage. Duplicate issues cannot be sent.

#### PLANE ON THE COVER

When aeronautical engineers set out to design and make a home-built, the result usually is a mighty efficient little monoplane, such as the Salvay-Stark Skyhopper. Second in the series of covers on amateur projects, Jo K's rendering of the Skyhopper captures the wonderful feeling of sport flying. For plane details, see page 34.



FOR INSTANT STARTING

FOR DYNAMIC POWER

FOR FLASHING SPEED

**NOW AT  
NEW LOW PRICES**

**ALWAYS USE OK ENGINE FUELS**

**FOR ALL GLOW ENGINES . . .**

**45¢**

**½ PINT**

**80¢**

**PINT**

**\$1<sup>40</sup>**

**QUART**

**\$4<sup>50</sup>**

**GALLON**

**"OK" DIESEL FUEL . . . 80¢ PT.**

Minimum takeoff and maximum climb with plenty left for flashing acceleration in maneuvers. Plus purring smoothness when you throttle back to cruising.

That's what you get from "OK" Glow or Diesel Fuels. More flash, fun and action. Finer control with fewer adjustments and coaxing.

"OK" Fuels leave your engines clean, free from varnish or residue. Ready to go, even after long usage. Whether you're in big time competition or flying for fun, insist on "OK" Engine Fuels . . . the kind that give you the 3 big features you want.

**BUY OK GLOW FUEL IN THE NEW  
ECONOMY SIZE GALLONS AND SAVE!**

It's the economical way to buy OK Fuel particularly for use in meets, contest flying, clubs, or just for your own use.

**Only \$4.50**

**AT LEADING  
HOBBY SHOPS  
EVERYWHERE**

**HERKIMER TOOL & MODEL WORKS**

**COMPLETE  
AS SHOWN**

**\$1<sup>25</sup>**



**FOR SUPERB ENGINE OPERATION  
GET AN "OK" ACCESSORY KIT**

**CONTENTS:** ½ pint OK Glow Fuel.  
1 filler spout with plastic tubing.  
1 set battery leads fully assembled and soldered with battery connection and glow plug clip.  
1 combination plug wrench and screw driver.

**For Use with All Model Engines**









**SOLDER**  
**IRON**  
 for all model work  
 \$2.29. A Real buy.  
 by \_\_\_\_\_ **\$129**



**Taxiing out on a summer's day at Chicagoland Airport, Jack Corne's Baby Ace, Continental 65 hp. Baby Ace is most popular home-built.**

# They Build Their Own

*Under the guidance of the Experimental Aircraft Association, and the watchful eye of a cooperative Federal Aviation Agency, home builders are going to town.*

► Homebuilding of aircraft is as old as aviation itself, for the early pioneers had to design and build their own, and many prototypes of advanced designs were first built in this manner. Today's amateur-builder enthusiast has a well established organization available to him for information and assistance. The Experimental Aircraft Association of Hales Corners, Wis., founded in 1953 by its President, Paul H. Poberezny, with the assistance of Bob Nolinke, Secretary-Treasurer, and other local enthusiasts, today has more than 5000 members from all over the U. S. and Canada, and many in foreign lands as well. Local chapters—55 of them—have been formed in various cities of the U. S. and Canada to give members a

closer contact with each other. Many more are in the process of being formed as the membership grows.

Dedicated to the advancement of sport and private flying, the EAA has become the spokesman for this segment of general aviation. The organization is non-profit, all of its officers serving without remuneration, and all income is used to operate and promote the Association. Several of the officers spend as much as 40 to 50 hours of their spare time each week answering correspondence and tending to other details necessary to operation.

Communication among the members is accomplished through the pages of Sport Aviation, EAA's monthly "house organ." (Continued next page)



**Experimental Aircraft Association offers \$5000 award in 1960 for best readable amateur project. Bryan 2, highly modified Ercoupe.**



Skimming over ribboned obstacle marker, a 1930 Kadiak Sportster rebuilt by Bob Horne. A 150 hp Lycoming gives top acceleration.







Vintage Pientenpol with original Ford A engine has been flying a quarter century. Old time modelers well remember the Aircamper!




Extraordinary cruise and fine flight characteristics have made Wittman's Tailwind design famous. This one by Sundby, Amundsen.



Meyer's Little Toot (July cover) is a modeler's dream realized. For the lovers of the glamorous, tiny biplanes, this is the ultimate.



Heading into wind for inland-lake take-off, is Lambert D, Baby Ace on Eda-type floats. Paul Poberezny, EAA, is at the controls.



Unique trike gear on Wittman W-9L. Tailwind, handles beautifully, minimizes bad landing shocks, virtually eliminates fuse damage.



Most prolific designer and seller of aircraft plans to the home-builders is Ray Stits. Playboy SA3A does 130, lands 45, 85 horse.

## They Build Their Own . . . continued

Poberezny serves as editor-in-chief, while the duties of managing editor are handled by George Hardie, Jr. An interesting compilation of news of the projects being built by members, aircraft completed and flying, latest government regulations, construction hints and information, and many other items of special interest to this class of flying enthusiast, Sport Aviation provides the cement that binds the organization together. More technical information is featured in the Amateur Builders' Manual, a semi-annual publication furnished to members containing reference and guidance material to aid them with their projects.

At this point you may well ask, "Can I *really* build my own airplane?" Yes, you too can build your own airplane—*IF* you follow certain prescribed rules and procedures, and if you possess the necessary determination and perseverance to carry the project through to completion. There is no real mystery about aircraft design and construction—

at least not of the size of aircraft encompassed in the sport plane class. After all, the aircraft industry has been in existence for more than 50 years and design techniques and construction methods have become pretty well standardized. Anyone with a real interest in the subject and possessing average mechanical ability can acquire through study and training the knowledge and skills required to build his own aircraft.

"What about government regulations?" you may ask. The Federal Aviation Agency (formerly the Civil Aeronautics Administration) is charged with the promotion and advancement of aviation, as well as the regulation of all aviation activities. Most of its regulatory work concerns the certification of standard commercial aircraft such as airliners, executive planes and factory-built light aircraft used for training and pleasure. However, to reach this standard category, type-certificated class, all airplanes



Stits Skycoupe, two-place cabin, 140 top, 48 land, on 85 Continental. Span is only 27 ft. 4 in., gross 1300, 550 pay, 420 range.



Folding wings put on Stits by James Frost facilitate towing to and from field, allow plane to fit in garage where easy to work on.



Smith Miniplane (DSA for Darn Small Airplane), finished by his friends after his death. Frank set ukie mark of 105.75 (B), '44.



Joe Sablar's tiny 15 ft. 85 hp. Continental (May cover) twice a winner of best workmanship awards in EAA competition. A modeler.

must first pass through the experimental stage and so are included in an experimental category, which also takes in racing aircraft, special exhibition aircraft, agricultural aircraft, etc. Here we also find the amateur-built classification, under which all home-built airplanes are certificated for airworthiness.

This amateur-built classification has been established for a specific purpose, which is best described by quoting from the Civil Aeronautics Manual, Part 1.73-1 (c) which reads



Twin by Miller is a modified Cub. An interesting experiment, it is practical but single-engine performance is not the world's best.



Ease of handling has won awards for Maule four-place. Performance so good ship may be produced in future. (Maule, tail-wheel man.)




Jeanie, a low wing from a Cub, by Horace Sackett, won take-off prize EAA Fly-In. On 90 hp Franklin, trike job really haps off.



Another job that might go on the market is the Davis five-place, with Vee flying-tail. External stiffeners instead internal ribs.

in part as follows: "... when the applicant presents satisfactory evidence that the aircraft was designed and/or fabricated by an individual or group of individuals, the project having been undertaken for educational or recreational purposes..." The important point here is indicated by the words "educational or recreational purposes." In 1954 the CAA inaugurated an Aviation Incentive Movement—their AIM Program. The purpose of this program was to encourage (Continued on page 42)



Gassers three! John Shearer, left; Ken; and Bill Glick, right. With low aspect ratio wing (4-1) Gasser does 27-30 mph on .09.

# the Gasser

by KEN WILLARD


*She'll cut a pretty pattern on that .09 but, for pylon racing, you've got handful of lightning. And in intermediate or sport flying Ken's latest job is barrel of fun.*

► Let me begin this article by telling you quite frankly—if you're a beginner in radio control, put these plans and this article away until you've got a little experience in flying. Or, if you prefer, go ahead and build yourself a Gasser, but get an experienced flier to check you out before you solo.

You see, the Gasser is deceptively simple to build—as radio jobs go. Also, when you watch it fly, it looks very easy—and it really is, once you get on to it. But—and this is the important point—this airplane isn't called the "Gasser" for nothing. When it gets going, and you give it a down elevator to get up to high speed, you've got a handful of lightning, and it can strike faster than you can see the ground coming up! I know—I've clobbered mine twice just by getting fascinated watching it zip along upside down, then forgetting to pull out in time. Fortunately, it's rugged, and repairable.

But enough of this warning—you're probably going to go ahead and build it anyway. So let's talk briefly about the idea behind the design.

The Gasser was designed for pylon racing. It is a legal AMA class .09 pylon racer; the wing area figures out right on the button at 386 sq. in. The prototype won first place in the LARKS pylon racing contest early last year. It had a flat bottom wing which gave a vicious zoom characteristic when rounding the pylon, so the final design incorporated the semisymmetric airfoil to reduce this tendency. Also, the tail moment was increased, and the aspect ratio lowered from five to four. Finally, the downthrust was increased from 5° to 8° to help hold the nose down under



Detailed cockpit and dummy pilot Shearer's model suggests racer. To hold down nose at high speeds, use 5-8 degrees down thrust.




Make them detailed, left, or functional, rear—no cockpit. Modified Babcock escapement gives loops, Cuban eights, dives, so on.

power at high speed. This in turn caused a reduction in the right thrust, since the prop wash now is directed so that it just hits the top of the fin. Right thrust is from 0° to 1°, depending on the trim of the model. Bill Glick, John Shearer, and I each built one. John did a beautiful job on his, with a detailed cockpit and all, as you can see in the photos. Mine was functional in nature, as was Bill's. But they all do a terrific job of flying.


The AMA only has one class for pylon racing, so it soon became apparent that the multichannel boys would dominate this event. However, at the LARKS Western Open, we had two classes, so I pointed for that meet. In practice I was making between 27 and 30 mph for the five-lap course, and figured to place pretty high. Occasionally I would tire of practicing racing and would grab a little altitude and try a few maneuvers. This was when I discovered that the racing design has really great potential for precision flying. The maneuvers are large, but exceptionally smooth for single channel operation. I have my "poor man's multi-control" modified four-position Babcock escapement mounted in my Gasser, and with it I found I could do excellent loops, Immelman's, Cuban eights, and a power dive that is frightening.

Well, I went to Bakersfield with the intention of winning the single-channel pylon event. But the time allotted for pylon racing was very short, so, just for kicks, I also entered precision. I didn't have a motor control installed, for fear it might work when I didn't want it to during a race, so I had to do the pattern and maneuvers all at high speed. The entry list was long, but I got in three flights.





Fast flier, fast construction, too. Sheet-sided fuselage is box, tail from sheet balsa. Straight wing, with only one spar it is breeze to build.



Knock-off wing, stabilizer, landing gear let you "walk away" if a piloting error. Helmeted pilot says he doesn't worry much, tho.

Then came pylon. I took off, was flying along fine until the third lap, when suddenly my receiver began dropping out and I lost control. The result was that I never finished the pylon race—but I came in second in the intermediate precision event! Actually, I had used up my batteries in flying precision, and they were too weak to hold a prolonged signal which was required for racing.


So, although the Gasser was originally designed for racing, (and a multi-channel version could probably do all right in the coming Nats) it turns out to be a top flight performer in precision—and that's the event it's competing in now.

As I said in the beginning, this airplane is for you fellows who have a little experience under your belt. With that in

mind, I figure you also have some pretty good ideas of your own regarding installations, so I haven't gone into much detail, except to show that your gear must all be packed well forward in order to provide the necessary balance. Let's consider the various steps in building the Gasser.

### CONSTRUCTION

**Wing:** The wing is very straightforward in construction. Use medium-hard balsa for the leading edge, spars, and trailing edge, and medium balsa for the other parts. Build the wing in one piece, right on the plans, using 36" wood, then cut it in two and splice it back together at the center section using the four-degree dihedral braces as shown on plan. **Horizontal tail:** Use a good, (Continued on page 38)



FULL SIZE PLANS AVAILABLE. SEE PAGE 60.

# Early Birds

by DOUGLAS ROLFE


## Number 6

### DEVELOPMENT OF THE TRACTOR BIPLANE


The first crude biplanes, as we have already seen, were predominantly of the "pusher" type. Between 1910 and 1914, however, the tractor type biplane began to come to the fore.

Two examples of the remarkable development achieved during this period are Sopwith's tiny "Tabloid" and Germany's L.V.G. The "Tabloid" hit 92 mph with a 50 hp engine—no mean performance for 45 years ago—while planes of the L.V.G. type had already succeeded in remaining airborne for periods of 24 hours by 1914! The L.V.G. illustrated is particularly noteworthy on account of its clean lines, washed-out wingtips and the careful attention paid to streamlining—a rarity indeed 45 years ago!

The Wright Model F, or "Tin Cow", was a belated effort to breathe new life into a dead-end design. Encowled nose engine, aluminum-clad fuselage and skid-less landing gear were departures from all previous Wright designs but wings and chain-drive props remained much the same. The fragile looking little Caudron was, in fact, a safe airplane, used widely as a primary trainer. The two Avros shown are examples of almost incredible design progress within the space of one year while the Handley Page is yet another example of this famed firm's early preoccupation with the crescent-wing concept.




1913 HANDLEY PAGE HP7.  
100 H.P. ANZANI RADIAL ENGINE




1910-11 AVRO-GREEN  
35 H.P. GREEN 4-IN-LINE




1911-12 AVRO-E.N.V.  
65 H.P. E.N.V. VEE-8 ENG.



1914 WRIGHT MODEL F 90 H.P.  
AUSTRO-DAIMLER ENG.—"TIN COW"




1913 CAUDRON 35 H.P.  
ANZANI Y-TYPE RADIAL



1913 SOPWITH "TABLOID"  
50 H.P. Gnome ROTARY ENGINE

DOUGLAS  
ROLFE



1914 L.V.G. 100 H.P. ARGUS/  
OR MERCEDES-BENZ ENGINE





Inserting nose plug after winding at Cranfield, England, finals. Molded sheet balsa fuselage

withstood a full-winds breakage—though substitute model successfully completed the flights.

# 1958 Wakefield Winner

by PETER G. F. CHINN

***Willingness to build a better-than-average model enabled Australian "loner" to top the state-organized teams of Eastern Europe.***

► Twenty-two years ago, the Wakefield formula was revised and the minimum weight went up from 4 oz. to 8 oz. From that time forward, Wakefield designers made periodic sorties, trying to get out of the slabsider rut. With one or two exceptions, however (such as Jim Cahill's Clodhopper—1938, Chesterton's Evans-designed Jaguar of 1948 and Alan King's 1954 winner) nearly all the honors have been taken by the traditional, square-cut model of

conventional construction. Admittedly, models of the past five or six years (i.e. since the abandonment of the old Wakefield cross-sectional area rule) have been fined down, but not since Cahill's 1938 winner, with its streamlined, planked fuselage, has any Wakefield winner so closely approached the classic streamlined design, as Baker's Woomera. Monocoque, oval-sectioned fuselage; spinner; graceful, elliptical-tipped wings and twin fins, it uses most of the features thought desirable for a couple of decades, combined in a modern, long-fuselage configuration, to produce what is, undoubtedly, one of the finest models yet to emerge under the current Wakefield formula rules.

This, needless to say, is not a model for beginners. Fuselage construction is unorthodox and involves carving a hardwood mold, over which the fuse-



lage halves are formed. For the serious contest modeler, however, who must have several models for a season's flying, it is a worthwhile proposition. The fuselage, as Bond comments at the end of the building instructions, is very strong. We were present when he had a full turns motor break in the second round at Cranfield and can vouch for the effectiveness of its construction. Although, like any other contest model, it will take an experienced modeler to get the best performance from it, Woomera does not appear to be unduly temperamental. When Bond's No. 1 model had its fuselage choked with knotted rubber after the second round catastrophe at Cranfield, he switched to his reserve model, which had never previously been flown on full turns. Despite the fact that it had a lively 11-strand motor, (Continued on page 52)



Not since Cahill's 1938 winner has any model so closely approached the classic Wakefield design. Baker, with ship, during the finals.



Baker launches the Woomera into righthand pattern—power and glide. Woomera, incidentally, the site of Britain's missile test range.



FULL SIZE PLANS AVAILABLE. SEE PAGE 60.

**WOOMERA**  
BY  
**RSBBAKER**

# ...I collect old Engines

by  
**WALLACE R.  
MacLAREN**

*Meet now a new kind of  
hobbyist. His eyes light  
up at the sight of an  
ancient "mill." But he has  
a problem—how to  
outfox many rivals.*



The value of a good, clean, antique engine rises every year, according to MacLaren, showing here a portion of his collection.

Most collectors go in for vintage engines, others specialize, like the chap who has 15 Brown Jr.'s. "Horsetrading" becomes a fine art.

► Obsolescence of model engines, although not so apparent as with full scale military aircraft, has led a British scribe to suggest that a purpose quite removed from powering model airplanes be utilized for them—that of museum curios! Actually, dozens of well known makes have somehow disappeared from the market in the past decade. Names like Feeney, Bond, G.H.Q. and Hurleman are unknown to new modelers and almost forgotten even by the old timers.

Thus, with the continual passing of years, the chances of seeing some of these motors grow remote. The Smithsonian Institute in Washington, D.C., has had a sizable collection of motors, but the fantastic numbers that have been produced both here and abroad render a single collection of all types fairly difficult.


Actually, model builders have been quietly collecting motors for years, but it is only recently that we have become aware that this "new" hobby has a wide-spread following. Individual motor museums are springing up like mushrooms in a damp cave and many collectors have over one hundred motors to choose from when building a new ship. Top honors for sizable and unusual collections go to Bruce Underwood of Columbus, Ohio, who is well past the two hundred mark. And if that sounds far-fetched, let me reiterate that there's been a heckuva lot of motors produced since Bill Brown's baby first belched in a breezy back room.

Most large cities in the U.S. harbor at least one engine collector. His collection might be small, but in


most cases, he'd rather part with his left arm than his pre-war Atom. Of course, most of us have some pet motor too, and since most of us also have a couple of extra ones that are not in constant use, it may be that all of us are potential collectors. (Gad!)

Now why would anybody really take a serious interest in collecting inanimate globs of steel and aluminum? A psychologist might state that aside from the profit motivation, collecting guns or stamps or even motors affords the opportunity for vicarious prestige and emulation. (I beg your pardon!) Actually, many collectors do find that their hobby can be profitable. The value of a good, clean, ancient motor rises every year. There is also considerable fascination in ferreting out motors which have long since disappeared from the market and restoring them to their original condition. Then there is the knowledge to be gained about 2-cycle engine theory and construction by observing, firsthand, the use of various materials and methods of porting. Some modelers just like to be different by showing up at the local flying session with a Denny powered Nobler. Of course, it probably won't get off the ground, but the owner can get his kicks by telling onlookers that the model is sporting a prototype of the new Cobnocker .35. We have known many dealers to strategically place a few Browns, Synchros, Rockets, etc. in their showcases. Don't expect to be able to buy them, though—they're just "eyecatchers." Finally, one of the best reasons for collecting motors is that it's fun. That's good enough for most of us.






These two Elf engines once were advertised by John Maloney at \$45 apiece. He received two offers! Don't toss out that Cobknocker!



Baby Cyclone, Brown Jr. and Bantam after reconditioning. Great satisfaction in restoring such oldtimers to operating condition.



Never-run Kopper King .60—copper head, fins, by-pass, exhaust—has mono-control of spark ignition and fuel. Note the odd case.




The rarer, the better. This Polish Jaskolka III, sent to author by designer Stanislaw Gorski. Three built. This one was a preproduction.

Many collections are highly specialized. For the sake of simplicity, we shall divide the most common types of collecting into two categories: "Vintage", which refers to all motors not being produced at present, and "Other", which comprises an endless variety of specialization.

**Vintage Collections:** Since World War II temporarily interrupted model engine production, vintage motors are usually considered to be pre-war or post-war. Pre-war engines, dating from about 1935 to 1942, are the most difficult to obtain in good condition and they bring the highest prices. This leads us to a very interesting question. How much is an old motor worth? The value of any motor, be it a Wasp or a Baby Cyclone depends upon such factors as its internal and external condition, whether any parts are missing, its age and the relative scarcity. In the final analysis, however, an engine's value actually depends upon how much someone else would be willing to pay for it. To a novice modeler, the Wasp might be far more "valuable" than the Baby Cyclone. The engine collector might be willing to pay the equivalent of four Wasps to get the Baby Cyke.

We do have some indication of the market value of vintage motors. John Maloney, who used to have quite a "going" used engine business, usually sold an average Brown Jr. with missing tank and timer for \$4.50. A Brown in good condition and with all parts brought \$12.50. An almost new one, in the original running stand and complete with tank, coil and condenser, sold for as much as \$25.00. For a joke, he once (Continued on page 48)



Arden .099 (you're getting old, bub!) rendered more valuable because still in box with directions, etc. It was purchased for \$3.



After three years of service and hundreds of miles logged, Number 10 is still a threat to team races. Trophies from team, proto.

# Super Sky Lancer



The Super evolved from 1/2A Sky Lancer. Number 5 shown, turned 115 laps at 60 mph on Mac .049 Diesel, got speed flier dizzy on test.



Final version of 1/2A, Number 6, was taken to meets to confuse the competition. Well finished ship a pleasure to fly just for sport.

**by EDWARD HARP and JOSEPH NEDELA**  
*Prettiest by far, and most real looking control-liners are proto and team-race jobs. This .29er excels in both events.*

► The Super Sky Lancer is the result of a long line of ships. The first Sky Lancer was a hot 1/4A job. Number 10, the first "Super", has proved itself by logging hundreds of miles in three years of racing, and has had to fly only one consolation race (snagged some taut lines taking off after a pit stop in a heat race). It has two firsts in Proto, even though it is basically a team racer. Best qualifying time has been 106 mph. The 140-lap 10-mile feature race has been flown in 7:50. Two pit stops were required. The Super Sky Lancer flies 48-50 laps at 93 mph and does 98-106 mph for 35 laps, using *Super Sonic 1000* fuel.


Through experience, many features were built into the later versions to ensure trouble free operation and desirable flight characteristics. Symmetrical wing sections had a tendency to drop the ship out of the air, making spot landing more difficult. Built up wings saved little weight and had a floating tendency due to extra thickness.

Vibration and oil seepage are the deadliest enemies of a plane that is intended to fly a grueling 20 miles an afternoon many times during the flying season.

The plane is completely sealed from the firewall back, including a sealed-in tank that has caused no trouble. Vibration is dampened and kept to a minimum by using the shortest engine mount overhang, and by embedding the upper mount into the top fuselage block. The lower mount is secured by the cowl blocks.

A "side-winder" was decided on early in the series—the reason is obvious to anyone who has flooded an inverted engine. The apple-cheek cowls appear to be excess frontal area, but the performance did not suffer. The long fuselage length is also a departure from the usual team racer. The long moment arm helps it stay in any groove. It's a smooth flying, easy to handle ship.

A pressure tank is used—sometimes at a disadvantage. Speed and mileage are definitely increased and starting is easier. You must decide if it is worth the disadvantages. Once started, you can't add fuel to tank, and run the risk of using too much fuel on the ground. The extra "plumbing" also requires a little more time on pit stops. The pressure take off jet is a 4-40 bolt with head removed, and a 1/32 hole drilled through its length. One end is soldered



Light-weight apple-cheek cowl is formed over a pine form after soaking in water. Allowed overnight dry, while wrapped  $\frac{1}{8}$  rubber.




Number 11 is the latest and, although all the bugs aren't out of the engine, crate shows promise of achieving record similar the 10.

closed, and a small hole punctured through with a pin, approximately .010" diameter. Some experimenting may be required to obtain the proper size hole. We could find no commercial cut-off that wouldn't leak pressure, so the simple cut-off shown was evolved. When the short line from the down lead-out pulls the wire, the neoprene tube unkinks, bleeding off pressure and engine stops. Our pressure jet was located opposite intake on front of crankcase.

Qualifying runs and short heats are flown with the engine wide open, no restricters. Intake restricters are used for all the other races. The engine used is a four year old KB-29 Regular. The major reworking was to radius off and polish the inside.

**To Build:** Cut two fuselage sides from matched sheets of  $\frac{3}{32}$ " medium balsa. All bulkheads are  $\frac{1}{8}$ " balsa. The

firewall is  $\frac{1}{8}$ " plywood. Bevel rear of fuselage sides and cement together. When dry, cement in bulkheads, starting from the rear, holding them in place with pins and rubber bands. The fuselage top may be built up of balsa blocks or solid, with a groove added for the upper mount. Cement mount securely in place. Cement lower mount in place and block with scrap balsa. Spot glue the top to fuselage and carve and sand to approximate shape, then remove. Cement in  $\frac{1}{8}$ " plywood for landing gear support. Gear is .062" (1/16) 24 ST aluminum cut to dimensions shown. Mount tank in place as shown after changing filler and vent. (From 1 oz. tank was used). Filler tube was bent to avoid going through the upper mount. Vent must be longer to extend through fuselage. Block tank on all sides with scrap balsa. (Continued on page 47)



True flight picture, no strings attached—you know what we mean! Long tapering wings and streamlined fuselage incomparably clean.





by JACK LAMBIE

*Soaring and circling high on silent wings, the top performance glider offers a fertile field for scale builders who want something truly different in model designs.*

# Why not a Sailplane?



Enthusiast of gliders big and little, the author holds experimental flying scale model. Temporary tabs helped find right surface areas.





► Now that the jets and rockets are going over a thousand miles an hour and the airliners come and go like streetcars we are apt to forget that forerunner of flight, the glider. The powerless craft have kept pace with the fuel-urged craft almost point by point. Altitudes over 40,000 feet have been made frequently and a contest doesn't go by, that a flight over 350 miles isn't posted. The record is 535 miles. Between-thermal cruising speeds have doubled over the years.

Construction and design are very advanced today. Metal, fiberglass, and very original methods of making sailplanes are often used. The laminar flow airfoils and other low-drag aerodynamics have reached efficiencies almost unheard of in the powered planes. There are some sailplanes

flying with efficiencies of over 98%. Of course, the modern sailplanes have their forerunners and the ranks of the sailplanes include many historic ships.

We have been building scale models of all kinds of the modern power planes and even more popular are the older interesting or historic aircraft. Most have no real performance anything like their counterparts. Basically, most of them are not well suited for modeling. They buzz around like jerky bumble bees.

Now let's take a look at the scale towline gliders. If you see a slowly moving model climbing on the towline, hang for an instant high up, release and, after a few minutes, glide by for a buoyant, sliding landing you have a real thrill.

The scale towliner is a beautiful model. Clean, unencumbered by wheels and propellers, the ships still can include cockpit, pilot etc., to delight the detail enthusiast. These most birdlike of airplanes are a challenge to the builder because of the high aspect ratio wing. The high-polish fan can load a towliner with an excellent finish because he has lots of wing area to carry the weight. No hot fuels to mar the finish or soak into the structure either.

There are three general types of gliders, the primary training glider, the intermediate sailplane, and the high performance sailplane. Each has its advantages and disadvantages as far as the model builder is concerned.


The primary glider was the old wire braced trainer with the open frame fuselage in which the pilot sat out in front with nothing under him but the seat. It is about the lightest and strongest model that can be built. Most of the strength comes from the thread bracing. If you have tried towliners and had no luck with towing try a primary for a starter. You can tow this type without even looking at it and hardly faster than a slow trot in still air.

The utilities and intermediate sailplanes are most like the standard contest towliners in use today. The aspect ratio is under ten and, as most of the real ships are of steel tube construction, a conventional crutch type assembly is easily employed in the fuselage. This type has the easy flying characteristics of the primary gliders and is almost suitable for contest work.


The modern, high-performance sailplanes are outstanding in sleek appearance and clean design. If you have ever tried a model with an aspect ratio of over 10 to 1 and more, you probably had trouble with the warps and lack of efficiency of the model at slow speed. Most of the modern gliders are of all metal construction, which is sometimes hard to reproduce in the model. They are worth the effort, and we'll talk about how to build one in a minute. First let's look at the rest of the sailplane types.

One of the most interesting types of scale gliders to fool with are the unconventional jobs like the flying wings. Fast flying wings, like the Horten, were of fairly high aspect ratio and had a lot of sweepback. The modern trend is just a straight wing with no sweep at all! The two latest of these designs, the Fauvel and the Flying Plank are proving very popular. These ships fly very well. One would swear that they would tumble in flight, but just build a model and see. It simply doesn't happen. The big problem is yaw, the same as on the sweep-back jobs, only worse.

The historic old sailplanes are the best fliers and the prettiest because all the old ships were made of mahogany plywood with the natural wood finish polished and clear varnished fabric over the rest. The old ships like the Minimoa don't have that lethal clean look of the modern ships but they do have a heartwarming birdlike quality with their gulled wings and dragonfly-like clear fabric over the ribs. These historic sailplanes are good fliers because the early ships had a lower aspect ratio wing and larger stabilizer and elevator area. (Continued on page 44)



Fuse shaped from two tack-glued blocks, opened, then hollowed by gouge. Wings and tail easily assembled from sheet, strips, ribs.





Glider people call this type a secondary glider, midway between primary and sailplane in performance. Model shows simple frame.



Many flying plank type gliders built by European modelers—for instance this real EPB-1. Secret is airfoil, wing twist. It works.

TWO PLANS ON NEXT PAGE







Very fast Fox .35 delta, 8-channel Min-X, by Bill Bertrand, Allen Park, Mich. Stable enough for single-channel operation, Bill's dope.



Navy Memphis Tail Hooks club—officer members admire the Rebel biplane, 25 active members, junior membership for Navy dependents.

## radio control news

*Flight line for the month: Club News • Technical Topics • New Items • Ye dope!*

### CLUB NEWS

► After a flying trip coast to coast, and back, we fail to see how some of the mid-west and western fliers can be without a flying site. It sure looked good from 23,000 feet. We also know why the California boys get in the flying they do. In February and March, with blizzards sweeping the middle west and east, California was perfect for flying. Those suitcase models of Ken Willard would sure have come in handy on this trip.



From the KC/RC Contacts (1861 Praun Lane, Kansas City, Kan.) comes a really novel idea, and from our opening remarks, should be quite feasible. Why not have an RC Modeler's Fly-In? They do this sort of thing with full scale aircraft and with the flat country in Kansas, a 25-mile hop is not too much out of line. Of course, one has to plan on eliminating interference between the planes


about to land and those enroute. Here again it is perfectly possible to have about five planes participate at the same time, without even touching the new frequencies. This idea could be the fore-runner of new RC events just as team racing and carrier events added interest to U-control.

The 5th Annual 3-day flying session of the RC/NC will be held May 29 through 31 at the Reidsville Airport, about 20 miles from Greensboro, N.C. This is not a contest although prizes are given for various events and happenings. Family rates are available at the Holiday Motel and a big banquet is the highlight for Saturday. Contact Mr. Ed Reich Jr., Box 4127, Winston-Salem, N.C. The RC/NC Bulletin (Jim Thrift, 838 Shober St., Winston-Salem, N.C.) puts out a plea to the local boys which holds true for clubs all over the country. If you have anything new in the way of planes, circuits,


(Continued on page 54)

by EDWARD J. LORENZ









## Hand Launched Glider... part three

*Don't just rear back and heave. It's fancy footwork that pays off. Arthur Murray should be a whiz with toss gliders.*



What the eye sees and what really happens when man throws glider are vastly different things. Sequence sketches, copied directly from action pix, to be compared with "steps" opposite page.

by **WILLIAM DUNWOODY**

► Flying a hand-launched glider is a two-part project. One part involves adjusting the glider; the other, and by far the more important part, involves adjusting the launch. We'll start with the easy part first and trim the glider for flight.

The first step in trimming the glider is the same as in trimming any free flight model; gently hand glide the model at gliding speed, adding or removing clay as needed at the nose to obtain a flat, smooth glide path with a very slight suggestion of a stall (Fig. 3.1a). Further gliding should be done as you warp the rudder to give a moderate turn in the direction desired. That direction depends upon the arm with which you throw the glider. A right hander should adjust his model to glide to the left and a lefty the opposite. To start, the circle should be about 50 feet in diameter. When the model glides smoothly in the right size circle, slightly more power may be put into the throws, banking the glider slightly into the glide turn. In this manner a flight pattern such as that in Fig. 3.2 can be achieved. The exact amount of bank and power can easily be determined by trial and error, if care is taken and no radical changes made from one flight to the next. Adjustments should be made a little at a time. If no tendencies to stall or dive show up with these harder throws, the model is ready for more powerful launching.

Should the model show a tendency to go into a dive with the increased launching speed after gentle gliding showed a good glide, the trailing edge of the stabilizer should be warped up on both sides and weight added to the nose, while hand gliding to obtain smooth flights. If the model stalled with the increased launching speed, try banking the model into the turn more. If the stall persists, warp the trailing edge of the stabilizer down and remove some clay from the nose to obtain the smooth glide. If the stall is characterized by a tendency to turn away from the glide circle, examine the glider carefully to determine the cause of this (it usually is a twist in the wing, but warps in any surface will do it) and take corrective steps.

In throwing the model for full height, the flier should not be afraid to use his muscles. Far more gliders are wrecked in testing from too gentle a launch than from too hard a one. The glider should be thrown banked in the opposite direction from its glide circle at an angle of about 35° and released just about horizontally. Don't try to throw the model at the ceiling or the sky, throw it straight out in front of you; the wings





FIG 34 FORWARD STEP LAUNCH






FIG 35 SIDE STEP LAUNCH



FIG 36 BACK STEP LAUNCH



will lift it up. Grip the fuselage between the thumb and middle finger, put the index finger against the throwing grip, and give the model a toss at about  $\frac{1}{2}$  of your full throwing power. Use a grip which is comfortable and concentrate upon releasing the model in the proper position and at the proper instant. Use a smooth throwing motion. Let's study a few of the possible results of your first throw:

1. The model rises steeply, stalls and dives into the ground. This is usually the result of too little bank in your launch, letting go of the model too soon, throwing the model upward rather than horizontally or not throwing the model hard enough.

2. The model zooms around in a steep banked turn for about half a circle and then stalls and glides smoothly. In most cases, this will indicate that the bank angle was too great. If the glide circle was very wide or even straight, there was insufficient rudder offset to counteract the initial bank. You'd better go back to hand gliding as at the start, adding more rudder offset to tighten up the glide circle.

3. The model rises in a smooth spiral climb, rolls into its glide turn with a

slight dip and glides smoothly down to earth. It's unnecessary to say that this is what you want (Fig. 3.3). To eliminate that dip at the top of the climb try holding on to the model a split second longer. In other words, lower the launching angle (not the bank angle).

In all cases the adjustments should be made a little at a time, avoiding radical changes. This applies to changes in your launching techniques, too. In indoor flying the direction of your launch

and the spot from which you launch the glider are very important, as they determine whether the glider will have a clear flight path or will hit the walls or other obstructions while in flight.

It is no secret that the most important single factor affecting the performance of a hand-launched glider is the launching technique used to get it airborne. Smoothness and consistency are the watchwords. Strength of arm is of only sec- (Continued on page 40)



Many people think the glider is at all times pointed in direction of flight. Only on launch.



Many action shots show this posture at instant of release, body arched, feet off the ground.

# STICK WITH

# LEPAGE'S

TRADE MARK



... in the new and easier-to-use **Pin-Point Tip**. Gives you as much—or as little—as you need. (And right where you need it, too!)

There's a LEPAGE'S cement or glue for every hobby need.



## Bulletin Board

► "Probably one of the memories not too hard for you to recall is the old Bamberger Aero Club," begins the letter from Emanuel Radoff, about plans for a reunion of oldtimers from Newark, N.J., and easterners who competed with them before World War II.

Radoff and his committee are tracing old members. Everyone is being asked what kind of affair is preferred—dinner-dance, dinner only, or informal meeting—and the best time to hold the shindig. If you're interested or if you know of any oldtimers who were in this group, write to Mrs. Roy Messinger, 1844 Dill Avenue, Linden 2, N.J.

► A "get-together" of a different sort is the South Shore Model Airplane Council, a group of model clubs within a 50-mile radius of Brockton Mass., who organized about a year ago. Main purpose of the Council is "to insure the future of modeling as a sport and hobby" and membership is open to any club in the area with 10 or more members.

Council plans include classes in each phase of modeling, starting a speed club to revive local interest in these events, and bigger and better contests with greater variety of events. A demonstration team travels around the area putting on exhibitions at schools, military installations and on television.

Contact man is Robert E. Girard, Jr., 153 Plain Street, Taunton, Mass.

► Still another kind of "get-together" is the Second Annual Control Line "Flynic" of the Ohio Valley Aeromodelers. The Wheeling, W. Va., bunch invites all modelers in the Tri-State (Ohio, Pennsylvania, West Virginia) area to attend on June 7 at the Ohio County Airport. Info from Bob Knowlton, 2107 Marshall Avenue, Elm Grove, W. Va.

A Flynic? It's a day of combined flying, picnicking, bull sessions—all fun! No special events—but plenty of prizes for the likes of longest distance traveled, biggest airplane, best (?) crash, oldest model builder and many others.

► And still another kind of "get-together" was a test rocket shoot sponsored by the First U.S. Army at Camp A. P. Hill, near Bowling Green, Va., a couple of months ago. First Army took several dozen teenage rocket enthusiasts from headquarters at Governors Island, N.Y., to Fort Belvoir, Va., thence to A. P. Hill for a full day on the rocket range.

Groups of student rocketeers from the Baltimore, Washington, northern Virginia area, also attended and some 50 rockets blasted off. It's all part of the First Army program to encourage potential scientists with safe, professionally supervised rocketry experiments.

► The Chicago Aeronauts are seeking junior, senior and open modelers who are interested in free flight (indoors or out). The club has started a program of instruction in building and flying free-flight models—and they've got a crew that really

(Continued on page 40)

1959 AIR YOUTH  
STATE CHAMPIONS  
sponsored by

THE HOBBY INDUSTRY  
ASSOCIATION OF AMERICA

## 50 FREE TRIPS BY AIR!

FOR AIR YOUTH  
STATE CHAMPIONS  
To The  
28TH ANNUAL  
NATIONAL MODEL  
AIRPLANE CONTEST

at  
Los Alamitos Naval Air Station,  
Los Alamitos, California  
JULY 27 through AUGUST 2, 1959

Through the sponsorship of the Hobby Industry Association of America, 50 Airline Trips to this year's National air-model competition in California have been established! State Champions under 21 years of age (as of July 1, 1959) will be certified by the ACADEMY OF MODEL AERONAUTICS, Washington, D.C. Current plans call for the selection of these outstanding flyers on the basis of contest performance in forthcoming, officially sanctioned State Championship Meets. (In those States where time does not permit the organizing of a State Meet, selection will be made by the AMA from past contest performances.)

HERE'S WHAT TO DO... RIGHT NOW! Fill out the attached form and mail it to: HOBBY INDUSTRY ASSOCIATION OF AMERICA, INC.

This will go to the sponsoring group which will conduct your AIR YOUTH State Championship Meet (or to the AMA if selection is made on a past performance basis). Listings of AIR YOUTH - HIAA State Championship Contests will be available through hobby dealers, model magazines and the Academy of Model Aeronautics, 1025 Connecticut Avenue, Washington, D.C.

(TEAR OFF AND RETURN)

Hobby Industry Association of America, Inc.  
Room 1600 - 1528 Walnut Street  
Philadelphia 2, Penna.

I would like to participate in the HIAA-AIR YOUTH STATE CHAMPIONSHIP designation for my State.

NAME (type) \_\_\_\_\_

Address: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_

My age as of July 1, 1959 is: \_\_\_\_\_

My Hobby Dealer is: \_\_\_\_\_

Address: \_\_\_\_\_

1. ☐ I have not competed in Model Airplane Contests
2. ☐ I have competed in Model Airplane Contests

If No. 2 is checked - accompany this with a list of last two contests entered, place, approximate dates and places won, if any.

# ALL EYES ARE ON ENTERPRISE


## AMAZING! SURE THING

FOR .15 TO .25 ENGINES

### AT LAST!

An ideal model for a new flier or for the weekend sport flier. Assembles like a trainer and flies like a charm. Light in weight, rugged, easy to build. You can't beat it for sheer building and flying fun. A natural for club training programs.

Featuring Enterprise's  
"HOLLOW-STRUCTURED"  
"Wonder Wing"



**SUPERIFFIC!**  
CAN BE FINISHED IN A  
SINGLE EVENING!

**\$3.49**

SPAN: 26"

LENGTH: 23"

### Aqua SPEEDSTER


For JETEX "50B" and CO<sub>2</sub>

Excitingly new and different too, this little speedboat will amaze you with its performance. It is easily assembled in less than an hour! All parts are pre-cut and shaped, included also are colorful decals, plastic accessories, plus loads of other Enterprise extras.

**\$1.49** EACH



9 1/2" LENGTH



10 1/2" LENGTH

### SIZZLER

For JETEX "50B" and CO<sub>2</sub>

Patterned after the hottest real racing cars ever developed, the Enterprise "SIZZLER" sets the pace for super speeds in models. FREE RUNNING OR TETHERED. Ready to run in less than two hours! All parts are pre-cut and shaped. Colorful decals, plastic driver, wheels and accessories are a few of the many Enterprise extras.

### FREE-FLIGHT

PERFECT FOR THE NEW .020  
PAA-LOAD RULES

Complete with new PAA-Load decals and instructions.

**\$2.50** each



PEE WEE SPORTSTER — Great new 1/2 A Free Flight. Designed for .020 to .049 engines. Can operate in limited area. 32" wingspan



SKY-LINER—Dual purpose 1/2 A free flight and rubber powered for sport, precision and PAA load flying. Pre-fabricated parts, formed landing gear wheels, extras. .020 to .049 engines. Wingspan 32".

## enterprise for 59

### SUPER-WHIPSAW

FOR .10 TO .35 ENGINES

SPAN: 41"



ONLY  
**\$2.95**

DESIGNED EXPRESSLY FOR COMBAT AND STUNT FLYING, THIS HIGHLY PREFABRICATED MODEL CAN BE ASSEMBLED IN A MATTER OF HOURS! IN FLIGHT YOU'LL FIND IT'S FAST AND HIGHLY MANEUVERABLE, YET PLENTY EASY TO HANDLE AND BUILT RUGGEDLY. A NATURAL FOR THE 1959 CONTEST FLYING SEASON!

### WHIPSAW



31" SPAN

ONLY  
**\$1.95**

WHIPSAW—Combat-Stunt Control. Pre-fabricated, Shaped leading and trailing edges, die cut ribs, plywood doublers, hardwood engine mounts, extra sturdy. For .09 .15 .19 engines.

### HAWKER TYPHOON



31" SPAN

ONLY  
**\$2.95**

HAWKER TYPHOON — A lavish kit featuring pre-fab parts, full size detailed plans, large four color decals. For .09, .15, .19 engines.

**FIRST IN QUALITY • FIRST IN VALUE • FIRST IN DESIGN**

NEW! 1959 CATALOG—SEND 10c  
FOR POSTAGE AND HANDLING

ENTERPRISE MODELS, INC.  
MINEOLA, NEW YORK



# McCOY

## Red Head Stunt

*Jewel  
Packaged*

IN PLASTIC BOXES



### GREATEST PERFORMERS OF THEM ALL...

- Superior all-new test-proved design for faster starting, exceptionally smooth running, superior flight performance.
- Bore and stroke ratio balanced for maximum power, minimum fuel consumption.
- One-piece aluminum alloy cylinder block and crankshaft housing to insure correct alignment of cylinder bore to crankshaft; precision anti-friction long-wearing main bearing; long venturi for maximum fuel draw in all stunt patterns.
- Aluminum alloy cylinder head with spherical dome matched to piston; blow-out proof head gasket.
- Piston is fine grain iron casting for light weight; has spherical high dome head for top power; precision-fitted to sleeve.
- Connecting rod is heat treated high alloy aluminum forging precision machined.
- Fully counter balanced crankshaft is machined from high alloy steel bar stock . . . heat treated and precision ground to exact tolerances and micro-finished.
- Needle valves easily reversible if desired.

THE TESTOR CORPORATION • ROCKFORD, ILLINOIS



Eng	Bore
"170	.642
"173	.732
"175	.775



# Engines



MCCOY  
"19"  
\$7<sup>95</sup>



MCCOY  
"29"  
\$9<sup>95</sup>



MCCOY  
"35"  
\$11<sup>95</sup>

Eng. No.	Bore	Stroke	Displacement	Weight	H.P. Rating
"19"	.642"	0.617"	0.19 cu. in.	6.0 ounces	0.40 at 13,000
"29"	.732"	0.712"	0.290 cu. in.	7.0 ounces	0.54 at 12,500
"35"	.775"	0.740"	0.350 cu. in.	7.0 ounces	0.60 at 12,500

## FLASH! And still they come...

Jan. Triple A Southwest Regional Meet.  
Phoenix, Ariz. **FIRST** in Class A.

Feb. **FIRST** and **SECOND** in 'A'.  
Thunderbugs.

**FIRST** and **SECOND** in 'A'. Pacific  
Coasters.

Mar. **FIRST** in 'A'. AMA, Thunderbugs.  
**NEW RULES.**

What are you waiting for? Move  
up today to

Toshi  
Matsuda's

# ZERO



**\$2.95**

The hottest thing in 1/2A! It climbs higher, faster... stays up longer. Designed to use ALL the power of the best .049s! For an unsurpassed thrill, hang your engine on a ZERO. See for yourself the super performance that has already won a string of Firsts! At a recent contest the "anyone can get 5 minutes" models were doing 3 to 3½ minutes. Tosh dethermalized his ZERO three times straight at over SEVEN MINUTES. Does that tell the story?

**WARNING!** Watch the engine-run—  
or you may put your  
ZERO in orbit!

## A-1 NORDIC GLIDER

**THE GHOST**  
Kit \$2.95



Only A-1 Class Nordic Glider on the  
market! Adapted from latest, hottest  
German designs. With Auto Rudder and  
Pop-Up De-thermalizer.

## FREE FLIGHT DELTA

for .049 Just \$2.50



If you too are  
curious about a Delta, here's dependable  
performance and true Delta characteris-  
tics in a job that has been thoroughly  
proven before being announced.



**MISS TINY \$5.95**

Exceptional wind  
penetration and stability!


A good flying R/C Model doesn't have to  
be an ugly box! Miss Tiny is world-fa-  
mous for her beauty and flying qualities.  
Uses hot .049 to .099 engines, depending  
on weight of R/C gear. Wing Span 46".  
Finished cowl and die-cut parts.

Ask your dealer, or send M. O. and we'll ship pre-  
paid. (Mr. Dealer: If your jobber won't supply you,  
send M. O. for prepaid shipment, regular discounts.)

# MODEL CRAFT


8945 SOUTH WESTERN AVENUE  
LOS ANGELES 47, CALIFORNIA

# Home Built Parade Skyhopper



Resplendent in orange-and-white color scheme Skyhopper has look of a manufactured craft.

*In 14 years of flying, the single-place Salvay-Stark  
Skyhopper piled up well over 1000 hours in the air.*



N41770

Original open cockpit was covered, finally fitted with bubble canopy. Top 130 on 65 horse.

► Many home-built designs originate with professional engineers. The Salvay-Stark Skyhopper is an outstanding example. Design was begun in the spring of 1944 by H. E. Salvay and C. A. Stark, two engineers for North American, then based in Kansas. Now a familiar sight in the Los Angeles area, the Skyhopper has amassed well over 1000 accident-free hours in the air. Hundreds of pilots, both amateur and professional, have pronounced approval of its performance and flying qualities.

A good top speed of 130 mph for a Continental 65-hp engine is combined with a reasonable landing speed of 42 mph. It is single-place and clearly fulfills the designers' dreams of a single seater having distinctive lines with pleasing appearance, good performance, simplicity of construction, maintenance, and, above all, safety.

No attempt was made to obtain a Type Certificate but sufficient stress analysis and drawings were submitted to CAA, (now FAA) to assure a sound structure with a minimum of weight. The Skyhopper design conforms to CAR-04 requirements. First test hop came in March of 1945. Everything went fine, the only change being a stabilizer adjustment. The original open cockpit was later modified to a covered cockpit and, more recently, a bubble canopy gave a truly slick appearance.

The fuselage is of welded steel tube construction. The wing has two laminated spruce spars, built-up spruce ribs. Both stabilizer and fin are built-up from spruce and are covered with three-ply mahogany veneer 1/16 inch thick. Light aluminum covering is used over the leading edge, the entire craft being fabric covered. Flippers and rudder surfaces are welded steel frames, fabric covered.

A 15-gallon capacity fuel tank provides a comfortable range of 400 miles. Aft of the seat, there is a small baggage space. A true sport job, the Skyhopper, nevertheless, is a reasonable cross country machine for the flier who wants to go places.

Like quite a few other attractive home-built designs by "pros," the Skyhopper is available in plan form. (Salvay-Stark Aircraft, 8296 Poppy Way, Buena Park, Calif.) By airplane standards such plans are reasonable, but the \$40 cost puts them out of modeler's reach. Ribs and fittings are drawn full size.

Any potential home-builders among us are cautioned to read with care the lead article "The Home-Built," on page 9.

# POLKS Model-Craft HOBBIES

314 FIFTH AVE., Dept. MA 69, N. Y. C. 1

WE IMPORT EVERYTHING THE WORLD OVER

DEALERS: CROCKERS, REED, TRACY, POLK, AND OTHERS

OUR MAIL-ORDER DEPT. FILLS ALL ORDERS SAME DAY RECEIVED

## SENSATIONAL! PLASTIC KITS OF NEWEST FRENCH PLANES \$2.95

Authentic! Scaled from Official Plans!

Minutely detailed, these 1/100" scale replicas of famous French planes and space craft will make exciting additions to your scale model collection. All parts are precision molded of high-impact styrene. Each kit comes complete with display stand, decals and easy to follow building instructions. Historical and performance data also included. For the fastidious collector, these "conversation pieces" are unsurpassed in every detail.

### ILLUSTRATED PLANES AT RIGHT

TOP: "THE MAGISTER"

MIDDLE: "THE CARAVELLE"

BOTTOM: "THE VAUTOUR"


NOT ILLUSTRATED

"CELLEOPTERE" (Vertical Take Off)

"ETENDARD" (Super Sonic Fighter)

"PARCA" (Combat Missile)

"VERONIQUE" (Limited Range Missile)



## True-Hue

PURE...

# Silk

## COVERING...

Made from mother nature's strongest and lightest fibre... pure silk. This sensational airplane covering material is closely woven, comes packed in individual plastic envelopes, bound in albums. You get your silk clean, unwrinkled, snag-free, ready-to-use in 1 yd. sq. pieces. Step-by-step, illustrated instructions, by famous modeler Walter Musciano, ensure you a wrinkle-free, light, "tight as a drum" covering job.

Aristo-Craft Silk is truly the ARISTOCRAT of silks. It's a SUPERIOR quality especially selected and suited for model planes.

### 12 PAGE ALBUMS—1 YD. PER PAGE

White	.95¢ yd.	11.40 per album
Red	1.00 yd.	12.00 per album
Yellow	1.00 yd.	12.00 per album
Orange Gold	1.00 yd.	12.00 per album
Sky Blue	1.00 yd.	12.00 per album

### 12 PG. ALBUMS—ASSORTED COLORS

Contains 4 yds. Red, Orange Gold & Sky Blue	
\$1.00 per SHEET—\$12.00 per ALBUM	

### 12 PG. ALBUMS—CHECKERED COLORS


Black & White	1.50 yd.	18.00 per album
Black & Red	1.50 yd.	18.00 per album
Red & White	1.50 yd.	18.00 per album

### 1" Sq. MILLIAMETER

Small enough to build into your model. Specify range desired when ordered. Best approx. 3.4 oz. 0 to 1, 0 to 5, 0 to 50 \$4.95



### FOR ALL BOATS



### ARISTOMATIC COMPOUND ACTUATOR FOR R/C

Self-contained electric motor (low-drain) plus special integral switching gives 2 channel operation from low-cost single channel receivers. Includes: Electrical Switching Action-forward-stop-reverse-stop. Mechanical Directional Control—left-neutral-right-neutral. Operates on 3.6 V. complete with instructions. \$10.95

FREE! 24 PG. HOBBY CATALOG — IN COLOR WITH ORDER

### SEND FOR CATALOGS

All Trains, R.R. Catalog, 169 pgs.	75¢
Trolley-Bus Manual, 48 pgs.	25¢
Riverson HO Catalog, 16 pgs.	15¢
Radio Control Catalog, 16 pgs.	15¢
Robot TT Catalog, 27 pgs.	25¢
Ships & Fittings, 52 pgs.	50¢
Vehicles & Guns, 24 pgs.	20¢
General Hobby Fun, 24 pgs.	10¢

ALL CATALOGS FULLY ILLUSTRATED WITH COMPLETE DETAILS AND PRICES

## WEBRA ENGINES

**BOXER TWIN**  
\$79.95  
WITH PUMP  
\$69.95  
(WITHOUT)



• DISPLACEMENT .45 C.I.	• CUSTOM-BUILT
• 2-SPEED CARBURETOR	• WEIGHT: 16.22 OZ.
• RADIAL MOUNTED	• FOR LARGE R/C MODELS


The MULLY .19C.I.	\$13.95
The KOMET .15C.I.	\$13.95
The PICCOLLO .049C.I.	7.95
The RECORD .09C.I.	9.95
The MACH .15C.I.	13.95

## E.D. DIESEL ENGINES

BEE .061	\$9.95
FURY .09	12.95
RACER (Mark III) .15	13.95
HUNTER (Mark IV) .21	19.95

## POWER CONVERTERS

COMPLETELY TRANSISTORIZED Available for 30V-45V and 67V OUTPUT \$16.00



A terrific power booster for your receiver set. Will convert 4½V to 6V input to reliable, lightweight, constant operating voltages for efficient operation. Truly, you get more out of it, than you put in.

## ARISTO PRECISION MADE PNEUMATIC TIMERS

A Timer for every purpose and engine type. Glo or Diesel. Light weight, can be pre-set for required cut-off or de-energizing.



DETERMINER \$1.75—\$2.20 ea.

TIME-ARE CLOCKWORK Timer \$3.95—\$20 Sec. Limit



MINI-SHREL \$2.25—1/2 oz.

LINE-TANK \$2.25—1/2 oz.

UNIVERSAL \$3.95

## BATTERY CHARGER



**WITH SELECTOR SWITCH**  
Charges 2 V., 4V. & 6V Wet Cell Batteries. Heavy duty transformer and rectifier. Compact, it has a ventilated metal case, features indicator lamp and a selector switch for correct charging rate. 110 Volt A.C. input. \$7.95

## POWER-POCKET ALL WITH WET CELL

High ampere hr. capacity, small physical size, long life, NOT surplus batteries! Manufactured from hi quality materials, include heavy duty plates, clear plastic case, marked terminals. Add 50¢ shipping charges to battery prices

TYPE 64—6V., 4 Amp. Hr. Cap.	\$4.75
2 1/2" x 3 1/4" x 1 1/4"	
TYPE 23—2V., 3 Amp. Hr. Cap.	\$1.75
(3 1/4" x 2 1/4" x 1 1/4")	
TYPE 41—4V., 1.5 Amp. Hr. Cap.	\$1.65
(1 1/4" x 1 1/4" x 1 1/4")	
TYPE 28—2V., 6 Amp. Hr. Cap.	\$3.80
(4 1/4" x 2 1/4" x 1 1/4")	
TYPE 286—2V., 6 Amp. Hr. Cap.	\$3.75
(4 1/4" x 2 1/4" x 1 1/4")	


## DOUBLE PER-MAG MOTORS

D.C. battery operated motors — hi-power, no-drain. Ready-mounted with replaceable carbon brushes. Operates on 1/2 to 8 volts.	
No. 01	\$6.60
No. 0	1.60
No. 1	1.25
No. 1.5	1.80
No. 2	1.80
No. 3	2.60
No. 4	2.80
No. 5	4.80
No. 6.5	2.80

## "MIGHTY-MIDGET"


WORLD FAMOUS ELECTRIC MOTOR

Only 1 1/2 inches high. Amperage speed: 6000 to 10000 rpm. Standard motor for use on 3-6 V. D.C. Replaceable brushes fitted for terminals. \$2.95





# "CONVERTIBLE"




Six channel conversion unit and receiver shown without covers.

## New—MIN-X Receiver can be converted to multi-channel

Why scrap your investment? Save 1/3 cost on equipping your model with quality multi-channel control. Simply return single channel MIN-X receiver to your dealer for conversion. **FEATURING:** Factory conversion for six and eight channel simultaneous receiver; new compactness and light weight; exclusive sub-miniature reed bank; three volt battery operation—one set of pen cells; operates on all F.C.C. Frequencies. Available after June 15.

MIN-X multi-channel receiver operates on one set of pen cells. The industry's most compact multi-channel receiver. Six Channel weighs 8 3/4 ounces with batteries! Eight Channel 9 3/4 ounces with batteries! Six Channel conversion: \$55.70 plus \$8.50 labor. Eight Channel conversion: \$67.50 plus \$9.50 labor. Ask your dealer or write for folder today!

COMPLETE MULTI-CHANNEL PACKAGE AVAILABLE: SIX CHANNEL, \$95.70—EIGHT CHANNEL, \$107.70



ALL-TRANSISTOR RECEIVERS fly all season on 25¢ worth of receiver batteries. Simplified single channel tuning procedure. MIN-X—the all transistor receiver with the reliability of tube type receivers. Only \$39.95.



**NEW DUAL PURPOSE TRANSMITTER** can be used with carrier or tone receiver. 100% modulated highest output. Reliable MOPA circuit. Miniature telescoping antenna. MIN-X TRANSMITTERS AND RECEIVERS FLIGHT TESTED THOUSANDS OF TIMES. Transmitter only \$38.50.

# MIN-X RADIO

6555 Oakland Ave., Detroit 2, Michigan

## Foreign Notes

(Continued from page 2)

placement of 4.82 c.c. or .294 cu. in. Weight is given as 215 grams. (7.6 oz.).

### HUNGARY

Speed flier Rezzo Beck, 2nd place winner in the 1959 FAI Control-Line International Championships at Brussels with a speed of 214 km/hr (winner 216 km/hr), has now raised his best official time to 221 km/hr (137.3 mph). Having regard to the fact that motor displacement for this, the World Speed Championship class, is restricted to .1525 cu. in., while models have to be as big as normal 60 size jobs, this says a lot for the performance of the Hungarian state-sponsored MOKI-S1 engine. East European strength in U/C speed looks stronger than ever for next year's World Championships and will call for a really vigorous effort in the West.

### FINLAND

First event of the 1959 FAI International calendar was the annual winter free-flight contest held at Helsinki, Finland. Events were the three World Championship classes: Nordic A2 glider, Wakefield rubber and FAI gas.

As usual, the meet was held on the frozen surface of a bay near Helsinki. The Leningrad team from Russia, which had competed in the '57 and '58 contests, was absent, but in its place, members of the well-known Gamen Club of Norrköping, Sweden, provided an equally strong challenge. Numerous "international names" were present, but only two members of each team (selected before the event), represented their countries in determining the team results. This worked well in the case of glider and Wakefield, but had the curious effect of eliminating the first nine place international winners in gas.

Conditions were mixed: wind was slight and there was some thermal activity due to drifting warm air from the city, but, for part of the time, the gas models were disappearing in a mist at about 200 feet. Hanshieri Thomann, Swiss glider expert now living in Sweden, who flew for Gamen, won the A2 flying one of his asymmetric designs. Reino Hyvärinen, Nordic and Finnish champion last year, won the Wakefield. In the power event, I. Jokinen set the highest time at 851 secs., Hans Friis and Rune Olsson, in 10th and 11th places, securing the team win for Sweden.

### JAPAN

Whereas most model products from Japan compare favorably, on a price basis, with domestic items, platinum filament glow plugs have, up to the present, been an exception to this rule, due to the high cost of platinum in Japan. Factory wholesale prices of some platinum alloy plugs have been as high as the actual retail prices of U.S. plugs, leaving no margin for import expenses, importers' profits or retailer discounts. It is for this reason that most Japanese engines are sold less glow-plug or with a 2-volt nickel-chrome filament plug. Following a recent reduction in the price of platinum, however, one Japanese firm, Oishi & Company, is introducing a new platinum plug at little more than half the price of previous high-quality Japanese plugs. These plugs will be available in "hot" (polished finish) and "cold" (Parkerized finish) ratings.

### SOUTH AFRICA

Anent MAN at W's comments on pops and juniors in the January issue, Robbie Rowe, contest secretary of the South African MAA, remarks that this problem has also been with S.A. modeling for years but that no real solution has been devised. Rowe makes another point: there is the guy who buys his models ready-built from

more energetic fellows. OK so long as he does not fly them as his own work in contests, but what about the chaps who complete half-finished airframes started by others? Where is the line to be drawn? If the letter of the law is to be adhered to as rigidly as in the days of the A-frame pusher, where is the difference between completing someone else's abandoned work and assembling a prefabricated kit like a Firecat? A thorny problem all round.

### IN BRIEF . . .


Great Britain . . . British Nationals, scheduled for May 17-18, will, this year, be at RAF Scampton, Lincolnshire, a bomber base and one of the largest airfields in the country. Fourteen events will be squeezed into the two days. (No junior or senior categories, incidentally.) Proposed changes in British record classes will, if accepted, reduce somewhat unwieldy list of 62 types down to 38.

Japan . . . Unusual item being offered in Japan by the maker of the Sky Queen engine is the "Sky Queen Controller." This is a remote control device in which a stick control is used to transmit up, down, left and right signals via a long cable attached to the model. Control box is in the shape of a reel, around which the control cable is wound when not in use.

Australia . . . Tony Farnan, well-known Melbourne contest flier, tells us that he has built the Netzeband sonic tachometer featured in MAN (April '58) and that it works fine.

Rumania . . . Just for the record . . . Rumanian absolute record marks are as follows: Duration, J. Georgescu, 3 hr. 15 min.; Distance, T. Kaksur, 60 km. (37.28 miles); Height, A. Moldovean, 3950 m. (13,107 ft.); Speed, A. Moldovean, 257 km/hr (159.7 mph).

The World's Most Experienced Airline invites you to compete in . . .



## PAA-LOAD EVENTS for 1959

Move into the Jet Age with Pan American by competing in PAA-Load Jet.

New this year: PAA-Load Gas and Clipper Cargo with the .020 "Pee Wee" engine.

PAA-Load Contests are held throughout the U. S. and 'Round the World.

For 1959 rules and regulations, write to: Educational Director, Pan American World Airways, 28-19 Bridge Plaza North, Long Island City 1, N. Y.

PAN AM



It's Ready-to-Go!

**P-40**

The Big New

# FLYING TIGER

JOIN GENERAL CLAIRE CHENNAULT'S  
FAMOUS FIGHTING SQUADRON!

MOST  
FAMOUS  
AIRPLANE OF THE  
LAST QUARTER  
CENTURY  
in detailed scale

**Big**  
in beauty,  
value, and  
performance!  
Like a real plane  
it can be flown  
in hot, or brought  
in for a normal  
3-point landing or let  
down easily on the  
verge of a stall, at  
the will of the pilot.  
By any comparison,  
the finest performing  
ready-built model  
plane ever offered!  
Yet the price —  
from the world's  
largest powered  
model manufac-  
turer — is just  
**\$10.00**

Accurate,  
graceful loops,  
wingovers, and other  
maneuvers assured by  
special powerful T-10  
Superbee engine and  
carefully developed  
aerodynamic design.

Get yours TODAY — it's a

# Thimble-Drome

Flight-Tested Model

# BIG 20" WINGSPAN

15 FUSELAGE, OFFICIAL SHARK'S MOUTH DECORATION

L. M. COX MANUFACTURING CO., INC. SANTA ANA, CALIF.


Illustrated Folder M-6, on Request

Look for  
the name  
that  
guarantees  
championship  
performance  
in...

- MODELS
- ENGINES
- BOATS
- ACCESSORIES

# VECO

products



### NEW Hi/Lo ENGINES

Die cast exhaust valve with direct linkage to throttle gives smooth power from idle to top RPMs. Positive adjustable idle stop, 5 new improvements.



### TUGBOAT

27" harbor or 35" ocean-going models. Expertly engineered for multi- or single-channel R/C. Formed styrene hull, pilot and deckhouse. Die-cut plywood planed deck. All metal fittings provided. Harbor Tug—\$18.95 • Ocean Tug—\$24.95.



### FUEL TANKS

Square wedge designs, built-in baffles assure fuel flow to engine regardless of maneuvers. Precision built, inside soldered. Guaranteed against leaks. 4 oz. to 4 oz. capacities.



### Veco FUEL LINE TUBING

Made from specially compounded synthetic rubber (not neoprene) to resist slow fuels. Soft, extra flexible, resists cracking, hardening. 3 sizes—small, med., large.



**NEW!**

### PROFILE

### FUSELAGE TANK

Completely new principle of baffling assures steady fuel flow to engine for smoother performance. 3 sizes — 3 oz., 3½ oz., 4 oz.

### Veco WHEELS

¾ to 4½" Diameter

Largest selection of rugged, lightweight, die cast hub wheels. Inflatable, semi-pneumatic, sponge or hard rubber tires.



### VECO 'CLUNK' TANK for R/C Models

Weighted flexible fuel pick-up in tank gets the last drop of fuel — regardless of plane attitude or maneuvering! Tank of unbreakable polyethylene is leakproof, crash-proof. 4 oz. — \$1.20 • 6 oz. — \$1.30

### SPINNERS



Hand spun aluminum for maximum strength and lightness, perfectly balanced. Regular or needle nosed. 1" to 2½" diameter.

VECO PRODUCTS ARE SOLD BY LEADING HOBBY DEALERS EVERYWHERE... VECO PRODUCTS CORP., BURBANK, CALIF.

## DUCTED-FAN JETS

now for the first time... by *Berkeley*  
ducted fan jet for .020 pee wee

### Grumman F-11-1F Navy "TIGERCAT"

#### KIT FEATURES:

- Plastic Canopy
- Die Cut Balsa
- Decals
- Aluminum Impeller Fan
- Full-Size Detail Plans



\$2.95

"½ A" Gas Engine Powered



Complete with Aluminum Impeller Fan

### DOUGLAS

### "SKY-RAY"

For .049 Engines 25" Wingspan ¾" Scale

\$4.95

### VOUGHT F8U-1 "CRUSADER"

¾" Scale For .049 Engines Free-Flight or Manoline



\$4.95



### LOCKHEED "T-33A"

29¼" Wingspan ¾" = 1" Scale

\$4.95

with Impeller Fan

BERKELEY MODELS, INC.  
NEW HAVEN, CONNECTICUT, U.S.A.

If no local dealer in convenient mail order will be filled by Berkeley Model Imports, Dept. 614, 1000 Homestead St. Y. Please include \$3.00 postage & service.

### The Gasser

(Continued from page 13)

straight grained sheet of 3/32" balsa for the stab, and 1/16" balsa for the elevator. Cover both with silk for strength.

**Landing gear:** Either a formed aluminum gear or 1/16" wire can be used. I used a wire gear, John Shearer and Bill Click have formed aluminum gears. The aluminum gear looks better, and it also lends itself to the addition of wheel pants if you want to dress your model up more. Also, you can get the aluminum gear commercially if you want to.

**Fuselage:** The fuselage, compared to many designs, is really a joy to construct. The two basic sides are cut from 3/32" x 3" stock, the 3/16" longerons added to the top and bottom, the upright 3/16" braces and doublers added. Then, using the firewall and the crossbrace in back of the radio for alignment, the sides are joined. The tail post then joins the sides together at the rear, and the basic structure is set up. The rest of the crossbracing can then be added as you fit in your equipment. I have shown a structure suitable for the Orbit single-channel receiver, the Babcock super-compound escapement, a Bonner S/N motor control if you want to install one, and a small bottle tank for precision flying. The battery complement consists of one of the small, square 22½ volt B batteries which is about the same size as a pencil, and one pencil for filament, and two pencils for the escapement. These four batteries are mounted in two of the Hillcrest two-pencil plastic holders which are cemented together back to back. It makes a very compact and convenient battery pack. You may want to vary the arrangement to suit your own taste in receivers. But the fuselage structure can be varied just as easily.

After you've figured out your radio installation and mounted your escapement or servo, add the wing cradle to the top longeron. Note that it is one piece from the firewall back to where it tapers into the longeron behind the wing. This makes for a very strong and crash-resistant structure. Next cover the top and the bottom with 1/16" balsa, except where the landing gear fits. Cover this with 1/16" plywood so the gear won't be cutting into the bottom of the fuselage. Also, the bottom of the fuselage from the firewall back to the crossbrace forward of the radio is filled in with 3/4" balsa, shaped to fit the fuselage line. You need the extra strength here for those occasions when you have a hard landing and the ship noses up and skids along. Note that at the rear the bottom of the fuselage is cut away so the stab fits flush with the bottom. Add a couple of small stringers on the inside, then leave this open so you can get at the torque rods if you need to. The stab will close it up when mounted so dirt won't get in.

The fin is butted to the top of the fuselage, then the reinforcing braces are added. This gives ample strength. Note the detail on how the corners of the fuselage are rounded. This makes a very pretty structure and is also very strong. Cover the fuselage with silk for added strength.

The building instructions are pretty brief, but you experienced modelers won't have any trouble. In fact, after some of the designs you've tied into, this one will be a breeze.

**Flying:** Now here's where you're gonna be a little bit busy right at first. To begin with, let's assume you want to get familiar with the model before you try any fancy maneuvers. If you start with rudder only, don't do sharp turns near the ground—wait until you've got some altitude to see how your model reacts. If you are using the pickup elevator, you'll find that sharp turns can be made by starting with rudder, then flipping in elevator just as the nose starts to drop.

Incidentally, the Gasser makes beautiful take-offs. The long tail moment gives it very good ground control, so if you're hesitant to hand launch it on the first flight, try a take-off and be ready to make a turn in case your model may be a little tail-heavy in trim.

After you've had a few familiarization flights, and you want to try pylon racing, there are several things you can do. The simplest, if you have a Babcock compound, is to reverse the elevator control so that on the third pulse, instead of getting up elevator, you get down elevator. This is the system I used at first, and it was good enough to win. But be careful—don't put in a lot of down—just a little, and then don't fly the pylon pattern too close to the ground, because you don't have any up elevator to pull you out of a nose down attitude on the turns.

A system which is well fitted to the Gasser is the Cobb Hobby escapement-servo setup. With it you can get both elevator and rudder, and motor control as well.

I use the modified Babcock escapement which gives rudder and elevator, both up and down, and which can also include the quick-clip motor control. John Shearer's Gasser has the motor control installed, and he has been making some fine touch-and-go landings.

In any event, no matter what your preference is (and some of you eastern fellows will probably have pulsers and all that jazz) you'll find that this job will be a real crowd pleaser, a top competitor, a lot of fun to fly.



# REDY-REEL

COMPACT CONTROL REEL

## NEW!





1/2 A

\$1<sup>00</sup>

**COMPLETE WITH 60 FEET OF DACRON LINE INSTALLED**

**READY-TO-GO**

★

ALWAYS READY TO STORE LINES INSTANTLY IN FORM FITTING HANDLE

★

HI-STRENGTH 12# TEST LINES—EASILY REPLACED

★

LOCKS AT ANY LENGTH...

★

MADE OF HIGH IMPACT PLASTIC—VIRTUALLY UNBREAKABLE

## Watch

**FOR THE Super REDY-REEL FOR ALL A, B & C MODELS**

NORTH PACIFIC QUALITY GLIDERS

- STRATO-GLIDER
- STUNT-FLYER
- SUPERJET-FLYER
- SPORT-FLYER




**ASK FOR THE GLIDERS with the RED CLIP**

**FOR REAL CONTEST PERFORMANCE.....**

**NORTH PACIFIC PRODUCTS CO. BEND, OREGON**



# BEGINNERS! EXPERTS! SPECIALISTS!

## THERE'S *Something for Everybody*

**FOR BEGINNERS!**

### FLIGHT TRAINER

Kit S-16, Wing Span 24". For .09—.15 Engines  
Designed especially for beginners in control-line flying! As completely prefabricated as a kit can get . . . a beginner can put it together in less than two hours! All wood, rugged enough to take plenty of punishment, extremely stable.

Completely carved wings and body, die-cut tail surfaces, finished landing gear including wheels, plywood parts for control system, etc.



**\$295**

**FOR RADIO CONTROL EXPERTS!**

### PIPER CUB J-3

Kit FS-6, Wing Span 54" For .09—.35 Engines

Especially designed for radio control, also turns in remarkable performance as free flight or control line model! Parts are beautifully die-cut and shaped, internetworked for fast, accurate construction. Easy to fly . . . complete flight instructions included!

Fully prefabricated of balsa and plywood, with carved lower nose cowl, formed aluminum front cowl, authentic insignia, etc.



**\$795**

**Bonner**

VOLTAGE: 2 TO 4V  
BATTERY DESIGN:  
NO LOAD 200-300 MA.  
WINDING: 3 OHMS



**FEATURING OUR OWN MOTOR ESPECIALLY DESIGNED FOR SERVO USE—NOT AN IMPORT!**

OUTER BEARINGS—93% SILVER BRUSHES  
TURNED COMMUTATOR—NYLON HOUSINGS

**TEST MODELS OPERATED FOR OVER ONE QUARTER MILLION COMMANDS!**

AVAILABLE AT YOUR DEALER NOW!

**BONNER SPECIALTIES**

2900 Tilden Ave.  
Los Angeles 64, Calif.

ANNOUNCES THE  
**ALL NEW**  
**DURAMITE**  
**MULTI-SERVO**

**\$12.95**

WEIGHT: 2 1/2 OZ.  
OVER 4 LBS. THRUST

### "IT'S VO SERIES BATTERIES For HOBBYISTS and PROS"

The CG VO nickel-cadmium batteries are the latest addition to CG's extensive line of electronic and electrical products for the hobbyist. Rechargeable; Hermetically Sealed; Long Life; Rugged; Indefinite Storage.



Properly Handled  
and Recharged  
These Cells Will  
Last Indefinitely.

**CG Electronics CORPORATION**

15000 Central, SE, Albuquerque, N. M.

### Bulletin Board

(Continued from page 30)

knows the business. Write Pete Sotich, 3851 West 62nd Place, Chicago, Ill.

The Chicagoans have had a series of Saturday indoor meets in the 132nd Infantry Regiment Armory (75-foot ceiling) with regular events and a novelty event for youngsters up to 12 years old flying models supplied by the sponsors for 50 cents.

The two big free-flight meets in Chicago this year will be the Seventh Annual Chicago Prop Nutz meet on June 28 and the Sixteenth Annual Midwestern States Championships (sponsored by the Aero-nuts) on Sept. 13. Lots of events at each—both gas and non-gas.

► The New Castle (Pa.) Flite Kings run RC meets under a set of home-made rules that enables Rudder Only class to compete favorably with Intermediate and Multi jobs.

All ships are judged on the same basis for precision pattern, balloon breaking and spot landing. Then there are six stunts for Rudder models and six others for Intermediate and Multi models, the basic idea being to pick one stunt for Rudder class and an equally difficult one for the other ships. Rudder stunts are loop, Immelman, spiral dive, wing over, Cuban eight and lazy eight. Intermediate and Multi stunts are split S, power dive, two-point roll, horizontal roll, inverted flight and clover leaf. Maximum possible scores are: Pattern, 69; balloon breaking, 9; spot landing, 36; and stunts, 18.

It's reported that all contestants thought results were equitable. What won? A Rud-

der job. Bob Oesterling RD #5, New Castle, Pa.

► MAAWNY (Model Aeronautics Association of Western New York) formed March 8, at Dansville, N.Y. meeting attended by nine chartered AMA clubs. Fifty people elected as president, Charles Phillips, Louis Whitford, Secretary. Next meeting was to have been May 3, now past. Purpose of the group is the promotion of inter-club co-operation, and model aviation interests with the public.

For information address: Charles Phillips, 212 Coddington Rd., Ithaca, N.Y.

### Hand Launched Glider

(Continued from page 29)

ondary importance, grip is minor, wrist action means little; the "secret", if any, lies in the footwork.

Were this a fable, some sort of moral could be derived from the fact that the part of the modeler farthest from the model affects the model's flight most. We'll simply say that the most efficient machine results only when all its parts act in perfect coordination. You are that machine and every part of your body should aid your glider's climb. Most good glider fliers throw well instinctively. When asked to criticize a poor launching technique, few glider fliers could spot specific faults; most simply say it "looks jerky" or "not smooth."

There are three basic launching techniques characterized by different footwork. One, the "forward step" lacks smoothness and is undoubtedly responsible for more than poor duration. Its jerky-jerk motion can cause the modeler to release the model at different times and varying attitudes from one flight to the next, sometimes with



IN THESE NEW

MODEL KITS By

**Sterling** MODELS  
Belfield Ave. & Wister St. Phila. 44, Pa.

**FOR STUNT SPECIALISTS!**

Kit S-15, Wing Span 50"  
For .29 and .35 Engines

**RUFFY**

Sensational contest-type full-stunt model . . . has been winning contests repeatedly all over the country! Designed by Lt. Lew McFarland . . . now improved for even better performance in competition! Construction is simple, light, rugged.



**\$795**

All balsa and plywood die-cut parts, full-length carved fuselage top, formed wire landing gears, decals, silkspan tissue, etc.

**FOR A CHANGE OF PACE!**

**LOCKHEED P38  
LIGHTNING**



**\$395**

Kit S-17, Wing Span 36"  
For .15 Engines

If you're tired of building commonplace models . . . if you're looking for something different . . . this new BIG model of the remarkable World War II Fighter will satisfy your craving! Spectacular in flight, magnificent performance in the air! Fully prefabricated, easy to build.

Carved profile bodies, leading and trailing edges, etc. Die-cut balsa and plywood parts, formed wire landing gears, silkspan, authentic decals, etc.

STERLING MODELS

Belfield Ave. & Wister St.  
Philadelphia 44, Penna.

Please send me a copy of  
the Sterling Catalogue.  
Enclosed is my 10c to cover  
handling and mailing.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

**When it's made by Sterling, IT'S UNCONDITIONALLY GUARANTEED  
... IN WRITING!**

a demolished glider as the result. The "side step" is a good, smooth launching method slightly lacking in power but a very useful stepping stone to better launching styles. The "back step" is the powerhouse of glider launching methods and is employed by virtually every top notch glider flier.

**Forward Step Launch (Fig. 3.4):** The launcher steps forward onto his left foot (2) then steps onto his right foot (3) and throws the glider as his left foot touches the ground (4). Note the reversed twisting of the body as each step is taken and the short jerky throw which must be squeezed into the proper moment between body twists. A poor method of launching a glider.

**Side Step Launch (Fig. 3.5):** The launcher steps sideways to his left, onto his left foot (2), following quickly with his right foot (3), crouches slightly and launches the glider as he pivots on his right foot and steps to his left (4). Practice will develop one long smooth motion and will usually evolve the Side Step into the Back Step.

**Back Step Launch (Fig. 3.6):** The launcher begins in much the same manner as in the Side Step Launch (2) but brings his right foot behind his left foot (3), crouching slightly and then springing onto his left foot as he launches the glider (4). The back step permits a much longer stride to be taken into the launch, adding greatly to the power developed and giving one long smooth curve. The apparently reversed twisting necessitated by moving the right foot behind the left involves only the lower portion of the legs and does not affect the smoothness of the launching motion.

The steps shown in the drawings are for right-handed fliers and must be reversed

for left handers. The full push of the launch in all three methods is made from the right foot and is indicated by the solid footprint. The body twist line indicates the path of the mid-point of the launcher's shoulders. The steps shown are the actual launching operation and are usually preceded by two or three "wind-up" steps which give the flier added momentum.

That's all there is to the "secret" of hand launched glider flying. In one word, it's SMOOTHNESS. The whole idea is to get as much of your body, arms and legs moving in the same direction as the glider during as much of the launch as possible and to bring into play in the final push as many muscles and as much momentum as can be obtained. The best means of accomplishing this seems to be the Back Step Launch, apparently ridiculous when seen on paper, awkward when done slowly, but beautifully powerful and graceful when put into use as a means of propelling a glider into the sky.

Drawings are presented in Fig. 3.7 for "Curly", the present open indoor record holder. The model, as presented, is an indoor glider; the lifting stabilizer should be made symmetrical for outdoor use. There is nothing out of the ordinary in its construction and if the procedures outlined in Part II are followed, no difficulty should be encountered.

The remaining article, Part IV, will present a collection of ideas from various sources pertaining to design, construction and flying of hand launched gliders along experimental lines. A sort of extension course in glider theory. Also included will be a chart analyzing many of the top indoor gliders in the country and plans for a high aspect ratio glider.

*now for the first time...*



**A REALLY  
COMPLETE  
GUIDE TO  
EVERYTHING  
IN RADIO  
CONTROL**

Whether you are a beginner in R/C, or an expert, you will want the new Worldwide R/C Equipment Guide. Never before has so complete a line of R/C equipment been compiled . . . everything from transistors to tail wheels. But, this is more than just a catalog . . . the Worldwide R/C Equipment Guide takes the mystery out of R/C with helpful articles written by experts in the field. Worldwide's Code-A-Matic listings make it easy to choose the right equipment. The Worldwide Radio Control panel of experts stands ready to answer your individual questions. In addition, you will periodically receive the latest information on what's new in R/C, to be added to your Guide. Order your Worldwide R/C Equipment Guide now! Only \$1 . . . refunded with your first order of \$5 or more.

ORDER THE NEW MIN-X  
FROM WORLDWIDE R/C . . .  
R/C EQUIPMENT GUIDE  
INCLUDED FREE.

**\$39.95 ppd.**

WORLDWIDE

**RADIO CONTROL**

10281 TROY • DEPT. M7 OAK PARK 37, MICHIGAN

# New!

## FOUR NEW EDITIONS FOR YOUR AIR AGE TECHNICAL LIBRARY

Completely new, another set of four manuals—covers the "great" fighters of World War 2. Be up to date on the very popular warplane designs of the second world war. Plans, pictures, and data a collector's item.



### P-51 MUSTANG

Fastest of all fighters of the period, this magnificent plane fought the world over



### P-38 LIGHTNING

Famed twin-tailed, long-range, two-engine fighter was most unique



### P-47 THUNDERBOLT

Powerful slugger, the P-47 earned name "the Jug." Rugged, powerful.



### F4U CORSAIR

What the P-47 was to the Army Air Force, the Corsair was to the Navy and Marines.

AIR AGE INC. 551 Fifth Ave., New York 17, N. Y.

Herewith \$..... for the following booklets in your TECH MANUAL Series at 50¢ each, or enclosed \$2.00 for all four ☐

.....copies P-51

Mustang

.....copies P-38

Lightning

.....copies P-47

Thunderbolt

.....copies F-4U

Corsair

Name.....

Address.....

City.....State.....

## They Build Their Own

(Continued from page 11)

the youth of America to actively participate in all aspects of aviation. The program was to be worked through the grade and high schools or outside of school activities, or a combination of both, through local sponsoring groups such as local civic clubs, veterans organizations, and public interest organizations.

The objective of the AIM Program was to create a pool of future manpower trained and interested in aviation. The lack of air-minded personnel available to the aviation industry is reflected in the reluctance of our young people to adopt careers in aviation. The AIM Program was intended to attempt to rectify this situation. It consisted of four phases: Phase I for the age group 7 to 12 years, encouraging competitions in model building, leading to more advanced modeling in Phase II for the age group of 12 to 16 years. Phase III would make those graduates of the previous phases eligible to work competitively with others in the construction of full size glider and/or powered plane kits. Phase IV envisioned the awarding of flight or technical scholarships to the winners of Phase III activities. Unfortunately, the AIM Program had to be abandoned by CAA when budget cuts of that year eliminated funds for such activities.

But the new FAA is still very much interested in encouraging amateur participation in aviation, for the skills developed here serve to strengthen the aviation industry, which leads all industry in numbers employed, and there is always a need for skilled help. This is where the Experimental Aircraft Association fills the gap. Today's youth, looking over the fence at the big jets and executive aircraft predominant at most airports, feels left out of the aviation picture. However, when he has the opportunity to examine first hand a small private plane, or even watch one under construction in some basement or garage workshop, he finds that the machine is of a type of construction that he can understand, for it really is only one step above his model building experience. Seeing and understanding the problems of design and construction of these aircraft encourages him to seek the knowledge and skills required so that he can eventually tackle a project of his own.

After he has acquired the necessary training in woodworking, metal fabrication and welding, and working with dope and fabric, either through schooling or helping experienced builders with their projects, the beginner is ready to proceed. There are certain prescribed procedures which the amateur must follow if he hopes to have his aircraft certificated for flight. It is advisable that he first discuss his proposed aircraft with his FAA Safety Agent, for it is this self-same agent who must eventually pass on the airworthiness of the aircraft before flight is permitted. Better that the agent be completely informed at the beginning and throughout construction so that errors may be corrected immediately, than that flight permission be refused and expensive alterations become necessary later. This works to the advantage of the would-be builder too, for he learns firsthand what he can and cannot do.

After the aircraft has been completed in accordance with the requirements as specified by the Safety Agent, it is ready for flight test. It is assumed that all necessary "paper work"—registration, etc.—has been completed satisfactorily, and the certificate issued. Test flights of amateur-built aircraft can only be performed by a pilot

(Continued on page 44)

## SEVEN TECH MANUALS WITH PLANS, PHOTOS, DATA, FAMED PLANES.



TECH MANUALS 50¢ each.

### B-25 MITCHELL

Best medium bomber WW 2, the ship used by Doolittle on Tokyo raid from carrier.

### B-24 LIBERATOR

Companion in arms to the B-17, the Liberator "heavy bomber" noted for range.

### B-17 FLYING FORTRESS

The most famous of all the World War 2 warplanes, B-17 "heavy" was tough ship.

### CURTIS P-40

From beginning to end, P-40's prominent in all theatres excepting the European.

### F-86 SABRE

What the Mustang was to WW 2, the Sabre was to Korean war. Classy jet fighter.

### F-94 STARFIRE

All-weather jet with tremendous rocket firepower, seeks out intruder by radar.

### B-47 STRATOJET

More of these six-jet bombers in Strategic Air Command than any other machine.

AIR AGE INC.  
551 Fifth Ave., New York 17, N. Y.

Herewith \$..... for the following booklets in your TECH MANUALS at 50¢ each.

.....copies B25

.....copies B24

.....copies B17

.....copies P40

.....copies F86

.....copies F94

.....copies B47

☐ Enclosed \$3.50 for all seven copies.

Name.....

Address.....

City.....State.....

# DUKE FOX X USES AMBROID!

It seems like everybody who is anybody in the model plane industry is an Ambroid Cement user. Duke Fox, President of the famous company which bears his name, is no exception. Says Duke — "Ambroid, like Fox Motors, represents quality in its field. I have used many different brands of cement, but have never come across anything that holds as well as genuine Ambroid". So speaks a modeler of 32 years experience, who has built stunt (his favorite), speed, gliders (indoor and outdoor), free flight and microfilm types.

Remember to look for the familiar Ambroid blue and orange tubes (now with "miracle spreader cap") at your local hobby shop. It costs just a few pennies more, but that little extra buys the world's ORIGINAL and still-the-finest model cement.

"EXTRA-FAST" AMBROID  
FOR LIGHT MODELS  
& "FIELD" REPAIRS



"REGULAR" AMBROID  
— FOR MAXIMUM  
STRENGTH CONSTRUCTION



#### "REGULAR" AMBROID

1-3/4 Oz. Tube . . 30¢  
4 Ounce Tube . . 60¢  
1 Pint Can . . \$1.75

#### AMBROID SOLVENT

1 Pint Can . . \$1.35

#### "EXTRA-FAST" AMBROID

(Model Airplane Cement)  
20 cc. Tube . . . . 15¢

"SYNTH-WOOD" (Ideal  
as a filler & for fairings)  
4 Ounce Can . . . . 40¢

Motor manufacturer — and  
Ambroid fan — Duke Fox  
looks over one of the many  
Fox powered speed entries  
at a recent "Nats" contest



**In Every Field There's A Leader — In Cement It's**



AMBROID CO. • BOX 30 • WEYMOUTH 88 • MASSACHUSETTS



**GLOW CHECK**

**PRESS TO TEST**

Check Glow Plug IN ENGINE

GLOW CHECK is left on battery at all times — ready for instant use.

**\$1.49**


**OHLSSON MANUFACTURING CO.**  
1547 W. 16th St. • LONG BEACH, CALIF.  
Not connected with Ohlsson & Rice

## M.E.W. JET ENGINES

### M.E.W. 307 JET ENGINE

**\$14.95**

PREPAID



Powerful, 5 lb. thrust  
3 in. dia. x 2½ in. long, burns  
gasoline, complete with spark plug.

### M.E.W. 601 JET ENGINE

6 in. long, easy to  
assemble, \$1.95 prepaid

Burns gasoline. Complete, absolutely nothing else to buy.

### MINNESOTA ENGINE WORKS

5600 N. Hamline Ave., St. Paul 12, Minn.

► 1959 Nationals: Will be held at  
Naval Air Station, Los Alamitos  
(Long Beach), Calif., July 27  
through August 2.

► State Championship Fund: Hobby  
Industry Association has under-  
written the cost of sending 50 state  
champions to the National Contest.  
An eliminations system will be es-  
tablished by the time you read this.

holding a private pilot's rating, or better. The flight test period can last from 10 to 50 or 75 hours, depending upon the design and any other factors which may influence the Agent's decision, for the length of the test period is left to his discretion. During the test period a complete log is kept, recording any unusual characteristics encountered as well as time and type of flights.

Upon completion of this testing period and after the "bugs" have been worked out, a flight demonstration before the Safety Agent is next in order. This demonstration is to show that the aircraft's performance at minimum and maximum weights is adequate for take-off, climb and landing. The plane must be shown to be satisfactorily controllable and reasonably maneuverable during taxiing, take-off, climb, level flight, dive and landing, with and without power. When the final stage has been passed successfully, certain flight restrictions on the aircraft will be removed and the aircraft may then be operated within the specified limits for its class as provided by regulation.

That today's amateur-builders are well aware of their responsibilities can be seen at any of the many EAA Fly-In meetings. The 6th Annual EAA Fly-In was held at Curtiss-Wright Airport, Milwaukee, Wis. in August, 1958, and drew over 60 home-built aircraft and thousands of members and visitors from all over the U.S. and Canada. The high standards of workmanship which prevail throughout the ranks of the amateur-builders was here presented for all to see. Outstanding performance of some of the new designs was an encouraging sign that advances are being made. Such novel features as folding wings for roadability in the Bryan II, and the variety of design types ranging from the open single-seater sport monoplanes (Baby Ace) and biplanes (Mong, Sablar Special) to the two-place Wittman Tailwind and Maule four-place cabin aircraft point up the fact that new ideas are constantly appearing.

The 1959 EAA Fly-In will be held at Greater Rockford Airport, Rockford, Ill. on August 6, 7, 8 and 9 and an even greater number and variety of aircraft can be expected to make their appearance, for the movement is only now gaining momentum. Many new designs are even now being completed and tested, and will appear at the Fly-In for the first time. In addition to this unparalleled opportunity to see and examine the latest in home-

built, the members attend technical forums on various subjects of interest and usefulness to the homebuilder. The friendly contact with fellow members and enthusiasts lends an air of informality to the entire event which is seldom seen elsewhere. It is this fine spirit of cooperation which has brought such outstanding success to the organization in its short period of existence.

To hasten the development of an improved sport aircraft, EAA is sponsoring a Design Competition, the judging of which will be held at the 1960 Fly-In. Already many builders are at work in various parts of the U.S., and even a member in France has entered. From this Competition it is hoped that an aircraft design will emerge which will provide the answer to the incessant demand for a light sport plane within the reach and capabilities of the average enthusiast. There is every indication that some truly advanced designs will be offered for judging.

The future of private flying for the average enthusiast will be determined to a large extent by what he does to help himself. Through the Experimental Aircraft Association he learns his problems and responsibilities through active participation. That he can succeed is evidenced by the growing number of EAA members who have built and are flying their own aircraft. This experience can only result in a strengthened air-minded population who are a definite asset to the country.

## Why Not a Sailplane

(Continued from page 23)

Some ships like the old Darmstadt School designs can be built scale right off the plans. This brings up a good point. Where do you find sailplane three views?

Many libraries have old glider books on the Aviation shelf which contain small three views. The best for old gliders is *Kronfeld On Gliding and Soaring*. The recent American ships can be had only by writing the designer or manufacturer and asking politely.

I like to make my towliners an inch to the foot scale. This seems small but the span of most sailplanes is 50 to 60 feet, and the ease in handling and economy is well worth sticking to this handy size.

One of the biggest challenges in working with models is their peculiar aerodynamics because of their low Reynolds  
(Continued on page 46)

## ANNOUNCING the FINE NEW

### THE FIRST Really NEW R/C Model

Advancement in over 5 years!

Not since the advent of the 1st Live Wire has there been such a sensational advancement in R/C model design as the new Custom Live Wire offers! After 3 years of intensive development the "Custom" comes with features which make it the first fully aerobatic R/C model kit! Only now is it possible to duplicate completely full scale aircraft controls and achieve performance equal to them, both in the air and on the ground!

The "Custom" has symmetrical airfoil wings for greater stability and equalized inverted maneuvering. Its Biplane wings give the area required to provide a low wing loading, the answer to quick, snappy maneuvers! The Biplane also affords a very low gross weight plus compactness for ease of transportation. Coupled with the fine aerodynamic qualities comes a brilliant undercarriage system which by the use of a steerable tail wheel and wheel brakes gives absolute ground control on the roughest of terrain. Takeoffs, landings and all taxiing now becomes a pleasure!

With the "Custom" Live Wire you have the most modern and versatile radio controlled miniature aircraft that could be wished for!

The new deluxe kit includes:

- Giant full size plans with complete assembly details!
- Complete radio installation instructions with details!
- Complete preflight and flying instructions!
- Selected premium grade balsa and tough hard maple parts!
- Precision machined and sharply die cut parts!
- Ready formed dorsal gear and necessary hardware!

Check these specifications!  
Top wing span: 66" Lower wing span: 58"  
Wing area: 1025 sq. in. Wing loading: 19 oz./sq. ft.  
Flying weight: 5½ to 7 lbs.  
Model weight minus R/C equipment: 4 lbs.  
Controls as desired: Possible to have rudder, elevator, engine, tail wheel, wheel brakes, ailerons and flaps.

## Custom "LIVE WIRE"

A truly Spectacular Multi-Channel R/C Model!

FOR USE WITH .25 TO .35 ENGINES AND  
2 TO 8 CHANNEL RADIOS



A COMPLETE  
DELUXE KIT  
**\$21.95**

deBOLT MODEL ENGINEERING CO.

"Home of Design-engineered Models"

WILLIAMSVILLE, NEW YORK, U. S. A.


SEE YOUR HOBBY DEALER

IF NOT CONVENIENT, ORDER DIRECT

INCLUDING POSTAGE AND INSURANCE



**NEW • Authentic-Scale Drag Strip Racer Model • Add it to Your Collection!!**





**SLINGSHOT**

# DRAGSTER

**Driver, Dummy Chrysler Engine, 6 Carburetors, Drag "Slicks," Pin Stripe Decals  
"Drag Race" this Model—Power with Jetex 50B Unit or CO<sub>2</sub> Capsule**

The flag snaps—then a blasting roar. It's a Dragster. It's away on a hot quarter-mile strip. The big engine thunders. The 6 carburetors hum. It betters 150 miles an hour, from a standing start, at the end of the run. Drag racing with cars built for the purpose (not converted stock cars) is a popular, fast growing man's-size sport.


Monogram's new Slingshot Dragster is an authentic drag strip racer, scaled from top-winning cars. It has all the conforming drag racer features—nose shell housing the fuel tank, big exposed engine mounted in the center, oversize exhausts, big squarish (drag slicks) rear tires, smaller, thin front wheels and tires, the driver in the "hot seat" at the extreme rear. Model can be "drag raced" using Jetex 50B unit or CO<sub>2</sub> capsule for power. See the Slingshot Dragster at your favorite store.

Kit includes complete Dragster with scale Chrysler engine and 6 carburetors, driver, pin stripe decorative decals and a special motor mount for racing the model. Molded in three colors plastic—blue, silver and black.

**98¢**



**Hobby Kits FOR FAMILY FUN**



## NOW FOUR **Willy Ley Space Models**

How many of these Exciting Models Have You Built?

Now at stores everywhere, four "Thrills in Space" models designed by Willy Ley, world famous space travel authority.

### **SPACE TAXI**

Transport and work ship. Opening cargo door. Pilot and 3 figures in space suits. Terrestrial globe mounting and base. 9½ inches long. **\$1.29**

### **PASSENGER ROCKET**

Two separating stages, retractable landing gear, launching pad, 5 figures. For trans-oceanic service at 100 mile altitude. **\$1.49**

### **ORBITAL ROCKET**

Manned rocket for controlled orbital flight. 3 separating stages, landing gear, droppable fuel tanks, launching pad, 5 figures. **\$1.49**

### **TV ORBITER**

Television from outer space. 3 separating stages, television nose cone, launching pad, service tower, 3 figures. 12¼ in. high. **\$1.29**

**PACKED IN THE NEW BEAUTIFUL  
CELLOVISION PACKAGE WITH  
FREE TRADING CARD**

**CESSNA DE-2 BIRDDOG**  
Kit No. 903



**the LINDBERG line**  
ESTABLISHED 1933

**FAIRCHILD TRAINER P.T. 19B**  
Kit No. 901



**SEE YOUR LOCAL DEALER**

# FLYING PLASTIC SCALE CONSTRUCTION MODELS

- BIG 20-INCH WINGSPAN
- COMPLETELY COLORED — NO PAINTING NECESSARY
- ASSEMBLE IN MINUTES
- NUMEROUS PLASTIC MOLDED PARTS FOR MORE AUTHENTICITY
- CAN BE USED AS A SCALE MODEL OR FLYING MODEL

**NUMEROUS FEATURES DESIGNED  
INTO MODEL TO PREVENT BREAKAGE**

- DISENGAGING LANDING GEAR
- REINFORCED LEADING EDGE OF WING
- FLEXIBLE WING MOUNTING

THESE RUBBER POWERED  
FLYING MODELS ARE  
A REAL QUALITY ITEM  
FOR ONLY

**\$1.98**  
EACH

## 24-HOUR SERVICE

## MODEL AIRPLANES CRAFTS TOYS MODEL RAILROADS

Your BIGGEST SOURCE OF SUPPLY . . . our  
GIANT new Catalog with over 300 pages.  
Send for it on your letterhead, we sell to  
dealers only, 100% wholesale, fast service  
on all orders.



**DEALERS  
HOBBY SUPPLY**

P. O. Box 10353-B  
2009 Farrington  
Dallas, Texas

Dept. KC-B  
1120 E. 13th St.  
Kansas City, Mo.

P. O. Box 506-B  
510 E. Sixth St.  
Des Moines, Iowa

Dept. M-B  
577 Scott St.  
Memphis, Tenn.

numbers. That is the number that denotes the quantity of air passing over the surfaces of the model. It depends on the airplane's size and speed. For the average model it is around 100,000 compared to a few million for a real glider. Not to get too technical, what this means is that you can't use the same aerodynamics for a model as for the big ships. The biggest and most important change that must be made is in the airfoil. The airfoil must be as thin as can be made without sacrificing the strength too much. A scale model that copied the thick airfoil of the real ship would give unacceptable performance, unless, turbulators were added, and this would ruin the scale effect. The thin airfoil that must be used is not very noticeably different from the real plane's wing section. Although the modern sailplanes use as thin a section they can get away with too, the laminar-flow airfoils they use are useless on a model where a turbulent flow over the wings is best. With the scale towliner the performance may sometimes be improved with a strip of thread along the wing or a series of fancy paint strips that will make bumps on the top surface of the wing.

Whether or not to use the scale stabilizer area is a matter that I leave to individual experimentation. I usually start with as close to scale as possible and enlarge if the ship is too unstable. The modern Nordic gliders use very small stabs and get away with it. Why not scale jobs too?

To get down to some actual construction problems let's start with the primary glider. The wing is actually the strongest member of this type ship; the fuselage is sewed to it with thread bracing. Just take needle and heavy thread, #6, and run it through the keel and wing spars, then back to the aft fuselage stations, sewing through them, and pull tight. While holding it

tight and sighting for alignment, put a drop of cement on all the places where the thread runs through the wood structure. Be sure to gusset and wrap all the fuselage joints with silk, too. A pilot is very necessary to the structure!

For the more advanced models, more advanced construction must be used. A good example of a famous sailplane that is midway between the old and new is the Minimoa, designed by Wolf Hirth of Germany around 1935. This ship held most of the records in the 1930's and early '40s. After much experimentation I have found the strongest warp-free construction as follows:

Buy a block of balsa the size of the fuselage, as soft as you can find. This is important so look carefully. Then mark off the fuselage on it and either carve or slice it out on a bandsaw, carve and sand it to final shape the same as any solid balsa model. After the final fine sanding, draw a fine line along the top and bottom and split the block by slicing it with a sharp knife a little deeper each time until you can pull it apart. Next hollow the halves out with a gouging blade from about  $\frac{1}{8}$ " near the tail, to  $\frac{1}{4}$ " at the center section, to  $\frac{1}{2}$ " at the nose section. Cement the fuselage halves back together and the fuselage can be laid aside. I have made the entire fuselage to this stage in an hour.

The wing is made by picking two nice soft pieces of balsa the width and thickness of the leading edge plywood on the real ship,  $\frac{1}{4} \times 2$ " for the "Mini." Cut this to shape of the leading edge. There will be four pieces. Bevel in the dihedral at this point. The rib positions are marked on the leading and trailing edges. Run a rough metal saw into each mark to a depth of  $\frac{1}{8}$ ". Then cut a bunch of  $1/16$ " rib blanks to exact length and roughly  $\frac{1}{8}$ " thick,

# more AIR POWER with **TORNADO** **NYLON** **PROPELLERS**

Yes, undisputed King of model air power these days is **NYLON**! No finer material for max. thrust delivery from engine-plus-propeller! Beats wood in **FLEXIBILITY** and durable resilience. **HOLDS SHAPE** and thrust at top RPM's. Practically **UNBREAKABLE**... survives even ground loops and belly landings! **TEMPERATURE-PROOF** — doesn't "brittle" at sub zero — nor soften in tropic heat. **FUEL PROOF** — no corrosion from today's standard or special fuels. **SMART COLORS, TOO!** A one-trip dip in any boiling type Nylon dye provides brilliant, beautiful color finish... and it's permanent! Because **NYLON** protects and maintains the superb thrust power of GRISH-Engineered propeller contours at all speeds... it's the **BEST** for longer, care-free flying! Ask for Grish **TORNADO** Propellers in most sizes of 3 blades, 2 blades, both tractor and pusher.

**GRISH BROTHERS** St. John 1,  
Indiana

## 2 Blade Tractor

5-3 5-4 5 1/2-3	
5 1/2-4 6-3 6-4	25¢
7-4 7-6	40¢
8-4 8-6 8-8	60¢
9-4 9-6 9-7 9-8	
10-4 10-6	85¢
11-4 11-6	\$1

## 2 Blade Pusher

5 1/2-3 5 1/2-4	
6-3 6-4	25¢
8-6	85¢
9-6 10-6	\$1

## 3 Blade Tractor

5-3 5-4 6-3 6-4	50¢
-----------------	-----

## 3 Blade Pusher

6-3	50¢
-----	-----



**MAXIMUM THRUST from ENGINE TORQUE**

squeeze the ends of the ribs and push them into the leading edge and then into the trailing edge. Sight along the wing to line everything up and apply a drop of cement to each rib. When this is dry, sand the ribs and leading edge to shape with a rough, and then a finer, sanding block.

The wing joints are now covered with "Duratite" plastic wood. Smooth this into place with lacquer thinner so that the wing appears to have been made in one piece. The tail assembly is made similar to the wing. The wing is held in place by internal rubber bands. The fuselage above and forward of the wing is sliced off and cemented to the wing permanently and filleted with the plastic wood. The wings and tail are covered with yellow silk and clear doped and the wood parts are sprayed with white enamel over the usual six-coat filler-and-dope finish. Towing and flying are conventional, of course. Try a scale towliner soon for a new thrill in modeling!

## Super Sky Lancer

(Continued from page 21)

Wing is of 3/8" firm balsa. Cement 3/4" square hard wood spar to 2" sheet in proper position. Notch 3/8" sheet to fit around spar and cement in place to build up remainder of wing. Cut to outline shape. Cut grooves for lead-outs. Carve and sand wing to shape. Cement wing in place. Add strips or blocks to inside of fuselage at wing junction. Fasten lead-outs to bellerank. Slide lead-outs through grooves in wing and bolt down bellerank. Solder nail in place.

Cut tail assembly from 1/8" hard balsa. Cement elevators to 1/8" x 3/16" hard

wood spar. Sand to shape and add horn and hinges. Aluminum tubes as shown with 1/32" wire hinge pin make a hinge far superior to cloth. It is much easier to make pushrod in two pieces and bind with thin copper wire and solder than to try to bend it to correct length in one piece. Slide pushrod in place and cement stabilizer securely to fuselage, using lots of cement. A cement fillet in the inside should be added. Bind both pieces of pushrod with wire, align bellcrank and elevator, then solder. Attach landing gear. Use solder, lock nuts, or lots of cement to prevent nuts from loosening. Cement top to fuselage. Cement fin and dorsal fin in place then add rudder with 1/4" offset. No offset is used on engine, and no weight is necessary on wing tip. Mount tail skid in place, then all 1/4" sheet fuselage bottom. Cement block to bottom of nose. Cement 1/4" plywood to left side of engine mounts to dampen vibration. Use Weldwood glue and clamp. "Blind nuts" are ideal to hold engine. Cement balsa block to left side of nose. Hollow it out enough to mount engine in place; cut and hollow a block to fit right side of nose, then draw a line around back plate of spinner and remove engine. Carve and sand fuselage top and nose to shape. Finish off rest of fuselage with a long narrow sanding block.

Cowl cheeks may be carved from solid balsa, or easily formed from 1/16" sheet balsa, by soaking piece in water and carefully binding it to a carved block with rubber. It is very light and surprisingly strong when covered with fiberglass. Model cement may be used in place of resin very satisfactorily. Trim cowls to shape and cement in place. Generous "plastic balsa" fillets should be added to inside and out-

## RADIO CONTROL NEWS

### Marcy Twin Simul System

At last, a simple fool-proof dual channel simultaneous receiver and transmitter, designed by Marcy Inkman, developer of the MarcyTone single and six channel receivers.

Now you can use either channel for push button or pulse flying since each channel may be pulsed simultaneously up to 20 cycles per second.

Marcy's Twin Simul receiver kit contains 6007 tube, three T0037's, two Gem 5K relays, two filters and all other required components. Weight is under five ounces. Unit measures 2-1/2 x 3-5/8 x 1-7/8 inches deep. Only . . . . \$27.95



Marcy Twin Simul Transmitter - Dual-tone generators housed in a 3 x 5-1/2 x 8 case use an MOPA-type RF section with a 3A5 two-tube amplifier. May be operated with push buttons or with dual pulser below for twin simul proportional control. Complete unit including transmitter and twin simul tone generators, . . . . . \$37.95

Marcy Twin Simul Tone Generators - Housed in aluminum case 2 x 4 x 4 for converting existing MarcyTone equipment to dual operation. . . . . \$17.95

Marcy Twin Pulsers - Stick control housed in small metal case plugs into twin simul tone generators for dual proportional flying. Motor control may be added, using either full on or full off. . . . . \$32.95

FLASH! Send for New Free Catalog - 59A

Acc R/C East  
200 W. CARY ST., RICHMOND, VA.

Acc R/C West  
BOX 18 CARMICHAEL, CALIF.

Acc Radio Control  
BOX 301 HIGGINSVILLE, MO.



# ALL-NEW!

BY

## KAPPAK

for  
1/2 A's  
to 60's



- V1 Kwik Klip, Only .....39c
- V1C Kwik Klip, 12 On Card.....39c
- V2 Kwik Klip Card Set.....39c
- V3 Battery Card Set, Unassembled.....29c
- V4 Battery Card Set, Assembled.....39c

KAP-PAK PRODUCTS, INC.  
154 WEST WALTON PLACE, CHICAGO 10, ILLINOIS

### BUILD AND FLY YOUR OWN HIGH PERFORMANCE SPORT PLANE!



Simplified, detailed construction prints now available. FOUR proven, economical designs to choose from. (1) Single-place Playboy, low wing, rugged and fast, designed for aerobatics. (2) Two-place Playboy, side-by-side, low wing, comfortable cross-country and aerobatics. (3) Two-place Flut-k-Bug, tandem, mid-wing, tri-gear. Very short take-off and landing, high altitude Soida. Wings easily removed for towing. (4) Two-place Sky-Coupe, side-by-side, high wing, cabin, tri-gear. All purpose general utility and personal airplane. For complete details on all four, with descriptive brochures, photographs, three-views and FAA regulations on home-built airplanes, mail \$1.00 (packaging and postal expenses) to

STITS AIRCRAFT  
P.O. Box 3084-N, Riverside, California

side of cowls. Cover cowls and nose with fiberglass. A coat of clear dope all over makes a good base for filler. Fill in and sand. Add pilot and canopy. By lashing canopy in place with a rubber band after trimming, apply clear dope around edge several times to form a good fillet—it's neater and holds better than cement. A bicycle spoke is suggested to hold cowl in place. A D.E. cutoff may be mounted to a plate and fastened to rear of engine. A short "third line" from the down lead-out is used as a trip.

A one bladed prop is sure to cause comment—in spite of the convincing results. All types and sizes were tested. Speed and mileage were both improved with a single blade 10-8 cut down to 9% diameter. Prop breakage is greatly reduced—a big factor in a race. The blade usually stops out of the way for those occasional rough refueling stops (avoiding another ship or a pit crew that shouldn't be there). An 8-8 two blader has been our second choice. There is no substitute for safety and a poorly made one blader can be dangerous. If you decide to make one, bend a 1/32 thick brass or steel strap to a "U" shape to fit around prop and drill hole for shaft. Use soldering paste or flux and "tin" the surface for a good bond. Assemble prop and "u" strap with shaft through hole. Use adhesive tape to close off opening on one side. Now carefully fill with melted solder. When cool remove tape and check to see that weight is bonded to strap. File excess weight off to balance blade and to fit in spinner. A simple balancing rig can be made by slipping a snug fitting metal rod that has both ends sharply pointed through the prop. Hold lightly between thumb and forefinger. It is surprisingly accurate and handy for field checks.

### I Collect Old Engines

(Continued from page 19)

advertised the two Elf Singles in an accompanying photograph for \$45, each. To his amazement, he received two offers.

On the other hand, we recently heard of a fellow who practically "stole" a Morton M-5, in running condition, for ten dollars. It was easily worth six times that amount. Such bargains are rare, but they


do happen. In the past year, the author has purchased, from dealers, a brand new Arden .099 and .199. Both were still "in the box" and were picked up for a total of \$8.00.

Since most vintage motors haven't been seen on the old flying field for many a moon, the problem of identification enters in. We find the best way to become familiar with these old types is to study the engine adverts in old copies of Model Airplane News. If you can beg, borrow or buy a 1936-1941 issue, you'll have an invaluable reference aid. The April, 1938 issue, for example, has photos and descriptions of over twenty, including the Bunch Warrior, Pee Wee, Precision 820, Bat, Condor Midget, Trojan and the ever-familiar Thush Super Ace. Even when you can recognize everything from a Meteor to a Mite Diesel, though, you can still get thrown for an occasional loss because of the large numbers of "home built" jobs that appeared in the '30s.

Now, how do you go about finding motors which have been out of circulation some twenty years? It's really not too difficult, providing you look in the right places. Much more fruitful than Grandma's attic are the older hobby shops, particularly those that accept used motors in trade. Many dealers give a dollar or so on used engines and they can be picked up for very reasonable prices. Occasionally, really rare motors show up along with the usual wornout 1/2A's. Recently, we followed several leads to a dealer who was supposed to have a "bushel basket full of junk motors." This turned out to be correct but, unfortunately, the entire works had been sold to another collector for \$5.00. The lucky purchaser was Clifford McMillan, of Akron, who acquired among the "junk", a James .60, Condor Midget, M&M, Ranger "B", Ajax and an Elf Single. The dealer told me that Cliff looked rather pleased when the motors were dumped on the counter. I'll bet he was!

Another excellent source is the "retired" model builder who has long since flicked his last Flo Torque. Some of these ex-modelers are loathe to part with an old motor for sentimental reasons, but just as many others have all but forgotten that they have a few stashed away in the cellar.

Old engines can also be obtained from trade-in marts that specialize in selling used ones. Generally, you will pay slightly more, but there is an advantage in that they usually guarantee the stated condition of their motors. Collectors utilize many other sources in addition to those already mentioned, including, trading with other collectors, placing small "want" ads in newspapers and model mags, and leaving



## TOO NEW TO PICTURE

Here is the Model Airplane News binder you have been waiting for

- Manufactured to our strictest specifications
- Holds 12 issues — a full year's supply
- Opens flat as a bound book, yet loose-leaf in operation
- Rod-type binder with rods that lock in place in ends
- Doubly reinforced spine for longer life
- Extra heavy binder's board covers for durability
- Extra heavy vinyl "saddle" covering for lasting beauty
- Stamped with name of magazine on cover and spine

These are the best quality binders available, custom-fashioned at the low price per binder of \$3.50

Kalmbach Publishing Co., Dept. MAN, Milwaukee 3, Wis.

I want \_\_\_\_\_ of your new type binders for Model Airplane News. Enclosed is my ( ) check ( ) money order for \$\_\_\_\_\_. I understand these will be shipped to me postpaid.

Name \_\_\_\_\_

Address \_\_\_\_\_

City, Zone, State \_\_\_\_\_

### ANYONE can afford RADIO CONTROL with MC gear

MC model 250-B transmitter  
**\$14.95** less batteries

MC model 100-B receiver  
**\$11.95**

B-Combo transmitter and receiver  
**\$24.95** less batteries

Either 27.255 kc or 26.995 kc at no extra cost.  
SEE IT AT YOUR HOBBY SHOP

### MC MFG. & SALES CO.

6720 Monroe Kansas City 30, Mo.  
BROCHURE UPON REQUEST.




THOUSANDS OF MAIL ORDER  
CUSTOMERS PROCLAIM...

# LEE'S

## LEE'S

THE NAME THAT MEANS THE BEST IN QUALITY  
AT LOWEST COST, WHEN BUYING  
**FUEL, DOPES AND CEMENT**

ALL OUR FINISHED PRODUCTS ARE NOT FOR SALE



For a grip of steel Lee's Cement has it over all the others, and it's most economical too. Handy wide neck jar, proves its worth for all around building needs. Available in pints also.

Lee's dope flows smooth, resists humidity, produces tough high lustre finish with minimum applications. Costs you less too.

Colors: Insignia White, Silver, Bright Orange, Insignia Red, Grey, Insignia Blue, Green, Light Blue, Black, Cub Yellow, Fokker Red.

### LEE'S FUEL FACTS

- ECONOMICAL
- FILTERED CLEAN
- CHEMICALLY PURE
- SMOOTH RUNNING
- RELIABLE STARTING
- PROPERLY PROPORTIONED




Seals and fills to perfection.

Fills cracks and makes fillets with ease, can be thinned with LEE'S Thinner. Bonds wood, silk and silkspan; sands easily.

A few drops will remove all oil and dirt . . . does not affect dope or paint.

*It's Here!* 1959 LEE'S CATALOGUE



- PLANES
- BOATS
- ACCESSORIES
- ENGINE PARTS
- AND PRICE LIST

IF YOU DON'T HAVE THIS CATALOGUE YOU DON'T KNOW WHAT'S MADE!

ONLY 50¢ REFUNDABLE ON FIRST \$10.00 PURCHASE!

All products are available at a Lee's approved dealer agency or directly from us. Send us your dealer's name and location with your order so that we might contact him.

### LEE'S FINE PRODUCTS

	4 Oz.	Pint	Qt.	Gal.
• LEE'S GLOW FUEL	.79	1.40	4.95	
• LEE'S CLEAR DOPE	.40	1.20	2.19	8.50
• LEE'S COLORED DOPE	.45	1.50	2.89	10.95
• LEE'S CEMENT	.50	1.79	3.19	10.98
• LEE'S GRAIN FILLER	.40	1.20	2.19	8.50
• LEE'S Balsa PUTTY	.79	2.98		
• LEE'S KWIK KLEAN	.59			
• LEE'S THINNER	.35	.90	1.65	5.25

DEALER INQUIRIES INVITED, STANDARD DISCOUNTS

**COME IN OR MAIL IN to**  
LONG ISLAND'S LARGEST HOBBY CENTER



MANUFACTURERS & DISTRIBUTORS  
**LEE'S HOBBY SUPPLIES**

ORDERS FILLED SAME DAY RECEIVED FROM THE WORLD'S MOST COMPLETE STOCK! TRY US-PLACE AN ORDER TODAY

NO ADDED CHARGES FOR POSTAGE OR HANDLING

**2072 FRONT ST., EAST MEADOW, L. I., N. Y.**

### Sensational GLUE GUN



NON-CLOGGING  
ONLY 98¢  
WITH STORAGE UNIT

### FOAM RUBBER 35¢

- 1/2" THICK
- 36 SQ. IN.
- SMOOTH ONE SIDE



### 5 COLOR WIRE 60¢

23 FT LONG  
MULTI STRANDED



### AT LAST! 1-INCH SHED-RESISTANT BRUSH



ONLY \$1.25

### BRUSHES SET OF THREE



ONLY \$1.25  
SHED-RESISTANT

# SEND ONLY \$2.95

## FOR THIS \$11.95 BOOK

(remaining \$9.00 to be paid \$3.00 per month)



## "AIRCRAFT OF THE 1914-18 WAR"

by Thetford - Riding - Russell



ONLY BOOK  
THAT COVERS  
ALL PLANES FLOWN  
IN WORLD WAR ONE

DELUXE BOUND

### CONTENTS

Only book that contains not only all the Aircraft flown in World-War One, but also hundreds of photos and drawings of rare and experimental type so hard to find. Book is cloth bound, 234 large 11 x 8 3/4" pages. 80 full page 1/72" scale plans shown of planes from USA, England, France, Germany, Italy, etc. Full page photos of Squadron line ups, plus half page and third page photos of each plane, in all over 200 photos. Full Dimensions, Weight, Armament, Performance, Power Plant, and constructional details are given for each plane, plus its Operational History. This book is of great interest to any who have flown these old planes, to any who are interested in the building of true scale Museum type models, and to those who simply like to see top notch photos and write ups about these, now rare, aircraft. This book is a collector's item. Book weighs almost 2 pounds, it is sold on a money back guarantee, after you have paid for the book in full, if not satisfied with it we will grant a full money back refund within 10 days after you have received it.

SAMPLE PAGES and Circular about the book above .....25c ☐

CHECK OFF THE FORM BELOW and PRINT your name and address in column this ad ☐ add 25c. postage per book,

Please send me the 14-18 book above, I enclose full \$11.95 ☐

Please place me on order for the 14-18 book above, I enclose only \$2.95.....☐

I agree to pay the remaining \$9.00 in three monthly payments of \$3.00 each ☐

Also available "PLANSBOOK" contains over 1000 different plans, including hundreds of 14-18 Aircraft "PLANSBOOK" comes with \$1.00 Credit Voucher which can be used on future purchases..... "PLANSBOOK" \$1.00 ☐

"AEROMODELER" magazine contains scale plans. Year sub. \$4.50. Sample 25c ☐

Gull Model Airplane Co. 10 E. Overlea Ave., Dept. M2 Baltimore 6, Md.

## HI-POWER BINOCULARS

NEW! 50¢  
PORT FOLD LENS  
3.10 x 4.50mm



Center eye piece adjustment  
Powerful folding  
Opera Glasses fit into pocket or purse.

See up to 18

MILES. Worth many times low introductory price. Comparable to models selling for \$4.95. Send cash, check or money order. Sorry, no C.O.D.'s.

BRUCE SALES CO.

121 E. 24 St., Dept. 804, New York 10, N. Y.

## WORLD'S FINEST!

## "TICK OFF"

CLOCKWORK TIMERS



FUEL SHUT OFF  
TICK OFF  
0-25 SECONDS  
FUEL LINE INCLUDED  
1/2 OZ.

Best by test, going UP or coming DOWN, you can't beat the Tick Off's

AT YOUR DEALER OR ORDER DIRECT FOREIGN ADD 10%



DETHERMALIZER  
D-T TICK OFF  
0-4 MINUTES  
1/2 OZ.

395 EACH

TATONE 1275 GENEVA AVE  
PRODUCTS SAN FRANCISCO 24, CAL

signs in local hobby shops. All that it requires is a little imagination and a great deal of persistence—attributes which most modelers have to begin with.

A question that often dogs the budding collector is, "How can I tell whether this motor is any good?" When examining an old motor, check first for missing parts because original needle-valves, drive-washers, tanks and timers are extremely difficult to replace. Next, test the compression by turning it over—the crankshaft, that is. Actually, this is not always an infallible test since many of these old motors may be "frozen" with congealed oil or the gaskets may be broken. The best single indicator of an engine's condition is its external appearance. Note carefully the screw heads and motor mount holes. Are they fairly clean? Is there evidence of excessive manhandling in the form of battered crankshaft threads or plier marks on the cylinder? Dirt and grime mean absolutely nothing and should not deter you from purchasing an engine. Gentle rocking of the crankshaft can uncover excessive wear in both the connecting rod and main bearing.

Sometimes it's a good idea to purchase a motor that's in fairly bad shape, especially if it's a rare one. Chances are pretty good that you can locate another of the same type, and between the two of them, put together one good engine. We've done this several times with Browns, for instance.

**Other Motor Collections:** Some collectors specialize in foreign motors. Besides the United States, engines are or have been produced in some 17 other countries. Japan, alone, has had over 40 different varieties. Collectors are drawn to foreign motors for many of the same reasons people buy foreign cars. They're different and some of them possess remarkably fine engineering features. Foreign motors can be purchased from their United States distributors or directly from the country concerned if there is no stateside representative. Since good American stunt motors retail in some countries for as much as \$25.00, trades can often be made with pen pals and dealers, to the collectors' decided advantage.

Some collections are made up of motors having different types of porting and induction. Examples of the side-port type are the older Ohlssons and Browns, while the disc-valve is represented by the Hornet, Bantam and Dooling. The Supertigre G-24, Contestor and Atwood Champion are of the drum-valve type and the M&M, Thermal Hopper and Taifun Hurrikan typify those with reed-valve induction. There are even several variations of the familiar crankshaft rotary valve, including the Arden and Bullet (bottom) as well as the R.B. Special and Cannon (side). We haven't even begun to scratch the surface of the possibilities in this category.

Other forms of specialization are collecting within certain displacement limits and latching on to motors that are unique because of the use of color anodizing or enameling. Examples of the latter category are the Edco Sky Devil, Orwick .84, Drone Diesel, Bullet, McCoy Red Heads, etc. One collector is evidently trying to corner the market on Browns. He has 15 of them!

Next month we'll explore some very simple, but effective, methods of restoring old motors to "new" condition, and suggest ways to provide for their maintenance and subsequent storage or display. Meanwhile—it seems there's a fellow in town who has a practically new Barker .60 and he might be willing to—

(To be continued)

**BRAND NEW!**

**JUST OUT!**

**Strongest  
Props Made!**


**NOW!**

# A Complete Line of **TOP FLITE** **NYLON PROPS**

**that are indestructible  
under normal use!**


These marvelous props were perfected after years of intensive work in design and development! They are the strongest props made! Field tests prove they will outlast any other kind almost 50 to 1, reducing the cost per flight to the absolute minimum. They are flexible, heat-proof, fuel-proof and have a super high gloss finish. They deliver the best all around performance of any prop!

SIZE	EACH	SIZE	EACH
5 1/4-3	.25c	8-4 New	.60c
5 1/4-4	.25c	8-6 New	.60c
6-3	.25c	9-4 New	.85c
6-4	.25c	9-6	.85c
7-4 New	.40c	10-3 1/2 New	.85c
7-6 New	.40c	10-6	.85c
		11-4 New	1.00



**EXCLUSIVE  
SAFETY TIP  
STRIPES!**

The Safety Tip Stripes in contrasting bright red indicate the extreme tip of the prop to help prevent accidents. And this trim adds beauty and lots of dash, too!



## Our world famous wood props

New Sizes for the .020 Engine

**TOP FLITES:**  
4 1/2-3, 4 1/2-4, 4 1/2-5  
**POWER PROPS:**  
4 1/2-6, 4 1/2-7

**15c**  
each

**TOP FLITES:**  
6-3, 6-4, 6-5  
**POWER PROPS:**  
5 1/4-3, 5 1/4-4, 5 1/4-5,  
5 1/4-6, 6-3, 6-4, 6-5, 6-6

**20c**  
each

**TOP FLITES:**  
7-3, 7-4, 7-6, 8-3 1/2, 8-5, 8-6,  
8-8, 9-4, 9-5, 9-6, 9-7, 9-8,  
10-3 1/2, 10-5, 10-6, 10-8

**25c**  
each

**POWER PROPS:**  
7-4, 7-6, 7-8, 7-9, 7-10 1/2,  
8-4, 8-5, 8-6, 8-8, 8-9, 8-10 1/2,  
9-4, 9-8, 9-9, 9-10 1/2, 10-6, 10-8

**TOP FLITES R/C:**  
11-3, 11-4, 11-5, 11-6,  
11-8, 12-3, 12-4, 12-5, 12-8  
**POWER PROPS R/C:**  
11-3, 11-4, 11-5, 11-6,  
11-8, 12-3, 12-4, 12-6, 12-8

**35c**  
each

**TOP FLITES R/C:**  
13-3 1/2, 14-3, 14-4, 14-6

**40c**  
each



**TOP FLITES** and **POWERPROPS**

## the PROPS OF CHAMPS

deliver the **MOST THRUST** from ANY engine  
... more flights per prop, too!

All of these props are designed with highly efficient airfoil and perfect pitch to give the most thrust from any engine. Every one is precision made, molded to round leading edges, thin trailing edges, and perfectly balanced to give maximum aerodynamic efficiency.

These are 94 precision engineered props of nylon, wood in the size and pitch best suited to your engine and plane in our line ... the most complete and most widely used in the entire industry!

There's a **TOP FLITE** or **POWER PROP** for EVERY flying need:

- Radio Control
- Free Flight
- Combat
- Sport Flying
- Speed
- Stunt
- Payload
- Scale

**TOP FLITE**

**TOP FLITE MODELS INC.**

2635 S. WABASH AVE.—CHICAGO 16, ILL.

- get a new, up-to-date **FREE PROP CHART** at your hobby headquarters or write us direct.
- get these **PROPS OF CHAMPS** at your favorite hobby store.
- made by the makers of "Beralume" Aluminum-Bonded-To-Balsa Kits.



## John Maloney's MAN. memo No. 5


For some reason, I have never been able to consider the building and flying of model airplanes as a hobby. To me it has always been a sport in much the same way as sailing a boat or running a race or a sport. Model airplanes are not toys, but rather instruments of competition — some exquisite scale models are actually works of art. Take a hand launched glider for instance. It has balance, grace, and finish. To the man who can whip it into the sky, it is everything that



GREER'S PR. MAX 35

structures and in finish. It's an area of expression for the creative. If you feel the same way, we would like to hear from you. If you are a hobby dealer and would like to do business with a jobber who actually goes out and flies the merchandise he is selling, we are at your service.

We have been experimenting with running the new large crankshaft O. S. Max 35 on pressure. Many are taking the pressure out of the case thru a tubular backplate screw. Pictured at the right is a pressurized Max 35 with the pressure out in the bypass. According to Alan Greer of the Technical Model Products Co., this is the place for it. Part of the secret on pressure for Greer is the dome tank he uses; see sketch. For more complete instructions send us 10¢ for our circular on pressure.



SKETCH No. 1 DOME PRESSURE TANK

mitter. The receiver operates on only three volts and offers all the advantages of tone from a noise and interference standpoint. Controlaire, famous for the Installation Pak, is your assurance for high quality. I am using Bennett servos

\$13.95 (available to dealers from us) for elevator and rudder; and OS Multi servos for motor control. I am experimenting with these (they haven't been priced yet) and they will be available soon. You ought to be about blind from reading this small type, take a break and come back later. The Bennett servo uses a Mighty Midget motor which I understand has low current drain. Cliff has been running ten channel and only using 4 pen cells for his servo power supply. The Bennett servo has no printed circuit board, you have no wiper tension problems though his blade type contacts do rub clean on each operation. Also the Bennett servo exerts maximum power when the control surface are at the extreme position where it is needed.

We continue to have lots of complimentary letters come in on the Supertiger 19.

This is the ball bearing glo engine. I am using this Supertiger 19 in an Explorer and am using a K & B venturi speed control on it. Besides abundant power, this engine starts easy and runs smooth. Hirschberger used this engine in his Pylon winning flight at the '58 NATIONALS. The Supertiger 19 features copper head gaskets, twin ball bearing, lapped



CONTROLAIRE 1-CW \$34.95

dition 15 BB. \$15.00. We were virtually swamped with orders. We will get these out as fast as possible. We have control diesel fuel which retails for 90¢ per pint. Our sport diesel fuel is 80¢ per pint. Also we have amyl nitrate in 2 oz. bottles at 90¢ per bottle. We are almost afraid to mention that our OS SN encampments are now priced at \$2.95 as we are just barely able to meet the demand — same way with the OS Compound at \$4.95.



CONTROLAIRE 3 \$29.95

piston, hardened and ground crankshaft which is fairly heavy and well balanced for good flywheel effect. The needle valve assembly is the collet type. There are two venturi inserts, with alternate positions for speed and sport flying. These are only \$13.95 and that includes a wrench. Supertiger is from Sig. Garofali in Bologna, Italy, known for years as the Speed Merchant of Venice. We owe a few apologies to those who are waiting on the Supertiger 19.

World Engine's silk now available in Green, Red, Yellow, Light Blue, Dark Blue, Orange: colored \$1.00 per yard, white 80¢ per yard. This silk handles nice wet, doesn't pull apart.

I was having a bit of trouble finding large props for R/C work with 35's and 45's, so I asked OS to make me some for my own use. Everyone seemed to like them so we are selling them in the following sizes. These are wood: 11/6, 12/4, 12/5, 13/4, 13/5, 11 and 12 inch sizes are 35¢ each, 13 inch are 40¢. We have a shipment of Japanese TKK cer mag motors sizes and prices as follows: No. 15 @ 90¢, No. 25 @ \$1.00, No. 35 @ \$1.25, No. 45 @ \$1.50, No. 55 @ \$1.75 (in stock).

We would like to explain that most of the engines and supplies that we handle are distributed in Canada by Academy Hobby Supplies Ltd., 2624 Eglinton N.W., Toronto, Ont., Canada. Two of the principle figures at Academy are Al Germaine and Arne Grusten. Academy has done real well with English kits as well as motors.

World Engine's is now the only Ohio jobber distributing TMP's Hi Fire fuel, \$1.10 qt., \$3.75 gal. We also distribute Cox, Fox, K & B, and Nitro-X fuel to dealers. Other wet items we carry are Hinsdale's glue and dope. This is Superglue — the unmarked lead tube for 15¢. We can ship liquids anywhere in Ohio via United Parcel Service at reasonable rates. We are jobbers of the major lines of model airplane equipment. We accept retail orders only for our exclusive lines: OS, Supertiger, D-A, Oliver, Frog, Controlaire and Bennett.

Best Regards,  
JOHN MALONEY

IN CANADA

Academy Hobby Supplies Ltd.  
2624 Eglinton Avenue W.  
TORONTO, ONT., CANADA

IN THE U.S.A.:

**World Engines**

8206 Blue Ash Road  
CINCINNATI 36, OHIO  
Phone: TW 1-7936



New

a wonderful tool  
for the modeler!

x-acto® LOCK-GRIPPLIER

Pat. No. 2,746,444

Multi  
Purpose  
Tool—  
serves as:

- (1) Plier
- (2) Vise
- (3) Wire Cutter
- (4) Stripper
- (5) Crimper
- (6) Tweezer
- (7) Wrench

the  
"third hand"  
for  
small assemblies



Locking key locks  
jaw for use as a  
vise—free both  
hands



Insulation  
Stripper



Wire  
Cutter



No. 800—\$4.50—At all hobby stores.  
Send 25¢ for latest Hobby Tool Guide  
Book.

x-acto, INC.

48-53 Van Dam St., L.I.C. 1, N.Y.

## 1958 Wakefield Winner

(Continued from page 16)

as against the slower-climbing No. 1 model's more docile nine strands, it was soon trimmed well enough to finish the contest with three successive maxes.

Bond Baker is from Queensland, Australia and has been a frequent winner in Australian Wakefield and free-flight power contests for the past four or five years. Visiting Europe in 1955, he competed in the Wakefield and FAI Power that year in Germany and then stayed on to try his luck in the 1956 World Championships.

We follow now with Bond's own instructions and comments on building Woomea.

—P. G. F. C.

### CONSTRUCTION

**Wing and Stabilizer:** Make ribs R1 by sandwich method from quarter-grain medium 1/32 sheet. Center and outer dihedral break ribs are 1/16. Trace and cut out tip ribs in pairs. Trailing edge is carved and sanded from 1 1/4 x 1/16 medium balsa. Cut to exact lengths and notch for ribs. Tip trailing edges are traced from plan and cut from 1/4 medium balsa, except W3 which is cut from 3/16. Do not carve to section until after assembly.

Lay waxed paper over plan and pin down inner panel leading edge (medium-hard 3/16 sq. balsa). Pin down trailing edge, packed up to the correct angle. The method of packing, which I have found most satisfactory, is to take a sheet of 1/4 balsa and measure off 1-3/16 at one end. Chamfer down to an accurate wedge shape. The end is then cut off at a distance of 1 1/4, thus making the resulting wedge about 7/64 deep. Wedge is then cut into 26 sections, one of which is placed under

trailing edge at each rib position.

Insert R1 ribs, but not center or outer dihedral ribs, and fit top spar of 1/8 x 1/16 hard balsa. Remove from plan when dry and insert bottom spar of 1/8 x 1/16 medium balsa. Take pieces W1, W2 and W3, join together and pin down flat on plan. Remove when dry, sand to correspond with plan and cut notches for ribs. Pin down again to plan with W3 flat and W1 packed up at the inner edge with one of the wedges used for the inner panels. Form leading edge by laminating three strips of medium 3/16 x 1/16 balsa. Cement firmly to W3. Insert ribs and top spar of 1/8 x 1/16 medium balsa. Remove from plan when thoroughly dry and insert bottom spar of 1/8 x 1/16 medium balsa tapered to 1/16 sq. at tip. Sand trailing edge to section. Do not sand tip.

Join outer to inner section, blocking up tip 1 1/4 in. Place dihedral keepers of 1/16 ply where indicated and fit dihedral break rib. Join inner panels, blocking up outer dihedral break to 1 1/4 in. Cement in dihedral keepers and center rib. Sand leading edge to section shown in rib profiles on plan. Fit leading edge sheeting of pre-sanded 1/32 sheet balsa, inner panels first. Sand leading edge and tip to shape.

Stabilizer construction is similar to inner wing panels except that there is no lower spar. The two fins, of 1/16 quarter-grain sheet, are offset 1/16 to the right.

**Fuselage:** Make up mold or form of hardwood (not balsa) to the shape and section shown by the inner, broken line on plan. Mark center line on front and rear of form. At positions shown for cabane struts, cut two grooves around the form, using hacksaw blade or similar. These



# POLK'S

Model  
-Craft  
HOBBIES




ARISTO-CRAFT

## SPACEMASTER

READY  
TO  
USE

\$19.95



COMPLETE...

Manufactured from all new Hi-Fi quality components, this new receiver is a carrier responsive unit that has been thoroughly field tested for over a year. It incorporates "single-touch" tuning, 2 "twin-matched" transistors, plus a low drain hard tube. The "locked-in" deep etched printed circuit guarantees consistent quality and trouble-free performance. The Spacemaster MK1 can be tuned over all new allotted frequencies.

- Battery Requirements: 22½ V.B., 1½ V.A.
- Relay Operation: .6 MA on idle, rises to over 4 MA on signal for positive relay operation.
- Factory built, tested, ready for operation.
- Metal case enclosure—Wgt.: 13¼ ozs. with relay.
- FULLY GUARANTEED

DEALERS JOBBERS, REG. TRADE PRICES • WE EXPORT-IMPORT WORLD OVER

314 FIFTH AVE., DEPT. MA 69, NEW YORK 1, N.Y.

### ARISTOL MOPA TRANSMITTER

Features printed circuit chassis, extended range transmission, 27¼ freq. & "tuning-eye" for fast, accurate checking, quality controlled hi-tolerance components & specially designed crystal. E-Z ASSEMBLY KIT \$14.95. READY-TO-USE (less batt.) .....\$19.95



### ARISTO R/C MULTI-TESTER

Sturdily built, accurate testing unit covering every R/C need ±2%. Full 2½" moving coil type meter. Readings to 1000 MA, 200 V. DC, 100 to 10K ohms. Zero adjusting screw.

ohms adjust, black and red test leads with prods supplied. Black plastic case. Instruction book included. **\$16.50**

grooves should be deep and wide enough to take easily wire for struts, which are formed so that they fit snugly in grooves, conforming exactly to contour of mold. Do not cut struts to length. Remove struts.

Take a sheet of straight-grained 1/16 balsa, 3 in. wide and 42 in. long and taper as shown in sketch on plan. Soak sheet in hot water and wrap around top half of mold, binding in place with strip rubber. Leave until thoroughly dry. Remove rubber. Trim ends. Pin straight-edged sheet of balsa along center line and cut off excess. Do same with other side. Repeat whole process for bottom half. It is helpful to cut shells about 1/64 oversize, so that, when both are made, one may strap both together to mold and wet again with hot water. This is not absolutely essential, but helps to get a good thin glue-line.

Carefully cover the inside of each shell with tissue, using banana-oil or non-shrinking dope. Make front bulkhead—i.e. part into which noseblock fits—from hard 3/16 balsa sandwiched between 1/32 ply. Shape and carefully cut out center piece with fretsaw. This piece is covered on cut faces with thin celluloid and is retained for rear of noseblock. Take mold and, at position of motor peg reinforcements, make two parallel, ¼ in. deep cuts on each side. Remove wood between cuts and lightly glue in pieces of hard ¼ balsa. Sand to contour and remove.

Take top shell and carefully cement in front bulkhead. Bore holes in correct positions and fit cabane struts, using *Pluobond*. Make four small squares of 1/16 ply, slotted on one side. Cement these inside shell where cabane struts come through. Cement rear peg reinforcements in place, leaving half protruding. Cut two strips of 3/16 x 1/32 hard balsa and sand to a very

slight oval section so that they conform to inside contour of fuselage. Cement these down each edge of upper shell, so that half the width of strip protrudes below it to form a cementing surface for bottom shell. Place bottom shell in position and press onto cabane wires to mark position. Remove shell and run several layers of *Pluobond* around marks, also put several layers on wires. Run slow-drying cement across front bulkhead, along edges and on rear peg reinforcements. Place bottom shell in position, press in edges and bind with rubber strip.

Shape soft block for rear end and cement in place. Make stabilizer platform from medium 1/16 balsa and cement in position with grain across fuselage, putting a small D/T stop of 3/16 x 1/8 hard balsa at front. Cut rear D/T peg from 1/16 ply as shown, slot rear block and cement in place. Small fairing strips will be necessary under front of stabilizer platform. Sand to shape. Make stabilizer band peg of 1/16 round bamboo and cement.

Sand whole of outside of fuselage smooth and give two coats of dope mixed with cement and thinners. Cover with silk. Give two coats of talc and dope, sanding between each. Bend cabane struts to correct length and cut off excess. Cut two ¼ dowels for wing mounts. Bind and cement to cabane struts. Give fuselage two coats of white *Dulux*.

**Prop Assembly:** Mark out prop blank of medium-soft balsa and carve to section as shown. Cut root hinge from tinplate and make up as shown. Cement firmly to blade. Cover blade with silk. Give one coat of talc and dope, then three coats of thin *Dulux* rubbed down between each. Turn or carve a hardwood form to the shape shown for the inside of the spinner.

## LOOK ... NEW MICRO-TONE

26 TO 28 MC



RECEIVER

### 24.95 TONE RECEIVER

- ONE TOUCH TUNING
- PRINTED CIRCUIT
- PERFORMANCE GUARANTEED
- UNMATCHED RANGE 1 MILE
- TUBE DETECTOR
- 4 MILL CURRENT CHANGE
- IDEAL FOR PULSE 30 CPS.
- SIZE: 2¼ x 1½ x 1½ IN.
- WEIGHT: ONLY 2 OZ.
- USES 1½ AND 22½ VOLTS

ORDER DIRECT—DEALERS INQ  
MICRO-TONE PRODUCTS  
694 E. PARK AVE.  
BARBERTON, OHIO

# RADIO-CONTROLLED FLIGHT

SIMPLE AS ...

with a

## Babcock READY-TO-OPERATE, RELIABLE SYSTEM

Babcock has taken the mystery and confusion out of R/C flying. The Babcock 3-unit Radio Control System is precision engineered for simplicity of operation and reliable performance ... gives you everything you need for perfect radio-controlled flight.

### A ALL-TRANSISTORIZED

#### "MAGIC CARPET" MARK III RECEIVER

Amazing new extra-small, extra-light receiver with 4-stage transistorized operation. Trans-Flex circuit for precision control, longer range, reliable performance. Weighs only 1 1/4 oz. Uses single pencil size 9v. battery. Measures only 1 1/2" x 2 3/4" x 7/8". Complete (less battery) ... \$27.95

### B BATTERY-OPERATED

#### "MAGIC WAND" TRANSMITTER

Hand-held size less than 3" square. Powerful ... reliable. Strong 27 mc single channel signal. Uses standard size batteries. Factory assembled. BCT-10 ... \$24.95 (less batteries).

### C CONTROLS ESCAPEMENT

#### "MARK II" SUPER-COMPOUND SERVO

For full rudder and elevator control. Complete with motor control switch and all necessary linkage. Nothing else to buy. Rust and corrosion proof. Thousands in use. Weighs only 3/4 oz. ... \$7.95

### ...and BABCOCK ALL-PLASTIC PLANES

For peak R/C performance, fly the two Babcock authentic plane models ... the Aeronca Champion and Piper Tri-Pacer. Precision molded of durable, high-impact plastic, they can be easily assembled in a few hours ready to fly. Also equipped for U-control and free flight.

593

Only ... \$9.95

**Babcock**

**MODELS INC.**  
COSTA MESA, CALIF.

At Your Authorized Babcock Dealer  
... or write for complete Catalog.

All Models are powered by them!

Powered by what?

Be sure to ask for:

**TORPEDO ENGINES**  
**FURY ENGINES**

**FURY Outboard & Inboard MOTORS**  
**SUPERSONIC FUELS**  
**ALLYNCRAFT BOATS**



K&B ALLYN COMPANY - 5732 DUARTE STREET - LOS ANGELES 58, CALIFORNIA

**K&B Allyn**  
*Torpedo Engines, of course.*

Make spinner over form as you would fiberglass, but using nylon (three layers) fixed in place with a mixture of Pliobond, balsa cement and thinners. Leave on form for as long as possible before removing.

Make up noseblock, using quarter-inch plywood and the cut-out from the front bulkhead. Drill hole to take threaded brass bush. Bend winding-loop and shaft from 1/16 piano wire. Bind winding shaft to main shaft with single-strand control-line wire and solder. Slide small washer up to junction and solder in position. Make hub from fiber and drill through center to take 1/16 I.D. (inside diameter) "brass tube. Solder thin brass washer to tubing at back of hub and file flat. Let other end of tubing stand proud of hub by 3/32 in. Press another washer on and solder in place. Drill hole in hub to take brass tubing for driving dog of shaft. This tubing must be large enough to make a loose fit for the driving dog. Bell out at rear of hub and file flat. Make a square washer of thin brass and solder to front. File flat. Fit spring and solder to washer at junction of winding and main shafts. Spring must be just long enough to give a clearance of about .004 to .006 in. to the driving dog. This gives a freewheeling action for winding.

Bend hinge and counterweight wire from 1/16 to shape shown. Cut groove in back of fiber hub to take wire, then glue and sew in position with control-line wire as shown. Fit spinner backplate of 1/16 ply. Cut out center to take one of the ball race washers. Brass bush in noseblock will also have to be recessed slightly, otherwise gap between spinner and noseblock will be excessive.

Assemble all hub, noseblock and shaft parts. Bend rubber hook at rear of shaft. This hook should be at right-angles to driving dog. Before bending pawl to engage propeller stop, slip on length of heavy polythene tubing. Make blade retainer from brass or dural. Fit blade, screw retainer to hub and make counterweight. Fit prop stop so that blade folds on left side of fuselage. Cement on spinner.

**Comment:** The center of gravity is at present at 50 percent. This could be moved back to 60 percent with beneficial results. Instead of covering inside of fuselage shells with tissue, use silk as far as the rear peg and tissue from there back. Make counter-weight wire longer. This will mean a smaller weight will be needed, so C.G. will be moved back. If this does not appeal, then the cabane struts may be moved forward instead. Trailing edge of the stabilizer, or leading edge of the wing, will have to be lowered in either case. Fuselage construction is unorthodox, but, in my opinion, worth it, as it is immensely strong and takes a high-gloss finish—always an aid to visibility in a wind. The fuselage is strong enough to withstand a full turns motor break. This was determined empirically at Cranfield! The plane climbs and glides to the right, displaying no more cantankerousness than is usual when one is trimming a new model.

## Radio Control News


(Continued from page 25)

experiments etc., let your club paper know about it. Many times the local club paper editors are hard pressed to find out what is going on in their own backyard. We also learn that Astro-Hogs have taken over in the North Carolina area. In closing out the RC/NC group we also want to report that for an RC group this is the eatin'est bunch we've heard of. They're always having big dinners, Southern fried chicken, etc.

(Continued on page 56)

# Why There is More Demand for FRANCISCO FUELS

**THAN  
ANY  
OTHER!**



THE **ONLY** FUEL  
with  
volatane control!

THE **ONLY** FUEL  
processed to  
avoid spoilage!

THE **ONLY** FUEL  
which is  
truly acclimatized!

THE **ONLY** FUEL  
based on  
30 years' experience!

## POWER MIST "HI-THRUST" Is More Than a Fuel!

NOT ONLY does it give you everything you'd hope for in a contest glow fuel...

BUT, IN ADDITION it actually "nourishes" metal, piston, cylinder walls and bearings with three premium quality, "Degummed Processed" Castor Oils... reducing wear to 1/3 normal... greatly prolonging engine life.

16 Purity Tested Secret Formula Chemicals are used to assure most complete combustion... so essential for winning performance in exhaust control engines... and to prevent rust and acid destruction.

NO WONDER POWER-MIST "HI-THRUST" is the world's most wanted, most respected Contest Fuel... with over 2,000,000 gallons having proven by demonstrated merit that quality and "know how" are essential for the continuance of a product. See your hobby dealer.



### FRANCISCO LABORATORIES

3015 Glendale Boulevard, Los Angeles 39, California

#### GET ON OUR MAILING LIST!

Mail coupon attached and I will include you on our mailing list of bulletins giving latest data and information on fuel, performance records, etc. IF YOU ALSO INCLUDE 25¢ (coin or stamps) we'll send a kit of literature about FUELS and 6 types of degummed-treated Castor Oils, our booklet "CONTEST FUEL at it's Best," and other helpful information.

FRANCISCO LABORATORIES  
3015 Glendale Blvd., Los Angeles 39, Cal.

- ☐ Put me on your free mailing list.  
☐ Enclosed find 25¢ for Literature Kit and one year's mailing information.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

Zone \_\_\_\_\_ State \_\_\_\_\_



# STUNT MAN 23

FOR .049 TO .09 GAS ENGINES

\$1.95



23-1/2" WINGSPAN  
DIE-CUT INTERLOCKING  
ALL BALSA CONSTRUCTION

EXCITING NEW  
STUNT MODEL BY  
Carl Goldberg



## Dear Modeler:

Want a plane that can REALLY STUNT—but tough enough to let you learn the ropes? A plane that isn't too hard to build? Here it is—the brand new Stunt Man 23—a real hair-raiser for thrills—yet so simple and rugged that you can fix any damage with a tube of cement! It's a bigger, sturdier plane, based on my popular Swordsman 18 and will give you more action and advance your flying skill. Great with 1/2A engines, and really tops with .09s. Wingspan 23-1/2", length 16-1/2". Fully prefab construction (no paper), with all die-cut interlocking balsa and plywood parts, formed landing gear and tail gear, rubber main wheels and tail wheel, screws, washers, controls, large colorful decals, clear plastic canopy, nylon for hinges and reinforcing, and the finest illustrated step-by-step plans. PLUS—a full picture guide—"Learning How To Stunt!" See your dealer, he's getting Stunt Man kits to help you get into the fun of stunting for only \$1.95.



RANGER 30—Die-cut balsa, 30" span, for .020-.049 engine. \$1.95



SPACE JET 21—Die-cut balsa, 21" span, .020-.049 engine. \$1.69



SWORDSMAN 18 Die-cut balsa, 18" span, for .020-.049 engine. \$1.49.



1/2 A BLAZER—Die-cut balsa, tissue, 40" span, for .049 engine. \$2.50



RANGER 28—My "pre-fab plus paper", 28" span, 2 colors \$1.00



SHOESTRING RACER—18" span. All die-cut balsa. Complete \$1.00



SPIRIT OF ST. LOUIS—A miniature duplicate, 21" wingspan \$1.00



RANGER 21—All die-cut balsa parts, 21" span beauty. \$1.00



CESSNA 180—The champion of business liners, 21" span. \$1.00


P.S. If no dealer near you, send me cost of plane plus 25¢ each for postage and packaging. Or send cost of any three and I'll pay the postage.



CARL GOLDBERG MODELS  
3017 E. CLAYMONT, CHICAGO 43, ILL.

**Bonner**

VOLTAGE: 2 TO 4V  
BATTERY DENIAL  
NO LOAD 300-300 MA.  
WINDING 3 OHM



ANNOUNCES THE  
ALL NEW  
**DURAMITE**  
MULTI-SERVO

'125

WEIGHT: 2 1/2 OZ.  
OVER 4 LBS. THRUST

FEATURING OUR OWN MOTOR ESPECIALLY  
DESIGNED FOR SERVO USE—NOT AN IMPORT!

CRUTE BRASSING—95% SILVER BRUSHES  
TUNED COMMUTATOR—NYLON HOUSINGS

TEST MODELS OPERATED FOR OVER ONE  
QUARTER MILLION COMMANDS!

AVAILABLE AT YOUR DEALER NOW!

BONNER SPECIALTIES

2900 Tilden Ave.  
Los Angeles 64, Calif.

YOU'RE ALWAYS  
IN GOOD HANDS



When You Buy At  
The Store Displaying  
This Dealer Emblem

(Dealer inquiries invited)

Write To:

CRAFT, MODEL & HOBBY INDUSTRY

30 East 29th St.

New York 16, N.Y.

For those of you who don't feel you can make it all the way to California for the NATS, the Lakeland RC Club, Waukesha, Wis. invites you to their 6th Annual two-day contest on July 18 and 19. Events will include Rudder Only, Intermediate, Multi, Pylon and Scale with no age breakdown. Saturday night will feature a B & B or buffet and bull session and good RC movies. Elimination flying will be done Saturday and Sunday morning with the finals flying and trophy and prize presentations on Sunday afternoon. Motel accommodations have been made available. For further information on the contest and the supplying of RC films contact Mr. Bill Delfner, CD, % The Hobby Horse, River Park Center, Waukesha, Wis.

The Forest City Flyers are holding their 6th Annual International RC Contest on June 20 and 21, Kipp's Lane, London, Ontario, Can. Events will include Rudder Only, Intermediate, Multi and a 'Perilous' Pylon Race. The less experienced flier will have just as much of a chance at the big prizes as the expert. This is one of the top contests in the east and this year it is said to be even bigger and better. For additional information contact Mr. G. W. Rodgers, Forest City Flyers, 184 Brampton Road, London, Ontario, Can.

The Syracuse Sky Knights annual contest, AMA sanctioned, will be held June 28. Registration starts at 8 am and flying will continue until 5 pm. Usual AMA rules and plenty of good prizes. Don't forget their fabulous Hobo-Meet, August 15 and 16, with flying from early dawn until late dusk. The flying site for these events is in the vicinity of Manlius, N.Y. Write Bill Kenyon, R.D. #2, Manlius, N.Y. Bill reports plenty of activity in his area with Bramco 8 channel and Marcy Tone being the favored equipment. Two 60" delta designs with 35's are said to look good and you'll probably see them operational on June 28.

In conjunction with Pittsburgh's Bicentennial celebration, the Greater Pittsburgh Aero RC Society has planned a 'AA' sanctioned meet for August 23rd. The meet will be held at Hillman's Model Airport, off Rt. 22 on the way to Burgerstown. This will be the 4th Annual ARCS contest and everyone in the Pittsburgh area, especially, is invited to attend. Write to Ralph Pennetti, 3918 Brandon Road, Pittsburgh 12, Pa.

## TECHNICAL TOPICS

Mr. J. C. Madsen, 4578 E. White Avenue, Fresno 2, Calif. studied the two control independent system shown in the March issue of MAN and then came up with a system which eliminates receiver #2. The circuit is shown in Fig. 1. An SN escapement is substituted for receiver #2 and it in turn operates a SPDT micro switch on the third position of either servo. If rudder servo is pulsed to third position, switch changes servo batteries to elevator servo. A quick blip, as explained in the March MAN, could be used on rudder servo for engine control with another quick blip on elevator servo for flaps, etc.

With more S/S fans being converted from all parts of the country, Mr. Bill Heger, 1107 N. Garfield, Peoria, Ill. shows his method (Fig. 2) for differential elevator control. He gets about 15 degrees down and 40 degrees up elevator. This is used on a LiveWire Trainer and the principle applies as long as the elevator and stabilizer are mounted below the torque rod. If mounted above, action is reversed.



For the past few months we've been reporting doings in the superhet field. The Central Jersey Radio Control Club ran an interesting scoop in their Feedback paper. Transistors which have been found useful for audio amplification and IF work are the GE 2N192 (\$1.90) and the RCA 2N217 (\$1.70). Although some of the less expensive transistors, such as the Raytheon CK-722 and GE 2N107 might be used, these units are rejects from higher quality levels and therefore you are uncertain of the gain. It is often wiser to pay a little more for the grade which gives you a minimum gain figure. Otherwise, you'll have to go through a number of CK-722's and similar units until you find the right one. In the RF section, local oscillator and mixer, the Philco AO-1 (\$1.90) is generally a good choice with the Philco SB-100 (\$3.90) and the SB101 (\$3.45) better suited for more critical applications, such as the TR-4.5. Here again, the AO-1 will work fine if you are able to select the right unit. For RF outputs of more than a few milliwatts, the Philco 2N499 (\$8.25), rated at 75 mw, would be a good choice. It is the price of the correct transistor that prevents transmitters from being transistorized for general use. This paper highly recommends that transistors be placed in sockets and not soldered directly into the circuit. Sockets are inexpensive, some transistors are not. Also, sockets allow removal of the transistor for trouble shooting and test purposes.

The CJRCC group was very fortunate in having Mr. R. W. Ketchledge of the Bell Telephone Laboratories describe a selective RC receiver which he developed. The receiver has sensitivity equal to or better than present super-regen jobs and 10kc selectivity is no problem to obtain. It was also pointed out that in addition to the six frequencies we have for RC work there are 22 other frequencies in the band, separated by 10kc. Mr. Ketchledge's receiver employed a crystal oscillator, diode mixer and low frequency amplifier. He is also working on a proportional control for this receiver.

#### NEW ITEMS

Servicemen and model builders located in remote areas have been doing business with America's Hobby Center, Inc., 146-148 West 22nd Street, N.Y. for a long time. However, very few know that AHC can also supply you with practically any commercially produced receiver, transmitter or actuator. In addition, they have a large supply of component parts and other RC accessories, including some of the hard-to-get items. Some of the unusual items are machine screws down to size

## QUALITY . . . VALUE -- ESSCO RC PRODUCTS UNSURPASSED -- ANYWHERE IN THE WORLD

**YOU ASKED FOR THIS:** THE ESSCO '69 model all purpose battery charger. A heavy duty underwriters compliance unit that will properly recharge at mfr's ratings all cells and batteries used in RC work. Note that we state "mfr's specified charging rates." Other chargers simply state "will recharge all types" but are not designed to recharge the popular BB94A surplus, etc. cells at the 2 amp rate but instead at some low value which would require 24-48 hours to fully recharge them. The Essco charger is provided with a 6 terminal connector board and 3 controls that allow fine regulation of regular and trickle charge of the popular new NICADs, etc. The full wave H.D. rectifier and stepdown transformer will provide constant DC for bench testing of motors/actuators. Will also trickle charge your 6 volt auto battery for fast starting in cold weather. A lifetime super Essco value \$9.95



**All That's New & Best in RC, available first at ESSCO**  
NEW MONO MODULATOR, a compact stable modulator suitable for converting ALL CW XMTs to TONE. Especially suitable for the MAC II's. Requires only a few minutes to install. Tune variable 300 to 1200 cps ..... \$9.95

**FOR ULTIMATE PERFORMANCE AND DEPENDABILITY . . . THE EXPERTS SAY:** "The Essco THT is without a doubt the best single channel receiver built in the RC industry."

STD THT with MICRO OEM or Paladium non-pitting contact relay, housed in small attractive metal case \$1.95

**ANOTHER NEW DEVELOPMENT** in receivers, asked for by many. THE ESSCO THT/M.C., gives reliable motor control and proportional rudder. (Fail safe if desired). Comes in same size case as STD THT, only 4 oz wt. A batt. drain under 60 ma. Complete ready to fly, deluxe unit ..... \$9.95

**NEW LOW COST LITWIT HIGHLY EFFICIENT MINATURE MOTOR** for the ultimate in reliable proportional actuators. Silver treated 1000 hr life brushes. Self-aligning oilite bearings. Less than 24 oz wt. 1-5/16 diam. Precision engineered motor for your actuators, .... \$ 2.95

Actuator kit, incl. motor, gear train, mech. pin ..... \$ 5.95  
COMPLETED ESSCO ACTUATOR with MINITONE Motor ..... \$ 6.95

#### NEW RC "GOODIES"

SIGMA 11F litwit 10K relay, 1.8 ma pullin 1 ma drop-out. Regularly priced at \$2.50, an Essco special ... 1.95

PRICE ELECTRIC paladium non-pitting contacts 100 ohm relay. Ideal for pulse work w/3 volt relays ..... 2.25

KURMAN sens. relay, 1500 ohm/transistor pulser ... 1.95

**ESSCO FIRST TO BRING YOU THE NEW B & S heavy duty XMTB B battery converter**, tiny ultra reliable, delivers regulated 135V/30 ma. Ideal for powering your hand held multi-channel XMTs as Cit-Ship, C-D, ORBIT, etc. Will operate from single 4F battery or NT-6, 10 drain ..... \$1.95  
STD BAS converters for revrs. 30 or 45 model .... 15.95

**THE NEW DON STEEB Multi-servo**, unbelievable fine workmanship and reliability ..... 18.95  
COMING SOON, adaptor unit allows dual operation with STEEB servos and Essco STD THT receivers. "It's the Nuts!"  
EVEREADY AA size NICADs cells, 1.25 volt/450 ma. Fits all pencil type battery cases, indefinite life ... 2.75

**THAT WORK HORSE OF RC, the Deluxe ESSCO MAC II** always first in the field must soon, as ALL MAC II XMTs be retired due to the new FCC requirements. ESSCO has the answer on how to rework your present XMTs at low cost. THE BIG SWITCH IS ON, you too as hundreds of RCers can "go legal" by the use of an Essco SUPER MOPA RF ASSEMBLY. Five watts input with 3.5 watts output. Ideal to replace present non-compliance power type oscillator units.

Simple to install in place of your present RF unit. Will operate from present power supply. Only 3x5x3H. Transmitter type components used which along with the superior Essco workmanship will give you super reliable long range performance. Two 3D6 tubes used in the amplifier stage conservatively operate with 5 watts input and guarantees long tube life. Other so-called 5W MOPA XMTs use only a single 3D6 amplifier. This is ragged edge operation through tube over-loading as the tube mfr's specification lists 3.75 watts max. to 3D6. Tube overloading shows up as very broad tuning with possible short life tube failure and loss of model. So don't be misled on "broad" claims on 5 watt MOPA XMTs, only the ESSCO MOPA conservatively fulfills the 5 watt input specification. Complete 3 tube 5 watt RF unit w/total choice ..... 17.95  
MOPA RF UNIT for 50 mc operation, 5 watts input 21.95



**THE ESSCO HIPOWER EGON-MOPA XMT.** Full 5 watts input, better/85% eff. There's nothing else like it in the industry. Installed in ground (non-tip) case with H.D. 2 volt cell & completely filtered power supply. Fast low voltage keying relay used to insulate operator from high voltage shocks. The Essco XMTs exclusively comply with this and other FCC regulations. Complete with whip antenna, mirror keyer, super model ..... 44.95

**SPECIAL ESSCO TONE MOPA XMT** has FCC compliance audio tone modulator. Ideal to operate all single channel tone revrs as: C-G, DELTRON, MABCTONE, TR4.5 etc. Has all features of CW model, unbelievable low price ..... \$4.95

**REPLACEMENT OF DRY BATTERIES** for your XMTs got you down and broke too? Shucks fellows it's time to install a dependable ESSCO 2 volt powered vibrator. Variable output voltages for all types of XMTs, completely filtered by 50 mfd of sealed type capacitors and 2 filter chokes. Sure you can buy cheaper units but you won't get the reliable long lasting performance of the SUPER QUALITY at LOW COST Essco power packs, std all purpose unit ..... 11.95

**SPECIAL REGULATED OUTPUT VOLTAGE MODEL** for the BRAMCO 8 and other multi-chan. XMTs. "Clean" output voltage delivers superior performance over dry batteries ..... 18.95

Deluxe SPECIAL MODEL supplies ALL voltages for the TYPIC WAO XMT. Completely filters and regulated for superior operation of RF, tone and pulser. Complete unit less battery charger features of Super model ... 21.95  
Super Model includes all purpose charger ..... 31.95


**SPECIAL 12 volt HIPOWER SUPPLY**, use to power XMTs from car battery. 150 to 200 volts/100 ma. up to 80% efficiency. Complete power unit ready/use ..... 11.95

**ESSCO - NEW YORK**  
58 WALKER STREET  
NEW YORK 13, N. Y.  
Telephone WA 5-8187

If not available at your local shop order direct from New York office for FAST-FRIENDLY SERVICE Incl. postage & obtain FREE BONUS

**BUY ESSCO RC PRODUCTS** at your local dealer  
**FAST SERVICE! TOP DEALS!**  
All that's best in RC

FIG. 2



**for that "finishing touch" hobby spray gun**  
operates from vacuum cleaner

The ideal spray gun for models, hobbyists and the do-it-yourself fan... paint your model planes, cars, trains, boats, display shelves, etc. For that "finishing touch" of the Hobby Spray Gun... and it's


- Simple to operate
- Direct spray (minimum waste)
- One filling covers 10 sq. ft.
- Nickel plated
- No moving parts
- Always in adjustment

sprays dope • vinyl • lacquer • enamel • water base paint

Faster, Easier, with Smoother Finish

stewart / lundahl co.

only \$3.95



## DAR-DEVIL, JR.

CLASS  
A-B-C  
19 to .35

\$7.95

Wingspan 46", length 18 3/4"; completely prefabricated, shaped fuselage; synchronized wing flaps and stabilizer; hinged, aluminum rudder and skid. Includes all hardware. Files inverted or upright.

**REDWING SENIOR** .19 to .36 9.95  
Completely built; ready to dope and mount engine. Wingspan 37 1/2", length 24".

**REDWING, JR. KIT** .09 to .19 3.95  
Wingspan 30", length 20".

**DARWING** .19 to .36 5.95  
Wingspan 46", length 18 3/4".

**DARWING, JR.** .15 to .29 5.50  
Wingspan 36", length 16 1/2".

### COMPLETELY PREFABRICATED

**REDWING WING KIT** \$1.95

**REDWING BODY KIT** 2.95



**REGULAR**  
(Available in all series)

**PROFILE**  
(Available in A.S.L. series)

**ALL-BRASS FUEL TANKS**

Air tested under extreme pressure. Constructed of hot-fuel-proof, long-lasting brass. For Stunt-Speed-Scale Sport Flying. May be mounted in practically any position.

### PEE-WEE SERIES

PW-1	1 1/2"	.14 oz. cap.	50¢
PW-2	2"	.28 "	"
PW-3	2 1/2"	.35 "	"
PW-4	3"	.42 "	"

### B SERIES

B-1	1 1/2"	.5 oz. cap.	75¢
B-2	2"	.66 "	"
B-3	2 1/2"	.84 "	"
B-4	3"	1.00 "	"

### A SERIES

A-1	2"	1.7 oz. cap.	\$1.00
A-2	2 1/2"	2.1 "	"
A-3	3"	2.6 "	"
A-4	3 1/2"	3.00 "	"

### S SERIES

S-1	1 1/2"	.85 oz. cap.	\$1.00
S-2	2"	1.00 "	"
S-3	2 1/2"	1.13 "	"
S-4	3"	1.45 "	"

### L SERIES

L-1	1 1/2"	1.97 oz. cap.	\$1.00
L-2	2"	2.63 "	"
L-3	2 1/2"	3.3 "	"
L-4	3"	3.9 "	"

L-5	3 1/2"	4.5 "	"
L-6	4"	5.1 "	"

**R-4 Rat Racer** (4" x 1" sq.) \$1.25

### DAR-FLEX CONTROL LINE

Accurately cut, kink-free stainless steel wire. Wound on permanent aluminum reel with wooden handles. .015 and .018 \$2.75

**Bell Cranks**, sm. 20c; lg. \$ .25

**Pk. 12 Brass Hinges** .35

**Bell Cranks with lead-out wires**, Large 50c; Small .45

**Brass Mounting Plates** 3/4", 9/16", 1/2", 3/8" .50

**Aluminum Control Handle** 1.25

**Aluminum Storage Reel** .75

**Control Horn** .15

**Formed Landing Gear** .30

**Landing Gear Clamps** .15

**"Tuff-Wall" Fuel Line Tubing** per foot, Sm. 10c, Med. 15c, Lg. .30

**DARWIN MODEL AIRCRAFT**  
ANN ARBOR, MICH.

00-90, all sizes of brass and aluminum tubing, rod and threaded rod and brass and aluminum sheet. In the RC plane area they have kits for 45 planes, including the famous 90" Super Buccaneer. Get their Giant Hobby Catalog and see for yourself.

Wireformer, marketed by the Vinkemulder Mfg. Co., 917 Princeton Blvd., Grand Rapids, Mich.: This \$2.98 gadget will not cut piano wire but it will cut most other type wires up to 5/32" diameter. On forming, it will handle up to 1/2" diameter piano wire to a 3/32" radius (Bend a 3/16" diameter loop). If you make a mistake, the Wireformer will straighten the wire so you can start over again. Looks like a mighty handy gadget for the RC builder and the general modeler. Nothing wrecks a pair of good pliers like trying to bend a 1/2" piano wire.

Price increases are in effect on the CG VO cells as follows: VO-250 now \$2.30 and the VO-500 now \$2.50. This is still a good deal for the price, although other manufacturers are also coming out with nickel-cadmium cells. For example, Ever-ready's (Full line soon—Editor) AA pcell line type and size.

Badaco (Shreveport, La.) has a new 8-channel receiver and transmitter for \$99.50 each. Receiver, the '800', is completely transistorized, operates from 30 volts, idles at about 1.75ma and is housed in a spot-welded aluminum case. Range is said to be out of sight. The hand held transmitter provides simultaneous operation, has a neon indicator to tell when battery voltage is too low, tone voltages are regulated and the 4-tube circuit conforms to the new FCC regulations.

Good news from the GEM relay manufacturer in that the contact points on all GEMS are now a silver-palladium alloy instead of straight silver. We mentioned the merits of palladium during the writeups of the duration attempt. With the higher currents being drawn by actuators and the high voltage peaks reflected across the relay points, a considerable amount of heat is generated for a small fraction of time. Heat and arcing causes fusing or pitting of the points and the only real solution is to completely filter out the arcing or use a higher melting point contact material. This new alloy should help considerably and also aid towards decreasing or eliminating oxidation of the points due to corrosive atmospheres. There is no increase in price on the new GEMS.

BRAMCO has moved into new quarters, 4501 Belvidere Avenue, Detroit 14, Mich. and now is in a position to eliminate waiting for shipment of equipment. Bramco will have a superhet on the market as soon as it is fully field tested, probably late this summer.

ACE Radio Control, Higginsville, Mo. announces that the Marcy-Tone system will be available for twin simultaneous operation. Said to be capable of very high pulse rates, the new system can be operated on two channels by the conventional push button technique, or as a dual proportional affair.

Grapevine has it that CG Electronic's new multi superhet will be ten-channel, entirely new, with matching transmitter. The old 30v "eights" will be marketed soon by another firm at about \$120 for x-mitter and receiver together! Some idea of the probable "ten" may be had from a (Continued on page 61)

**YOU'RE ALWAYS  
IN GOOD HANDS**



When You Buy At  
The Store Displaying  
This Dealer Emblem

(Dealer inquiries invited)

Write To:

**CRAFT, MODEL & HOBBY INDUSTRY**  
30 East 29th St. New York 16, N.Y.

## GEM Standard

**NEW! SILVER PALLADIUM Contacts**

Here's the sensitive and reliable tiny mite, now with better arc suppression, contacts won't tarnish, corrode, or oxidize. Harder, wears better. More resistant to "welding" or "sticking" of points. Extra tie points for resistors or condensers. Still \$4.25

Weight Less than 1/2 oz.  
Size: 3/4 W.  
17/32 W.  
1-1/16 L.  
Mounting: One screw  
Coil: 5000 ohms

7,500 & 10,000 ohms at extra cost.  
Gem MICRO Deluxe (adjustable) \$4.95



**JAICO Products At Your Dealer**

## RELAYS

1921 W. HUBBARD  
CHICAGO 22, ILL.

## BUILD IN 4 HOURS! R/C KEYSTONE PACER

WINGSPAN 52"  
ENG. .19 to .25

### COMPLETELY PREFAB KIT INCLUDES

The following finished parts: wing ribs, leading and trailing edges, body sides, blocks, rudder, motor blocks, landing gear, stab., tailplane cut to exact size (for ease of covering) finished motor mounts, dowels cut to exact size, nuts, bolts, simplified plans and instructions and all bulkheads and firewall cut to exact size and drilled.

1/2-A PACER 3/4-FF  
PREFAB KIT \$3.95  
34" WINGSPAN

ORDER FROM KEYSTONE MODELS BOX 13 LEBANON, PA. DEALERS ON LETTERHEAD ONLY PLEASE.

### GOLD SEAL

**FULL RANGE GLOW PLUG**  
\$1.00 ea.



- Now contains 4 TIMES more platinum than other plugs.
- Firing chamber increased to FULL 360 providing greater peak operation and still permits minimum idle.
- Performs better! Lasts Longer!

**LONG LIFE GLOW PLUG** 65¢  
Long Thread — Short Thread ea.


**OHLSOON MANUFACTURING CO.**

1547 W. 16th St. • LONG BEACH, CALIF.

Not connected with Ohlsson & Rye

# NOW- a complete selection of HAWK KITS for 98c

 <b>CORPORAL MISSILE</b> No. 508 ..... 98c	 <b>F-84 THUNDERJET</b> No. 505 ..... 98c	 <b>BANSHEE</b> No. 501 ..... 98c	 <b>CONTINENTAL VISCOUNT</b> No. 506 .. 98c
 <b>VANGUARD SATELLITE</b> No. 515 ... 98c	 <b>F-104 STARFIGHTER</b> No. 504 ..... 98c	 <b>U.S. NAVY TV2</b> No. 512 ..... 98c	 <b>ATLAS SPACE STATION</b> No. 513 ..... 98c
 <b>LOCKHEED T33</b> No. 509 ..... 98c	 <b>ATOMIC AIRPLANE</b> No. 514 ..... 98c	 <b>B.O.A.C. COMET IV</b> No. 507 .. 98c	 <b>CAPITAL VISCOUNT</b> No. 503 ..... 98c



Send 10c for full color catalog on other fine HAWK MODELS

**MODEL CO., 4600 North Olcott Ave.**  
**Chicago 31, Illinois**

## WYLAM PLANS EIGHT 14x 20 IN. PLATES TO EACH SET!

For the first time in sets—YOU asked for them! Now available!

Set = <b>W-1</b> SOPWITH CAMEL Famed WW-1 English pursuit <b>WRIGHT MODEL A</b> A true pioneer—a gem! <b>WRIGHT MODEL B</b> Another collector's item <b>SE-5A</b> WW-1 pursuit—a favorite	Set = <b>W-2</b> SPAD S-XIII C-1 Renowned WW-1 French pursuit <b>CURTISS MODEL A</b> A competitor of the Wrights <b>SPAD S-VII</b> Great French WW-1 pursuit <b>WRIGHT FLIER</b> Man's first flyable plane	Set = <b>W-3</b> <b>CURTISS P-1 HAWKS</b> Glamorous Army fighters <b>F11C-2 GOSHAWK</b> Navy carrier fighter <b>P-6E HAWK</b> Greatest of all the Hawks!	Set = <b>W-4</b> <b>REPUBLIC P-47D</b> The wonderful Thunderbolt <b>SPITFIRE 2</b> Battle of Britain hero <b>MESSERSCHMITT Me-109J</b> ww-2 German fighter <b>CURTISS P-40D</b> American WW-2 Warbird
--	---	---	---

For over 20 years, William Wylam has been an acknowledged master of the detailed drawings of historically famous airplanes. MAN is happy to comply with the many requests for Wylam plans by making available this selection

**MODEL AIRPLANE NEWS**  
 551 Fifth Ave., New York 17

Just off the press! two new Wylam sets

Set =  
**W-5**

- GRUMMAN F6F-3  
Navy's shipboard fighter
- DOUGLAS C-54  
Air Force transport
- DOUGLAS A-26  
Invader—now B-26
- BOEING B-17  
The Flying Fortress
- CONSOLIDATED B-24  
Liberator—a heavy!
- CURTISS A-25  
Navy divebomber
- CONSOLIDATED PB7  
That Catalina!
- NORTHROP P-61  
Black Widow!
- BOEING B-29  
Famed Superfortress
- BOEING C-97  
Military transport
- MARTIN B-26  
Medium bomber

Set =  
**W-6**

EACH SET . . . \$1.00 ALL SIX . . . \$5.00

Enclosed is for plan sets numbered in boxes below  
 Please print your number DISTINCTLY in box for each plan you desire.

PLAN SET =	PLAN SET =	PLAN SET =	PLAN SET =	PLAN SET =	PLAN SET =
---------------	---------------	---------------	---------------	---------------	---------------

NO STAMPS PLEASE

NAME PLEASE PRINT

---

ADDRESS

---

CITY ZONE STATE



# Complete Listing

## MODEL AIRPLANE NEWS FULL SIZE PLAN SERVICE

The editor's selection of all time favorites, including completely new combinations of the greatest designs. All types!

PLAN SETS 50c p.p.

### PLAN OF THE MONTH

59.

GASSER: Willard RC, .09  
1958 WAKEFIELD WINNER  
SKY LANCER: Team, Proto, .29  
Gasser, hot pylon racer. Both the others beauties, too.

4.

SURE FUN: UC Sport, .29-.35  
PROFILE SILVAIRE: FF Profile, 1/2A.  
ZEPHYR: Rubber, Fuselage  
Control line on floats. Sport Gassie.

6.

HIGGINS CABIN CRUISER:  
RC Boat, .09-.19.  
FOKKER D7: Scale, U/C, .29-.51.  
The great all-time favorite?  
Try the Fokker D-7.

7.

WORLD CHAMP GL.: Nordic Winner.  
HI BOY: Cabin Stunt, Palmer-  
Goyet, .29-.35  
POW WOW: Bob Palmer stunt, .29-.35  
Collector's Item—two Palmer models!

9.

AEROCOM'DER: Scale, U/C, 2 .15.  
MARS: Bob Palmer stunt, .29-.35.  
NOBLER: Aldrich's Nats Winner,  
Stunt, .29-.35. Palmer and Aldrich,  
plus a twin ukie. Imagine!

10.

SMOG HOG: Bonner's Multi RC, .19-.35.  
STRATOLINER: 2 Half A, U/C.  
GUARDIAN: U/C Scale, .29 up.  
Greatest Multi RC of all time—a beauty!

11.

GAMBLER: Mirror Stunt Winner, .29-.35.  
DOUGLAS B-66: ducted fan FF, .049.  
B-66, the ducted fan job that  
beats all others.

12.

WHIRLING WINGS: Sikorsky XH-5,  
.15, 'copter.  
BREEZY: Small field RC, .049.  
SPITFIRE: Stunt, semi-scale, .29-.35.  
P. Schoenky, 'copter master—his Sikorsky!

13.

T-CRAFT: FF scale, .049.  
FENO: Combat, stunt, .29-.35.  
PADDY'S WAGON: Contest FF, .049.  
Paddy's Wagon—one contest  
job ok for beginner.

14.

HEATH PARASOL: RC, FF, Scale,  
.075 .09.  
GUARDIAN: Nats carrier winner, .29's.  
SHARPIE: FF Sport, .02-.049.  
—Guardian a dilly.

15.

RE-8: WW1, U/C, .29-.35.  
FLAPPING WINGS: Rubber,  
ornithopter.  
BOOMER: FF, sport, pusher, .049.  
Can planes fly like birds?  
Ornithopter sure does.

22.

MOONEY MITE: 1/2A Scale FF.  
'55 RAMBLER: .29 Team Racer.  
WACO CABIN: 1/2A FF Scale  
The Mite, stable, real looking low winger.  
Ramblor still beats 'em. Waco—Cute!

40.

MUSTANG: U/C Scale, .29.  
BI-GONE: Sport, FF, 1/2A.  
GLIDERS FIVE: HL Sheet.  
Mustang, Jim McCroskey's Nats  
winner. Bi-Gone, nifty bipe.

43.

EQUALIZER: .15 to .19 multi, RC.  
QUICKIE TRAINER: Speed, .29.  
AMAZOOM: FF, contest, .15.  
deBolt's best, the Equalizer?  
Amazoom—Stan Hill's hi-thrust.

44.

CONVAIR'S DELTA: Jetex FF.  
LIL DYNAMITE: .15 stunt, UC.  
SWAT: 1/2A, FF, contest.  
A trio of exceptional planes.

45.

ASTRO-HOG: Multi RC, .29-.35  
MITCHELL: Profile, .09's, .15's UC.  
Dunn's low wing radio—tops!  
Nothing matches this multi.  
The Mitchell a fine flier.

46.

PROJET B-47D: U/C, .15's.  
RUFFY: Stunt, .29-.35.  
NOR'EASTER: Nordic glider.  
B-47D, best of a project  
Ruffy: big winner—it's new!

47.

FOKKER E-3: 1/2A, FF, Scale.  
NAVY RACER: Rubber, semi-scale.  
WOODY: .29-.35, UC Combat. Hot  
E-3, beautiful model, fine flier.

48.

SPORTCOUPE: .09, U/C, Stunt.  
WHATIZIT: .35, Combat, Wooten.  
SWIF-F-FT: Jetex, two sizes!  
Whatizit, settles fuse-wing debate!

49.

CONQUISTADOR: .29-.35, U/C  
Stunt.  
TWO-STAGE ROCKET: Jetex (2).  
Stunter is a thing of beauty, and  
it flies as well as it looks!

50.

DUMBO: PBV Scale, U/C, .19's.  
FRENCH OLDTIMER: 1914, 1/2A, FF.  
Dumbo, the Catalina, man-sized  
ukie, takes off, lands on water  
or ground.

52.

GAUCHO: RC Stunt, .29-.35.  
THE CHAMP: Best U.S. Wakefield.  
LAIRD SOLUTION: U/C Scale, .15-.23.

53.

Gaicho, Argentine Champ, does pattern  
inverted. Champ, a single Wakefield!  
SNAP: Sport U/C, .19-.23.  
PELICAN: PAA Cargo, .049.  
WINDMILL: FF, 'giro, .02-.049.  
For proto take-off and landing  
realistic Snap tops 'em all. Other  
two, collector's items.

54.

SATELLITE: Hunter's FF, .19-.35.  
SUPERMARINE S-6B: U/C Scale,  
.09-.15. Satellite is top contest free  
flight '58-'59. Schneider racer, S-  
6B seaplane is one of FAST club's  
best projects.

55.

DETROIT STUNTER: U/C .29-.35.  
HORNET MOTH: FF, Scale, .02-.049.  
THE BARDON: Wakefield.  
D'troit St.: McDonald's Strathmoor,  
Nats favorite. Bardon: Canadian  
and US Nats winner, tops in rubber.

56.

RYAN PT-22: U/C, .19-.25.  
SNIPE: Gurnett's Nordic.  
Lovely scale job, that PT, with  
workable flaps, throttle.  
Tow-line glider long, strong  
wing, right sections, etc.

57.

Twin Lizzie: 1/2A FF.  
Com-Bat: U/C, .29-.35.  
Fireboat: Marine, RC.  
T-Liz, a cute sport job.  
The boat, Musciano, a beaut.

58.

SE-3: FF, .09-.15  
PIED PIPER: Rat Race, UC.  
1/2 WAVE: RC, .049  
SE-3 most beautiful flying scale  
model ever published.

PLAN SETS 50c p.p. NO STAMPS PLEASE

MODEL AIRPLANE NEWS • 551 FIFTH AVENUE, NEW YORK 17, N. Y.

Enclosed is \_\_\_\_\_ for plan sets numbered in boxes below

PLAN SET ==	PLAN SET ==	PLAN SET ==	PLAN SET ==	PLAN SET ==	PLAN SET ==
----------------	----------------	----------------	----------------	----------------	----------------

Please print your number DISTINCTLY in box for each plan you desire.

PLAN SET ==	PLAN SET ==	PLAN SET ==	PLAN SET ==	PLAN SET ==	PLAN SET ==
----------------	----------------	----------------	----------------	----------------	----------------

List additional plan orders on separate sheet.

NAME

PLEASE PRINT

ADDRESS

Limited Supply of Plans Listed Below.  
Order Early! Check Correct Number on Coupon

- 24. Aero Bat, Snoopy, Seagull
- 26. Corsair, Gyro-Glider, Santanita
- 28. Cougar, '55 Nordic Winner, Dizzy Boy
- 30. Great Lakes Trainer, Triple Threat RC
- 34. Corben Super Ace, Cessna 310, Profile Lightning

superhet "eight" that CG until recently had planned for early release. Longest dimension was 3%, weight 9% ozs. It idled at 8 ma, and was a 3v receiver.

In addition to two light-weight superhets, CG will have a Nike converter for existing superregens. Available May 1 is the Pioneer, a 3v single-channel superregenerative relayless receiver that weighs only one ounce. It is possible that this receiver can be cascaded. Size is 2% x 1%. All the new 3v single and multi units feature a power relay (a low impedance relay) used on the RT1-3V previously. Contact pressures, spring tensions, are much higher than on the 5000 ohm type. It is not sensitive and adjustments are not critical. CG also will release about July 1 a brochure including all their schematics. Price will be 50¢.

Discontinued and out of stock are models: RT-2, RT-3, RT-5, RT-8 and transmitters T-3, T-5 and T-8.

Correction: In the April issue, idling current of Citizen-ship superhet was given as 19 ma with rise to 20 ma. Correct figure is 9 ma, rise to 20 ma. In fact, company has managed to lower idle to 6 ma.

## MAN at Work

(Continued from page 4)

mutterings. So this old boy, figuring to teach the lad a lesson, stomps all over the airplane. At the last Nats, a worried Pop asks a flying buddy of ours if Joe Z Jr., just flew his own ship and, five minutes later, Joe Z Sr. asks buddy if S. T. Jr. flew his own ship. And both the Pops were friends! Maybe it was such silliness that prompted affable Paul Gilliam to suggest to AMA that it was stupid to think of reading out one pop-son team for over enthusiasm at the Nats because at least 20 others did likewise. The innocent bystander might assume that the slot machine mob had taken over!

When you get out there on that hot flying field, hot engines screaming in all directions, and ships are zooming off in volleys, it's mighty easy to lose perspective. Cold fever. Winning that event seems to call for a military use of all means at the commander's disposal. If, under these supercharged circumstances, the pop-son team, or the kid, does win, the kid may wonder if he really beat anyone, and Dad if he let on, might well wish he had it all to do over again. We look to Pa for judgment!

► From the Letecky Modelar, the Czech modeling magazine (and a darn good one it is!) January '59, this beef:

"There are a good many young and old modelers in the Brno County but they are getting more and more sad every day. Why?

"The explanation is simple. There is only one aeromodeling Sales Center in Brno and if there was none, it would be just as well. For the past three months you couldn't buy any material for even the simplest model. Whenever you visit this Sales Center, you hear only one answer: "We don't have any; there are none; the goods have not arrived as yet, and similar.

Everybody will understand that when there is nothing to build from, the aeromodelers will be discouraged, especially the beginners.

Don't think of Joe's hobby shop when you read Sales Center. This is a government run store controlled from the Central Government in the Capital. The Central office controls the distribution of goods, supplies, and determines where a Sales Center may be established, and how many

# a longer run for your money with a FORSTER



On July 13, 1958, George E. Ganter, Jr. of Reading, Pennsylvania, set a new National Endurance Record of 2 hours, 12 minutes and 1 second, on 30 ounces of fuel, using an UNMODIFIED Forster Model 29R engine.

## THERE ARE EIGHT FORSTER MODELS TO CHOOSE FROM:

29R and 35R	Air Cooled	\$14.95
29RC & 35RC	Speed Control	\$19.95
29RW & 35RW	Water Jacket	\$19.95
29RCW & 35RCW	Speed Control & Water Jacket	\$24.95

ALL ENGINES FEATURE THE LATEST DEVELOPMENTS THAT ADD SO MUCH TO THEIR OUTSTANDING PERFORMANCE. A SPHERICAL COMBUSTION CHAMBER LIKE LARGE AIRCRAFT ENGINES, A NEW "PRECISION CAST", LAPPED, CAST IRON PISTON, A HARDENED, SQUARE PORTED CRANKSHAFT WITH ALL BEARING SURFACES GROUND AND A FORGED ALUMINUM ALLOY CONNECTING ROD COMBINE TO GIVE THEM TREMENDOUS SPEED AND POWER. THE NEW, HIGH FUEL LIFT CARBURETOR MAKES THEM EASY TO START AND MISERLY ON FUEL!

YOU GET UP TO \$5 TRADE-IN ALLOWANCE FOR YOUR OLD ENGINE AT YOUR AUTHORIZED FORSTER ENGINE DEALER.

SEND COUPON FOR HIS NAME & ADDRESS AND FREE DESCRIPTIVE LITERATURE.

FORSTER-APPELT MFG. CO., INC.  
57 E. LANARK AVE. LANARK, ILLINOIS

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_

## THE SPIRIT radio controlled

"HOW SLEEK"

NO MORE OF THAT

"Designed by Jerry Stoloff."  
BULKY RC LOOK

Consolidated's SPIRIT makes "radio controlled" simpler yet more exciting. This sleek sport and contest flyer gives you knock-off landing gear to take shocks without breaking equipment. Sliding tray for easy access to batteries and receiver plus more extras. Complete full size plans and hook-up instructions.

475 sq. in. in wing area. Span 54". Fuselage 35".  
15-25 displacement engine. Interchangeable Motor Mount.  
AAA Balsa Throughout.

## GRUMMAN TBF-1 AVENGER

Superscale Navy Carrier  
FULL SIZE PLANS

41" Wing  
Span



Photo of finished model  
(Figure of pilot not included)

Consolidated's super scale Grumman Avenger is made from data furnished by Grumman Aircraft Eng. Co. Authentic to the last detail! See it... Fly it...

You'll be amazed!  
• 36" Radiocurved fuselage • AAA Balsa throughout • Formed landing gear  
• Dis-cut plywood parts & ribs • Full color decals • Formed and detailed plastic canopy turret & two instrument panels

Write for illustrated literature on these and other Consolidated models.

CONSOLIDATED

MODEL  
ENGINEERING CO.

3087 Third Ave., New York 51, N.Y.

CONSOLIDATED MODELS DESIGNED BETTER—BUILT BETTER—FLY BETTER

## NEW

Coming Soon!  
Watch For It!  
CONSOLIDATED'S  
SUPERIOR  
R/C EQUIPMENT  
2 New Transmitters •  
1 New Receiver  
All conform to latest  
FCC regulations  
Write for Illustrated  
Literature



SONIC-STAR  
\$2.95



WOW—\$3.50  
WOWEE—\$1.95



1/4 A MODELS—\$3.50  
STUKA—\$3.95  
GIANT STUKA—\$7.50

AT BETTER  
DEALERS  
EVERYWHERE

# ADVERTISING INDEX—JUNE, 1959

Ace Radio Control	47
Ambroid Co., Inc.	43
America's Hobby Center	6, 7, 8
Babcock Models, Inc.	54
Berkeley Models, Inc.	38, 63, 64
Bonner Specialties	40, 56
Bruce Sales Co.	50
CG Electronics Corp.	40, 62
Champion Products, Inc.	2nd cover
Comel Model Hobbycraft, Inc.	1
Consolidated Model Engineering Co.	61
L. M. Cox Mfg. Co., Inc.	37
Craft, Model & Hobby Industry	56, 58
Darwin Model Aircraft Co.	58
Dealers Hobby Supply	46
The deBolt Model Engineering Co.	44
ESSCO	57
Enterprise Model Aircraft Co.	31
Forster-Appelt Mfg. Co., Inc.	3rd cover
Fox Manufacturing Co., Inc.	55
Francisco Laboratories	47
Carl Goldberg Models, Inc.	47
Grish Brothers	3
Paul K. Guillow, Inc.	3
Gull Model Airplane Co.	50
Hawk Model Co.	59
Herkimer Tool & Model Works	5
Jaico Products	58
K & B Allyn Co.	54
Kap-Pak Products, Inc.	48
Keystone Models	58
Lee's Hobby Supplies	49
LePage's, Inc.	30
Lindberg Products, Inc.	46
MC Mfg. & Sales Co.	48
Micro-Tone Products	53
Minnesota Engine Works, Inc.	44
Min-X Radio	34
Modelcraft	45
Monogram Models, Inc.	39
North Pacific Products Co.	44, 58
Ohlsson Mfg. Co., Inc.	4th cover
Pactra Chemical Co., Inc.	36
Pan American World Airways	2
Perfect Parts Co.	35, 53
Polk's Model Craft Hobbies	40, 41
Sterling Models	57
Stewart/Lundahl Co.	48
Stits Aircraft	50
Tatone Products	32, 33
The Testor Corporation	51
Top Flite Models, Inc.	38
Veco Products Corp.	42
World Engines	51
World Wide Radio Control	52
X-Acto, Inc.	52

per city. Brno is probably the second or third largest city in Czechoslovakia—with only one "hobby shop" in the entire county.

► This is the way the cookie crumbles. From Claude McCullough whose empenage has been known to take on the shape of a tractor seat, this prophetic comment.

"Having spent quite a few years both as a petition-signer and a Contest Board Member—the latter experience considerably mellowing my outlook—I would like to venture an observation on the big new-rules uproar. Come change time two years hence, the protest will be every bit as loud in favor of the 1959-60 regulations as it is now against them. It is like having to take off a pair of comfortable old shoes and put on a new pair that may pinch at first. Once they are broken in you wouldn't be caught dead in the old ones."

Prophetic did we say? Mac has just been elected Chairman of the Contest Board! Mac, it was nice knowing you.

► After reading Czepa on Airfoils in August, 1957 MAN, John H. Wells, asks about F. W. Schmitz's "Modellflugel und Turbulenzeffekt," and goes on with, "I have long appreciated the almost unique supply of valuable and interesting technical articles on modeling that your magazine continues to present. For I can say that these articles help the modeler more in his pursuit of competition than all the gobbledook on space barf, etc., that so many magazines persist in cranking out."

"Hope that being National Senior Champ twice is enough to back that up."

► From K. H. Denzin, Stuttgart, Germany, one of Europe's most respected modelers, the thoughtful observation that, in his opinion, USA Wakefields are at least as

good as anybody else's.

"Contest success is a different story," he explains. "Previous experience and first hand reports from all World Championships convinced me that in free flight the success of the best model is not the rule but the exception. The best chances are always with the model-modeler combination and the experience and the attitude of the modeler contributes at least 50% to that."

"There is no other way," continues this competent observer, "to explain the success of Eastern modelers at recent contests, for their model designs (and engines and rubber) were in no way better than those of the 'west'. But those guys had the backing of their governments behind them and some pressure as well."

MAN at Work frequently has discussed the state-organized teams in East Europe. How people find it possible to fly planes all day for a month, in secluded practice, to be ready for anything. As Denzin says, "The more or less easy going attitude of the western modelers and the old Olympic idea that 'participation is more important than winning' is completely unknown to them as their personal well being is more or less dependent on their success . . . as long as we stick to FAI in its present form we have to face the problem and look for methods to overcome it."

The German reaction to the state organized competition, if we go by Denzin's remarks, is a constructive one.

"Government backing is not available to us, pressure is undesirable, and thank God, not available either—but out of our own free will we can concentrate on our personal preparations and we have the advantage to fly only under normal strain of a sports contest and have not to consider any consequences for us or our families."

"If then, those four individuals feel and work as a team, and concentrate not on their own but on their team's success, then we should be on even terms again."

• • •

► There's a story behind that Hobby Industry Association of America sponsorship of 50 free airline trips to the Nats. Ray Bryan, a traveling salesman who gets into every state, figured years ago that every time a dealer tells him there is no place to fly, well, then much of his line is dead. So he's been plugging industry help at the local level—a state's champ deal. Berkeley's Bill Effinger put a sturdy shoulder to the wheel in 1958 and the HIAA sent off eight state champs. Old shoot-the-works Willie E, evidently thought if eight states, why not all 50?

Within the HIAA membership of many hundreds of firms, an Aeronautical Division had formed. To answer the section's pitch on state champs the "Big Board" of the Association said, ok, we'll put up empty-ump dollars if you aero boys match it by March 1, 1959. In mid February, a small group of airplane people from around New York, met with HIAA's Bill McMillan to hammer out a program. Obviously impossible most quickly agreed. Not so, argued Nat Polk, who set up a national drive. For days, the committee members stuck to their phones. When the smoke cleared, the funds had been subscribed. The many people who gave—some until it hurt, deserve a gold medal.

We can stand more "crazy" people like Bryan, Effinger, and Nat Polk. In fact, when Berkeley gives its next National awards to the modeler and to the industry members who did the most for modeling during the year, we can suggest a candidate—the fellow who said it wasn't impossible. . . . Nat Polk!



**Charlie CG Sez:**  
**"IT'S TRANSISTORS EVERYTIME FOR TROUBLE-FREE R/C FLYING!"**



**RX-1**  
single channel compact



**RT 1-3V**  
single channel

**Certificate OF PERFORMANCE**  
CG Electronics Corporation, the Pioneers of Engineered, Transistorized R/C Equipment, Guarantee You Trouble-Free Operation within the Limits of the Operating Specifications Under the Terms of the Standard Warranty.

**WRITE FOR FREE ILLUSTRATED CATALOG**

**Check these features of the new RT 1-3V and RX-1 that only the engineered transistor can offer.**

- No Tubes to Break or Burn Out
- 3 Volt Operation (Two Pen Cells) with No Converters
- Subminiature Size and Weight
- 'High Shock' Ruggedness
- 'Super Solid' Ultra Sensitive Detector
- Temperature Operating Range from 0°F to 130°F without Reduced Sensitivity

**AND HERE'S PROOF**



**CG Electronics**  
CORPORATION  
15000 CENTRAL EAST ALBUQUERQUE, NEW MEXICO

Dept. MA-6




# Berkeley's

## SEMI-SCALE STUNT



**Grumman "GUARDIAN"**  
For .19 to .36 Engines - 53" Wingspan  
Designed for Stunt and Navy Carrier



**Curtis P-40 "WARHAWK"**  
For .19 to .36 Engines - 45" Wingspan  
Metal Cover - Stunt Flaps - Flying Tiger Decals



**"SUPER-SQUIRT"**  
For "Dyna-Jet" Engines - 21" Wingspan  
Flies in 160 to 180 m.p.h. range



**"MINI-WHIRLAWAY" 1/4 A**  
Minimum frontal area,  
For .19 to .39 Engines - 12-1/2" Wingspan  
Carved and Hollowed Fuselage - Bonnet  
**"SUPER WHIRLAWAY" A-B**



**"MARK-40" ZILCH**  
For .15 to .25 Engines - 40" Wingspan  
Highly Pre-Fabricated - Assembles Rapidly




**"MARK-30" ZILCH**  
For .09 to .15 Engines - 30" Wingspan  
Easy to build, highly Pre-Fabricated




**"MINI-ZILCH"**  
For .020 to .051 Engines - 20" Wingspan  
Easy to build Stunt Controller for small engines



**ZILCH "20"**  
For up to .074 Engines - 20-1/2" Wingspan  
Especially designed for rapid assembly, small engines



**"ORBIT ACE"**  
For .19 to .35 Engines - 425 sq. in. area 40-1/2" Wingspan  
Balanced Elevators - Wing tips washed out to prevent tip stall




**ZILCH X-PENDABLE"**  
For .19 to .35 Engines - 38" Wingspan  
Assembles fast, easy for more time in the air.



**"LANCER"**  
For .19 to .35 Engines - 39-1/2" Wingspan  
A proven contest winning design.

**Combat Trainers**  
Machines milled all balsa hollow wings -  
**"DAZE"**  
.09 to .15 Engines - 36" Wing \$2.95  
**"KNIGHT"**  
.19 to .36 Engines - 36" Wing \$3.95



**"SEA-CAT"**  
For .15 to .25 Engines - 68" Wingspan  
R.C. Amphibian Flying Boat  
Long Planing Hull Design - Beautiful Performance



**"PRIVATEER"**  
For .035 to .074 Engines - 36" Wingspan  
Takes off water in 15 foot run. Easy to build




**"CUSTOM PRIVATEER"**  
For .45 to .50 Engines - 114" Wingspan  
Takes off water with R.C. equipment. Huge cabin area N.A.C.A.



**"A-RC"**  
For .09 to .14 Engines - 54" Wingspan  
Clip in prone engine mount and R.C. chassis, fine flyer



**"SUPER BUCCANEER"**  
For .60 to 1.50 Engines - 7-1/2 Feet Wingspan  
E/Hel section, 8.3 sq. feet area



**"ROYAL RUDDERBUG"**  
For .14 to .23 Engines - 62" Wingspan  
Cabin doors for R.C. access. Proven in contests



**"ASTRO-HOG"**  
For .35 Engines (R.C.) .45 to .59 (Control line)  
- 72" Wingspan - Length 30"

## DUCTED FAN MODELS



**Douglas "SKY-RAY"**  
For "1/2A" Engines - 25" Wingspan  
Ideal for "Pull-Starters" Engines - Flies out of sight



**Vought "CRUSADER"**  
For "1/2A" Engines - 27" Wingspan 33-3/4" Length  
Formed Plastic Parts - Light in Weight, Flies Well



**Lockheed "T-33A"**  
For "1/2A" Engines - 29" Wingspan  
Fine Ducted Fan Design - Torque-Free Propulsion



**F-11-IF "TIGER"**  
For .039 Engines - Ducted Fan Jet - Inexpensive Included  
Authentic Decals - Formed Canopy - Detailed Plans



**RAMROD "250"**  
For "1/2A" Engines - 40-1/2" Wingspan  
Trims for Contest Flying in three flights or less.



**RAMROD "600"**  
For "A-B" Engines - 63" Wingspan  
600 sq. in. Area  
Trims for Contest Flying in three flights or less



**"INTERNATIONAL"**  
For .09 to .19 Engines - 71" Wingspan  
National's winning design - Easy to build and trim



**"SIL-O-JETS"**  
Ready to Fly with  
"PST-00" Engine  
\$1.95

# MODELS OF THE MONTH by *Berkeley*

• Authentic Decals


• Full Size Berkeley Detailed Plans

• Die-Cut Balsa and Plywood Parts

• Formed Wire Landing Gear

• All Necessary Hardware

• Formed Plastic Cowling



## STINSON SR-9C "RELIANT"

FOR .045 TO .077 ENGINES - FREE-FLIGHT  
FOR .099 TO .29 ENGINES - CONTROL LINE

1" SCALE 42" WINGSPAN

**\$3.95**

KIT No. 4-19

## "SWEITZER" 1-30

**\$2.95**

KIT No. 4-18

FOR .020 TO .049 ENGINES FREE-FLIGHT

(UP TO .099 ENGINES CONTROL LINE)

1" SCALE 40" WINGSPAN



## PAY LOAD - SPORT "PAY-DIRT" FREE FLIGHT

FOR .020 ENGINES 36" OR 48" WINGSPAN

**\$1.95**

KIT No. 18-3

Since 1945, Berkeley Models, Inc. has been  
BERKELEY MODELS INC.  
WEST HEMPSTEAD, NEW YORK, U.S.A.

If no local dealer is convenient, mail orders will be filled by Berkeley Model Supplies, Dept. MA, West Hempstead, N.Y. Please include 75¢ packing & postage.









RADIO CONTROL TRAINER MAMBO,  
designed and engineered for radio  
control.

by **Sterling**




CONTROL LINE  
Ideal for Beginners.  
PROFILE TRAINER II

by **Guillow's**




SPORT FREE  
FLIGHT FAIRCHILD PT-19 may also  
be flown as Control Line Model, as  
well as Radio Control.

by **Sterling**



COMBAT FLYERS, the FLITE STREAK, JR.  
is supermaneuverable.

by **TOP FLITE**



The 1/2A SUPER STUNTMASER is a  
real tiger with Fox 15 power.

by **SCIENTIFIC**



FREE FLIGHT . . . Get up there fast  
with a RAMROD 600.

by **Berkeley**




Brand new RC Trainer  
the EXPLORER—Rudder only,  
intermediate or  
multi-channel.

by **Guillow's**



SCALE FANS . . . Try this new super  
Combat-stunt HAWKER TYPHOON.

by **ENTERPRISE**



COMBAT Control liner.  
For the Combat Keen flyer, the  
LANCER is the answer.

by **Berkeley**




R C FANS  
ROTO VALVE  
Provides  
Speed Control

Kits shown are recommended by their manufac-  
turers for use with the Fox 15. Both kits and  
Fox Motors are available from your Favorite  
Hobby Shop.

**FOX**  
**15**

the  
**RIGHT**  
motor for  
**YOU**



the  
**RIGHT SIZE**  
the  
**RIGHT POWER**  
the  
**RIGHT BRAND**  
the  
**RIGHT PRICE**


**\$6 95**



**FOX MANUFACTURING CO., Inc.**

Designers and Manufacturers of the World's Finest Model Airplane Motors  
5305 TOWSON AVENUE, FORT SMITH, ARKANSAS

SMART CHAMPIONS CHOOSE



**HIGH  
VISIBILITY  
COLORS**



# Aero Glow

**hot fuel proof  
FLUORESCENT  
dope**

Protective coloration with high visibility fluorescent markings, has been made compulsory on all non-tactical planes of the U. S. Air Force. This most advanced step in air safety in years is being rapidly followed by commercial and private planes. And Pactra, as always, is ready with the newest—AERO GLOW—a line of special fluorescent paints for model planes... hot fuel proof, of course! Add striking fluorescent markings—for new air visibility and authenticity—on your plane TODAY. See Air Force approved striping suggestions and choice of 6 AERO GLOW colors at your dealers'.

35c

Aero Glow



# pactra

PACTRA CHEMICAL COMPANY, 1213 NORTH HIGHLAND AVENUE, LOS ANGELES 38, CALIF.



